

2004 Municipal/Private Sewage Monthly Summary - West Central Region

City of Hamilton - Woodward

700 Woodward Avenue
Hamilton

Sector: Sewage - Municipal
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A Non-Compliance

June 2004	0.8	mg/L	/mon	1 exceedance	0.95		Other	Voluntary Abatement Program Underway
July 2004	0.8	mg/L	/mon	1 exceedance	0.92		Other	Voluntary Abatement Program Underway

Total C of A Non-Compliance = 2 exceedances

TOTAL SUSPENDED SOLIDS

C of A Non-Compliance

June 2004	25	mg/L	/mon	1 exceedance	41.5		Other	Voluntary Abatement Program Underway
June 2004	10225	kg/d	/mon	1 exceedance	15192		Other	Voluntary Abatement Program Underway
July 2004	25	mg/L	/mon	1 exceedance	36		Other	Voluntary Abatement Program Underway
July 2004	10225	kg/d	/mon	1 exceedance	13012		Other	Voluntary Abatement Program Underway

Total C of A Non-Compliance = 4 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

Jah-Jireh Seniors Ministry Association

4505 Thirty Road, RR#3
Lincoln

Sector: Sewage - Municipal
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A Non-Compliance

December 2004	1	mg	/mon	1 exceedance	2.39		New Equipment or Treatment Process Installed	Other Abatement Action taken
---------------	---	----	------	--------------	------	--	--	------------------------------

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Corporation of Haldimand
County - Caledonia**

320 Lanark Street
Haldimand

Sector: Sewage - Municipal
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA NITRATE								
C of A Non-Compliance								
June 2004	1	mg/L	/mon	1 exceedance	6.23		Conducting Study	Assessment underway
October 2004	1	mg/L	/mon	1 exceedance	2.29		Action Plan Submitted - Implementing Improvements, Operational Process Modification	Assessment Complete - No Further Action Required

Total C of A Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Corporation of Haldimand
County - Jarvis**

Lot 4, 5, Conc 7, Jarvis
Haldimand

Sector: Sewage - Municipal
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

TOTAL SUSPENDED SOLIDS

C of A Non-Compliance

April 2004	25	mg/L	/d	2 exceedances	27	28	None required	Assessment Complete - No Further Action Required Closed/Subordinate
------------	----	------	----	---------------	----	----	---------------	---

Total C of A Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Corporation of Haldimand
County - Oswego Park**

Lot 20, 21, Conc 2, Dunnville
Haldimand

Sector: Sewage - Municipal
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A Non-Compliance

May 2004	1	mg/L	90 day avg	1 exceedance	1.28		Other	Voluntary Abatement Program Underway
----------	---	------	------------	--------------	------	--	-------	--------------------------------------

Total C of A Non-Compliance = 1 exceedance

TOTAL SUSPENDED SOLIDS

C of A Non-Compliance

December 2004	25	mg/L	90 day avg	1 exceedance	38.6		Operational Process Modification	Assessment underway
---------------	----	------	------------	--------------	------	--	----------------------------------	---------------------

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Corporation of Haldimand
County - Townsend**

Lot 22, 23, Conc 8
Haldimand

Sector: Sewage - Municipal
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL SUSPENDED SOLIDS								
C of A Non-Compliance								
November 2004	30	mg/L	/mon	1 exceedance	31.7		Ceased Operations	Assessment Complete - Incident Resolved
November 2004	40	mg/L	/d	1 exceedance	76		Ceased Operations	Assessment Complete - Incident Resolved
Total C of A Non-Compliance = 2 exceedances								

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Corporation of Norfolk
County - Simcoe**

16 Oakwood Drive
Norfolk

Sector: Sewage - Municipal
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A Non-Compliance

August 2004	200	CT/100 ml	/mon	1 exceedance	447		New/Modified Sampling Program Underway	Assessment underway
-------------	-----	--------------	------	--------------	-----	--	---	---------------------

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Corporation of Norfolk
County - Waterford**

Lot 9 & 10, Conc 8
Norfolk

Sector: Sewage - Municipal
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A Non-Compliance

May 2004	30	mg/L	/mon	1 exceedance	44.8		New/Modified Sampling Program Underway	Assessment Complete - Incident Resolved
----------	----	------	------	--------------	------	--	--	---

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Corporation of the County of
Brant - Cainsville**

30 Shaver Street
Brantford

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

FLOW

C of A Non-Compliance

December 2004	170	m3	/d	1 exceedance	200		Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
---------------	-----	----	----	--------------	-----	--	--	---

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Corporation of the County of
Brant - St. George**

43 Victor Boulevard, St. George
Brant

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

TOTAL AMMONIA NITROGEN

C of A Non-Compliance

October 2004	1.2	mg/L	seasonal avg	1 exceedance	2.7		Equipment modified, repaired, replaced or re- calibrated	Assessment Complete - No Further Action Required
--------------	-----	------	-----------------	--------------	-----	--	--	---

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Corporation of the Town of
Minto - Clifford**

Lot 57 & 58, Conc C
Minto

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

TOTAL SUSPENDED SOLIDS

C of A Non-Compliance

March 2004	12	mg/L	/mon	1 exceedance	21		Training/Procedure Change	Assessment Complete - No Further Action Required
------------	----	------	------	--------------	----	--	---------------------------	--

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Corporation of the Town of
Minto - Palmerston**

205 Mill Lane, Palmerston
Minto

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A Non-Compliance

February 2004	5	mg/L	rolling avg	1 exceedance	5.1		Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
---------------	---	------	-------------	--------------	-----	--	--	---

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

The Corporation of the Township of Centre Wellington - Elora

49 Guelph Road, Elora
Centre Wellington

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A Non-Compliance								
January 2004	200	CT/100	/mon	1 exceedance	333		New/Modified Sampling Program Underway	Assessment underway
March 2004	200	CT/100	/mon	1 exceedance	514		New/Modified Sampling Program Underway	Assessment underway
Total C of A Non-Compliance = 2 exceedances								

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

The Corporation of the Township of Mapleton - Mapleton

7101 Sideroad 15, Maryborough
Mapleton

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL AMMONIA NITROGEN								
C of A Non-Compliance								
March 2004	5	mg/L	/mon	1 exceedance	6.98		Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment underway

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

The Corporation of the Township of Wellington North - Mount Forest

400 North Water St, West, Mount Forest
Wellington North

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

Policy/Guideline

February 2004	1	mg/L	/mon	1 exceedance	1.37		Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
---------------	---	------	------	--------------	------	--	--	---

Total Policy/Guideline = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

The Creative Centre for Learning and Development

6727 South Chippawa Road
West Lincoln

Sector: Sewage - Municipal
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

FLOW

C of A Non-Compliance

August 9, 2004 - September 17, 2004	55	m3	any	4 exceedances	55.1	61.3	Treatment Process Upgrades	Assessment Complete - Incident Resolved
--	----	----	-----	---------------	------	------	----------------------------	--

Total C of A Non-Compliance = 4 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Regional Municipality of
Niagara - Crystal Beach**

500 Ridgeway Road
Fort Erie

Sector: Sewage - Municipal
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A Non-Compliance

June 2004	200	CT/100 mL	/mon	1 exceedance	856		Operational Process Modification	Assessment Complete - No Further Action Required
-----------	-----	--------------	------	--------------	-----	--	-------------------------------------	---

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Regional Municipality of
Niagara - Welland**

505 River Road
Welland

Sector: Sewage - Municipal
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A Non-Compliance

April 2004	200	CT/100 mL	/mon	1 exceedance	586		Operational Process Modification	Voluntary Abatement Program Underway
------------	-----	--------------	------	--------------	-----	--	-------------------------------------	---

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Regional Municipality of
Waterloo - Elmira**

80 First Street East
Woolwich

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL AMMONIA NITROGEN								
C of A Non-Compliance								
February 2004	2	mg/L	/mon	1 exceedance	4.03		Conducting Study	Assessment Complete - Incident Resolved

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Regional Municipality of
Waterloo - Kitchener**

368 Mill Park Drive
Kitchener

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A Non-Compliance								
March 2004	200	CT/100	/mon	1 exceedance	443		New/Modified Sampling Program Underway	Other Abatement Action taken
April 2004	200	CT/100	/mon	1 exceedance	641		New/Modified Sampling Program Underway	Other Abatement Action taken
Total C of A Non-Compliance = 2 exceedances								

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Regional Municipality of
Waterloo - Waterloo**

190 University Avenue East
Waterloo

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL SUSPENDED SOLIDS								
C of A Non-Compliance								
February 2004	15	mg/L	/mon	1 exceedance	22.84		Operational Process Modification	Assessment underway

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."

2004 Municipal/Private Sewage Monthly Summary - West Central Region

**The Regional Municipality of
Waterloo - Wellesley**

Fire Area 2156, Regional Road 12
Wilmot

Sector: Sewage - Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL AMMONIA NITROGEN								
C of A Non-Compliance								
November 2004	0.75	mg/L	/mon	1 exceedance	1.05		Other	Assessment Complete - No Further Action Required

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility and ministry action are current to October 2005. Conviction information is current to January 2006. For up-to-date information, please contact the appropriate district or area office."