

2005 Industrial Sewage Monthly Summary - Eastern Region

3M Canada Company

Lots 5,6,7,8, Conc 4 & 5, Belmont Ward
Havelock-Belmont-Methuen

Sector: Industrial Minerals
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Clean Water Regulations

January 2005	50	mg/L	/d	1 exceedance	53		Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
--------------	----	------	----	--------------	----	--	--	--

Total Clean Water Regulations = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

Casco Inc.

4040 James St.
Edwardsburgh/Cardinal

Sector: Miscellaneous
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A Non-Compliance

March 1, 2005 - March 31, 2005	35	mg/L	/mon	2 exceedances	39.8	65.5	Other	Assessment Complete - Incident Resolved
September 1, 2005 - September 30, 2005	35	mg/L	/mon	1 exceedance	38.3		New Equipment or Treatment Process Installed, Operational Process Modification	Voluntary Abatement Program Underway

Total C of A Non-Compliance = 3 exceedances

SUSPENDED SOLIDS

C of A Non-Compliance

March 1, 2005 - March 31, 2005	35	mg/L	/mon	1 exceedance	39.2		Other	Assessment Complete - Incident Resolved
-----------------------------------	----	------	------	--------------	------	--	-------	--

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

D. L. Services Inc.

Lot 11, Conc 6, Guilford Township
Dysart et al

Sector: Miscellaneous
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

TOTAL HYDROCARBONS

C of A Non-Compliance

May 2005	1000	µg/L	/d	1 exceedance	1500		Additional monitoring underway	Assessment Complete - No Action Required
----------	------	------	----	--------------	------	--	--------------------------------	--

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

Heico 2004 Member, Inc.

1040 Highway 17, L'Original
Champlain

Sector: Iron and Steel
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Clean Water Regulations

October 1, 2005 - October 28, 2005	Pass	acute toxicity	any	1 exceedance		Fail	Additional monitoring underway, Ceased Operations	Assessment Complete - Incident Resolved
---------------------------------------	------	-------------------	-----	--------------	--	------	--	--

Total Clean Water Regulations = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

**INVISTA (Canada) Company -
Kingston**

455 Front Rd.
Kingston

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

TOTAL RESIDUAL CHLORINE

C of A Non-Compliance

November 2005	10	ppb	/d	1 exceedance	40		Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action taken
---------------	----	-----	----	--------------	----	--	--	------------------------------

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

**Invista (Canada) Company -
Maitland**

1400 County Road 2 East
Augusta

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

Order - Non-Compliance

June 1, 2005 - June 30, 2005	29	kg/d	mon avg	1 exceedance	29.268		Conducting Study, Operational Process Modification	Voluntary Abatement Program Underway
---------------------------------	----	------	---------	--------------	--------	--	--	---

Total Order - Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

Order - Non-Compliance

February 2005	791	kg/d	/d	1 exceedance	1552		Conducting Study	Assessment underway
May 1, 2005 - May 31, 2005	244	kg/d	/mon	1 exceedance	339		Conducting Study, Operational Process Modification	Assessment underway
May 18, 2005 - May 20, 2005	791	kg/d	/d	2 exceedances	3028	5042	Conducting Study, Operational Process Modification	Assessment underway

Total Order - Non-Compliance = 4 exceedances

TETRACHLOROETHYLENE

Order - Non-Compliance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

**Invista (Canada) Company -
Maitland**

1400 County Road 2 East
Augusta

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
March 2005	0.112	kg/d	/d	1 exceedance	0.125		Conducting Study	Assessment Complete - No Action Required

Total Order - Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

Magellan Aerospace Limited

634 Magnesium Road
Whitewater Region

Sector: Metal Casting
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Clean Water Regulations

August 2005	Pass	acute toxicity	any	1 exceedance		Fail	Action Plan Submitted - Implementing Improvements, Additional monitoring underway, Operational Process Modification, Training/Procedure Change	Assessment Complete - No Action Required, Voluntary Abatement Program Underway
-------------	------	----------------	-----	--------------	--	------	--	--

Total Clean Water Regulations = 1 exceedance

BIOCHEMICAL OXYGEN DEMAND

Clean Water Regulations

January 1, 2005 - January 31, 2005	3.6	kg	/mon	1 exceedance		4.45	Equipment Modified, Repaired, Replaced or Re-calibrated, New Equipment or Treatment Process Installed	Assessment Complete - No Action Required
------------------------------------	-----	----	------	--------------	--	------	---	--

Total Clean Water Regulations = 1 exceedance

PHENOL

Clean Water Regulations

January 1, 2005 - January 31, 2005	0.007	kg	/mon	1 exceedance		0.00777	Equipment Modified, Repaired, Replaced or Re-calibrated, New Equipment or Treatment Process Installed	Assessment Complete - No Action Required
------------------------------------	-------	----	------	--------------	--	---------	---	--

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

Magellan Aerospace Limited

634 Magnesium Road
Whitewater Region

Sector: Metal Casting
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
February 1, 2005 - February 28, 2005	0.007	kg	/mon	1 exceedance	0.00802		Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Assessment Complete - No Action Required

Total Clean Water Regulations = 2 exceedances

PHOSPHORUS

Clean Water Regulations

May 1, 2005 - May 31, 2005	0.309	kg	/mon	1 exceedance	0.425		Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
May 18, 2005 - August 18, 2005	0.844	kg/d	/d	1 exceedance	0.999		Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway

Total Clean Water Regulations = 2 exceedances

ZINC

Clean Water Regulations

February 1, 2005 - February 28, 2005	0.144	kg	/mon	1 exceedance	0.349		Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Assessment Complete - No Action Required
---	-------	----	------	--------------	-------	--	---	---

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

Magellan Aerospace Limited

634 Magnesium Road
Whitewater Region

Sector: Metal Casting
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
February 2005	0.749	kg/d	/d	1 exceedance	1.2855		Equipment Modified, Repaired, Replaced or Re-calibrated, New Equipment or Treatment Process Installed	Assessment Complete - No Action Required

Total Clean Water Regulations = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

Praxair Canada Inc. - Kingston

1336 Highway 2, Maitland, ON
Augusta

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Clean Water Regulations

January 2005	44	kg/d	any	1 exceedance	60		Action Plan Submitted - Implementing Improvements	Assessment underway, Voluntary Abatement Program Underway
--------------	----	------	-----	--------------	----	--	--	---

Total Clean Water Regulations = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

RohMax Canada Inc.

12695 County Road 2
South Dundas

Sector: Organic Chemicals Manufacturing
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

Clean Water Regulations

January 2005	9.5	pH	/d	4 exceedances	9.71	9.82	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
--------------	-----	----	----	---------------	------	------	---	---

Total Clean Water Regulations = 4 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

Sandvik Canada, Inc.

425 McCartney St.
Arnprior

Sector: Miscellaneous
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

1,4 DIOXANE

C of A Non-Compliance

July 2005	250	µg/L	any	1 exceedance	453		New/Modified Sampling Program Underway, Assessment Complete - No Action Required	Voluntary Abatement Program Underway
October 2005	250	µg/L	any	1 exceedance	261		Additional monitoring underway	Assessment Complete - No Action Required

Total C of A Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

2005 Industrial Sewage Monthly Summary - Eastern Region

Saputo Foods Limited

3911 Harrowsmith Rd, Harrowsmith
South Frontenac

Sector: Miscellaneous
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A Non-Compliance

May 16, 2005 - May 19, 2005	1	mg/L	rolling avg	1 exceedance	1.47		Action Plan Submitted - Implementing Improvements, Ceased Operations, New/Modified Sampling Program Underway	Assessment underway, Voluntary Abatement Program Underway
--------------------------------	---	------	-------------	--------------	------	--	--	---

Total C of A Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A Non-Compliance

May 16, 2005 - May 19, 2005	30	mg/L	rolling avg	1 exceedance	34		Action Plan Submitted - Implementing Improvements, Ceased Operations, New/Modified Sampling Program Underway	Assessment underway, Voluntary Abatement Program Underway
--------------------------------	----	------	-------------	--------------	----	--	--	---

Total C of A Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."