

## 2005 Industrial Sewage Monthly Summary - Northern Region

**36569 Yukon Inc.**

Part of N 1/2 of Lot 1, Conc 12  
Lorrain

**Sector:** Metal Mining and Refining  
**Ministry Office:** North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ARSENIC

#### C of A Non-Compliance and Clean Water Regulations

April 1, 2005 - April 30, 2005	0.5	mg/L	/mon	1 exceedance	0.63		New/Modified Sampling Program Underway, Operational Process Modification	Assessment Complete - No Action Required
-----------------------------------	-----	------	------	--------------	------	--	-----------------------------------------------------------------------------------	---------------------------------------------

**Total C of A Non-Compliance and Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Abitibi Consolidated Company of Canada, Fort Frances Division

145 Third St.  
Fort Frances

**Sector:** Pulp and Paper  
**Ministry Office:** Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### BIOCHEMICAL OXYGEN DEMAND

#### Clean Water Regulations

December 6, 2005 - December 7, 2005	12000	kg/d	/d	2 exceedances	12270	12930	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order issued
----------------------------------------	-------	------	----	---------------	-------	-------	------------------------------------------------------	--------------------------------------

**Total Clean Water Regulations = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

**Abitibi-Consolidated Company of  
Canada, Iroquois Falls Division**

1 Park St.  
Iroquois Falls

**Sector:** Pulp and Paper  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### TOLUENE

#### Clean Water Regulations

June 2005	0.19	kg/d	/d	1 exceedance	0.369		None Required	Assessment Complete - No Action Required
-----------	------	------	----	--------------	-------	--	---------------	------------------------------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Abitibi-Consolidated Company of Canada, Kenora Division

504 Ninth St. North  
Kenora

**Sector:** Pulp and Paper  
**Ministry Office:** Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY DAPHNIA

#### Clean Water Regulations

October 2005	Pass	acute toxicity	any	1 exceedance	Fail		Additional monitoring underway	Voluntary Abatement Program Underway
October 2005	Pass	acute toxicity	any	1 exceedance	Fail		Ceased Operations	Voluntary Abatement Program Underway
November 2005	Pass	acute toxicity	any	1 exceedance	Fail		Additional monitoring underway, Ceased Operations, Conducting Study	Voluntary Abatement Program Underway

**Total Clean Water Regulations = 3 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Algoma Steel

105 West St.  
Sault Ste. Marie

**Sector:** Iron and Steel  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### AMMONIUM

#### Clean Water Regulations

October 2005	219	kg/d	mon avg	1 exceedance	263.8		Other	Other Abatement Action taken
--------------	-----	------	---------	--------------	-------	--	-------	------------------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Algoma Tubes Inc.

547 Wallace Terrace  
Sault Ste. Marie

**Sector:** Iron and Steel  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### OIL & GREASE

#### C of A Non-Compliance

April 2005	15	mg/L	/d	1 exceedance	21.4		Operational Process Modification	Assessment Complete - Incident Resolved
------------	----	------	----	--------------	------	--	----------------------------------	-----------------------------------------

**Total C of A Non-Compliance = 1 exceedance**

### SUSPENDED SOLIDS

#### C of A Non-Compliance

January 1, 2005 - February 20, 2005	15	mg/L	/d	6 exceedances	16	19	Conducting Study	Provincial Officer's Order issued
April 2005	15	mg/L	/d	13 exceedances	16	50	Conducting Study	Provincial Officer's Order issued
May 2005	15	mg/L	/d	10 exceedances	16	21	Conducting Study	Provincial Officer's Order issued
June 2005	15	mg/L	/d	8 exceedances	16	24	Conducting Study	Provincial Officer's Order issued
July 3, 2005 - July 21, 2005	15	mg/L	/d	7 exceedances	16	36	Conducting Study	Provincial Officer's Order issued

**Total C of A Non-Compliance = 44 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Bowater Canadian Forest Products Inc., Thunder Bay

2001 Neebing Avenue  
Thunder Bay

**Sector:** Pulp and Paper  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY - TROUT

#### Clean Water Regulations

April 2005	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Conducting Study	Other Abatement Action Taken
July 2005	Pass	acute toxicity	any	1 exceedance	Fail		Conducting Study	Other Abatement Action Taken

**Total Clean Water Regulations = 3 exceedances**

### ACUTE LETHALITY DAPHNIA

#### Clean Water Regulations

April 2005	Pass	acute toxicity	any	1 exceedance	Fail		Conducting Study	Other Abatement Action Taken
------------	------	----------------	-----	--------------	------	--	------------------	------------------------------

**Total Clean Water Regulations = 1 exceedance**

### PHENOL

#### Clean Water Regulations

May 2005	1.35	kg/d	/d	1 exceedance	5.33		Conducting Study	Other Abatement Action Taken
----------	------	------	----	--------------	------	--	------------------	------------------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Cascades Fine Papers Group Inc.

550 Shipyard Road  
Thunder Bay

**Sector:** Pulp and Paper  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### TOLUENE

#### Clean Water Regulations

March 2005	0.121	kg	/d	3 exceedances	0.1354	0.292	Conducting Study	Assessment Complete - No Action Required
------------	-------	----	----	---------------	--------	-------	------------------	------------------------------------------

**Total Clean Water Regulations = 3 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Domtar Inc.

1 Station Road  
Espanola

**Sector:** Pulp and Paper  
**Ministry Office:** Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### TOLUENE

#### Clean Water Regulations

December 2005	0.261	kg/d	/d	1 exceedance	0.265		Conducting Study	Assessment Underway
---------------	-------	------	----	--------------	-------	--	------------------	---------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### EPCOR Power L.P. - Calstock

Lot: 26 27 28, Conc: 4  
Stoddart

Sector: Electric Power Generation  
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ALUMINUM

#### C of A Non-Compliance

October 1, 2005 - October 31, 2005	1	mg/L	/mon	1 exceedance	3.52		Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required
---------------------------------------	---	------	------	--------------	------	--	------------------------------------------------------	---------------------------------------------

**Total C of A Non-Compliance = 1 exceedance**

### MORPHOLINE

#### C of A Non-Compliance

January 25, 2005 - February 23, 2005	1	mg/L	/wk	4 exceedances	1.01	1.84	Additional monitoring underway	Assessment Complete - No Action Required
-----------------------------------------	---	------	-----	---------------	------	------	-----------------------------------	---------------------------------------------

**Total C of A Non-Compliance = 4 exceedances**

### SUSPENDED SOLIDS

#### C of A Non-Compliance

October 17, 2005 - November 7, 2005	15	mg/L	/wk	4 exceedances	28	42	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required
----------------------------------------	----	------	-----	---------------	----	----	------------------------------------------------------	---------------------------------------------

**Total C of A Non-Compliance = 4 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### EPCOR Power L.P. - Kapuskasing

23, Conc: 10, Kapuskasing  
Kapuskasing

**Sector:** Electric Power Generation  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### MORPHOLINE

#### C of A Non-Compliance

July 1, 2005 - July 29, 2005	1	mg/L	mon avg	1 exceedance	1.58		Operational Process Modification	Assessment Complete - No Action Required
---------------------------------	---	------	---------	--------------	------	--	-------------------------------------	---------------------------------------------

**Total C of A Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### EPCOR Power L.P. - North Bay

Lot 20, Conc 2, Widdifield Geo. Twp.  
North Bay

**Sector:** Electric Power Generation  
**Ministry Office:** North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### MORPHOLINE

#### C of A Non-Compliance

October 1, 2005 - October 31, 2005	1	mg/L	mon avg	1 exceedance	1.005		Operational Process Modification	Voluntary Abatement Program Underway
---------------------------------------	---	------	---------	--------------	-------	--	-------------------------------------	-----------------------------------------

**Total C of A Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Falconbridge Limited - Hoyle Twp.

10050 Hwy. 101, Con. I, Lot 1, Hoyle Twp  
Timmins

**Sector:** Metal Mining and Refining  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY - TROUT

#### Clean Water Regulations

August 2005	Pass	acute toxicity	any	1 exceedance	Fail		Additional monitoring underway	Voluntary Abatement Program Underway
August 2005	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Additional monitoring underway, Conducting Study	Voluntary Abatement Program Underway

**Total Clean Water Regulations = 3 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### First Nickel Inc.

412 Crean Hill Rd, Geo. Twp. of Denison  
Greater Sudbury

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### HIGH PH EFFLUENT

#### Clean Water Regulations

December 2005	9.5	pH	any	1 exceedance	10.5		Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required
---------------	-----	----	-----	--------------	------	--	----------------------------------------------------------------	---------------------------------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

**Goldcorp Canada Ltd. - Porcupine  
Joint Venture, Dome Mine**

1 Gold Mine Road, South Porcupine  
Timmins

**Sector:** Metal Mining and Refining  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### Clean Water Regulations

December 2005	30	mg/L	/d	1 exceedance	40		Additional monitoring underway, Ceased Operations, Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification	Assessment Complete - Incident Resolved, Voluntary Abatement Program Underway
---------------	----	------	----	--------------	----	--	----------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Goldcorp Canada Ltd. - Red Lake

Mine Road  
Red Lake

**Sector:** Metal Mining and Refining  
**Ministry Office:** Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### Clean Water Regulations

November 2005	30	mg/L	/d	1 exceedance	32		None required	Assessment Complete - No Action Required
---------------	----	------	----	--------------	----	--	---------------	------------------------------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Great Lakes Power Limited

Approx. 30 km E of Wawa, Shikwamkwa R  
Maness

**Sector:** Electric Power Generation  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
<b>SUSPENDED SOLIDS</b>								
<b>C of A Non-Compliance</b>								
June 2005	25	mg/L	/d	1 exceedance	113		Operational Process Modification	Assessment Complete - Incident Resolved
July 2005	25	mg/L	/d	1 exceedance	92		Action Plan Submitted - Implementing Improvements	Other Abatement Action taken
September 2005	25	mg/L	/d	1 exceedance	88		None Required	Assessment Complete - Incident Resolved
October 5, 2005 - October 6, 2005	25	mg/L	/d	2 exceedances	32	111	Other	Other Abatement Action taken

**Total C of A Non-Compliance = 5 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

**Her Majesty the Queen in Right of Ontario as represented by the Minister of Northern Development and Mines - Timmins**

Kam Kotia Mine, Conc Robb, Timmins  
Timmins

**Sector:** Miscellaneous  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
<b>ACUTE LETHALITY DAPHNIA</b>								
<b>C of A Non-Compliance</b>								
August 2005	Pass	acute toxicity	any	1 exceedance	Fail		Additional monitoring underway	Assessment Underway
September 5, 2005 - September 21, 2005	Pass	acute toxicity	any	3 exceedances	Fail	Fail	Conducting Study, Operational Process Modification	Assessment Underway

**Total C of A Non-Compliance = 4 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

**Imperial Oil Limited - Riverside Drive, Timmins**

2154 Riverside Drive  
Timmins

**Sector:** Miscellaneous  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### OIL & GREASE

#### C of A Non-Compliance

May 2005	15	mg/L	mon avg	1 exceedance	20		None required	Assessment Underway, Other Abatement Action taken
----------	----	------	---------	--------------	----	--	---------------	---------------------------------------------------

**Total C of A Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Inco Limited - Copper Cliff

337 Power St.  
Greater Sudbury

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### COPPER

#### Clean Water Regulations

January 2005	0.3	mg/L	mon avg	1 exceedance	0.3482		Other	Other Abatement Action Taken
--------------	-----	------	---------	--------------	--------	--	-------	------------------------------

**Total Clean Water Regulations = 1 exceedance**

### HIGH PH EFFLUENT

#### Clean Water Regulations

January 2005	9.5	pH	any	3 exceedances	9.73	11.07	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
April 2005	9.5	pH	any	1 exceedance	11.05		Action Plan Submitted - Implementing Improvements	Other Abatement Action Taken
July 2005	9.5	pH	any	1 exceedance	10.98		Equipment Modified, Repaired, Replaced or Re-calibrated, New Equipment or Treatment Process Installed	Assessment Complete - No Action Required, Assessment underway
November 2005	9.5	pH	any	1 exceedance	11.2		Ceased Operations, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment underway

**Total Clean Water Regulations = 6 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Inco Limited - Garson Mine

Lot 4, Con 3, Garson Twp.  
Greater Sudbury

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### Clean Water Regulations

July 2005	15	mg/L	mon avg	1 exceedance	20.38		Training/Procedure Change	Assessment Complete - No Action Required
July 2005	30	mg/L	/d	1 exceedance	196.2		Training/Procedure Change	Assessment Complete - No Action Required

**Total Clean Water Regulations = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Inco Limited - Nolin Creek

Lot: 9 and 10, Conc: 3, McKim Twp.  
Greater Sudbury

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### HIGH PH EFFLUENT

#### Clean Water Regulations

May 2005	9.5	pH	any	1 exceedance	9.8		Other	Other Abatement Action Taken
----------	-----	----	-----	--------------	-----	--	-------	------------------------------

**Total Clean Water Regulations = 1 exceedance**

### NICKEL

#### Clean Water Regulations

January 2005	0.5	mg/L	mon avg	1 exceedance	0.6107		Other	Other Abatement Action Taken
January 2005	1	mg/L	/d	1 exceedance	1.5963		Other	Other Abatement Action Taken

**Total Clean Water Regulations = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Iroquois Falls Power Corp.

1 Northwest Industrial Road  
Iroquois Falls

**Sector:** Electric Power Generation  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### DISSOLVED ORGANIC CARBON

#### C of A Non-Compliance

May 2005	15	mg/L	/d	1 exceedance	15.5		Additional Monitoring Underway	Assessment Complete - No Action Required
June 2005	15	mg/L	/d	1 exceedance	17		Additional Monitoring Underway	Assessment Complete - No Action Required
October 2005	15	mg/L	/d	3 exceedances	16.1	19.3	Additional Monitoring Underway	Assessment Complete - No Action Required
November 7, 2005 - November 14, 2005	15	mg/L	/d	3 exceedances	15.9	18.1	Additional Monitoring Underway	Assessment Complete - No Action Required

**Total C of A Non-Compliance = 8 exceedances**

### SUSPENDED SOLIDS

#### C of A Non-Compliance

April 2005	25	ppm	/d	1 exceedance	31		None Required	Assessment Complete - No Action Required
------------	----	-----	----	--------------	----	--	---------------	------------------------------------------

**Total C of A Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Longlac Wood Industries Inc.

1 Katamaki Road  
Greenstone

**Sector:** Miscellaneous  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### LOW PH EFFLUENT

#### C of A Non-Compliance

December 2005	5.5	pH	any	6 exceedances	4.5	5.3	Conducting Study	Other Abatement Action Taken
---------------	-----	----	-----	---------------	-----	-----	------------------	------------------------------

**Total C of A Non-Compliance = 6 exceedances**

### PHENOL

#### C of A Non-Compliance

June 2005	0.02	mg/L	/d	1 exceedance	0.059		Conducting Study	Other Abatement Action Taken
-----------	------	------	----	--------------	-------	--	------------------	------------------------------

**Total C of A Non-Compliance = 1 exceedance**

### SUSPENDED SOLIDS

#### C of A Non-Compliance

February 2005	25	mg/L	/d	1 exceedance	36		Conducting Study	Other Abatement Action Taken
February 22, 2005 - March 8, 2005	25	mg/L	/d	2 exceedances	30	33	Conducting Study	Other Abatement Action Taken
July 2005	25	mg/L	/d	1 exceedance	68		Conducting Study	Other Abatement Action Taken
October 2005	25	mg/L	/d	1 exceedance	29		Conducting Study	Other Abatement Action Taken

**Total C of A Non-Compliance = 5 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Marathon Pulp Inc.

1 Mill Road  
Marathon

**Sector:** Pulp and Paper  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY DAPHNIA

#### Clean Water Regulations

September 2005	Pass	acute toxicity	any	1 exceedance		Fail	Operational Process Modification	Other Abatement Action taken
----------------	------	----------------	-----	--------------	--	------	----------------------------------	------------------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

**Neenah Paper Company of  
Canada - Terrace Bay**

21 Mill Road  
Terrace Bay

**Sector:** Pulp and Paper  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY - TROUT

#### Clean Water Regulations

January 2005	Pass	acute toxicity	any	1 exceedance	Fail		Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required
--------------	------	----------------	-----	--------------	------	--	------------------------------------------------------	---------------------------------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### North American Palladium Ltd.

Lat 49 Deg 10' N, Long 89 Deg 37' W  
 Unsurveyed (Thunder Bay D.O.)

**Sector:** Metal Mining and Refining  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY - TROUT

#### Clean Water Regulations

November 2005	Pass	acute toxicity	any	1 exceedance	Fail		Operational Process Modification	Assessment Complete - No Action Required
---------------	------	----------------	-----	--------------	------	--	----------------------------------	------------------------------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

**Ontario Power Generation Inc. -  
Atikokan**

Part 1-6 Plan 48R-3720  
Atikokan

**Sector:** Electric Power Generation  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY DAPHNIA

#### Clean Water Regulations

September 2005	Pass	acute toxicity	any	1 exceedance	Fail		Other	Assessment Complete - No Action Required
----------------	------	----------------	-----	--------------	------	--	-------	------------------------------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Ontario Power Generation Inc. - Thunder Bay

920 108th Avenue, Mission Island  
Thunder Bay

**Sector:** Electric Power Generation  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY DAPHNIA

#### Clean Water Regulations

August 2005	Pass	acute toxicity	any	1 exceedance	Fail		Conducting Study	Assessment Complete - No Action Required
September 2005	Pass	acute toxicity	any	1 exceedance	Fail		Conducting Study	Assessment Complete - No Action Required

**Total Clean Water Regulations = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Patricia Mining Corp.

Lot: 19, Conc: 5, Finan  
Finan

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### AMMONIA NITRATE

#### C of A Non-Compliance

November 2005	10	mg/L	/d	1 exceedance	18.5		Additional monitoring underway	Assessment underway
---------------	----	------	----	--------------	------	--	--------------------------------	---------------------

**Total C of A Non-Compliance = 1 exceedance**

### SUSPENDED SOLIDS

#### C of A Non-Compliance

November 2005	15	mg/L	/d	1 exceedance	55		Training/Procedure Change	Assessment Complete - Incident Resolved
---------------	----	------	----	--------------	----	--	---------------------------	-----------------------------------------

**Total C of A Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

**SMC (Canada) Ltd.**

Coleman Road  
Coleman

**Sector:** Metal Mining and Refining  
**Ministry Office:** North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ARSENIC

#### C of A Non-Compliance and Clean Water Regulations

July 1, 2005 - July 31, 2005	0.5	mg/L	mon avg	1 exceedance	0.57		Operational Process Modification, Other	Assessment Complete - Incident Resolved
November 1, 2005 - November 30, 2005	0.5	mg/L	mon avg	1 exceedance	0.61		New Equipment or Treatment Process Installed, Operational Process Modification	Other Abatement Action taken

**Total C of A Non-Compliance and Clean Water Regulations = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### St. Andrew Goldfields Ltd. - Clavos Mine

Lot: 1 and 2, Conc: 6, German Timmins

Sector: Metal Mining and Refining  
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

#### ACUTE LETHALITY - TROUT

##### Clean Water Regulations

December 2005	Pass	acute toxicity	any	1 exceedance	Fail		Action Plan Submitted - Implementing Improvements	Other Abatement Action taken, Voluntary Abatement Program Underway
---------------	------	----------------	-----	--------------	------	--	---------------------------------------------------	--------------------------------------------------------------------

**Total Clean Water Regulations = 1 exceedance**

#### AMMONIA

##### C of A Non-Compliance

November 1, 2005 - November 30, 2005	0.13	mg/L	mon avg	1 exceedance	0.139		Action Plan Submitted - Implementing Improvements	Assessment Underway
December 1, 2005 - December 31, 2005	0.13	mg/L	mon avg	1 exceedance	0.164		Action Plan Submitted - Implementing Improvements	Assessment Underway

**Total C of A Non-Compliance = 2 exceedances**

#### SUSPENDED SOLIDS

##### C of A Non-Compliance

November 2005	30	mg/L	/d	1 exceedance	31.9		Action Plan Submitted - Implementing Improvements	Assessment Underway
---------------	----	------	----	--------------	------	--	---------------------------------------------------	---------------------

**Total C of A Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### St. Marys Paper Ltd.

75 Huron St.  
Sault Ste. Marie

**Sector:** Pulp and Paper  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY DAPHNIA

#### Clean Water Regulations

June 21, 2005 - July 12, 2005	Pass	acute toxicity	any	3 exceedances	Fail	Fail	Conducting Study	Assessment Complete - Incident Resolved
----------------------------------	------	-------------------	-----	---------------	------	------	------------------	--------------------------------------------

**Total Clean Water Regulations = 3 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Tembec Industries Inc. - Smooth Rock Falls

1 Mill Road  
Smooth Rock Falls

**Sector:** Pulp and Paper  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY DAPHNIA

#### Clean Water Regulations

November 2005	Pass	acute toxicity	any	1 exceedance	Fail		Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway
---------------	------	----------------	-----	--------------	------	--	---------------------------------------------------------	---------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Wesdome Mines - Eagle River Mine

52 km S. on Paint Lk Rd from Hwy. 17  
Michipicoten

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
<b>AMMONIA, UNIONIZED</b>								
<b>C of A Non-Compliance</b>								
May 2005	0.2	mg/L	/d	1 exceedance	0.267		Conducting Study	Other Abatement Action taken
June 2005	0.2	mg/L	/d	2 exceedances	0.464	0.697	Conducting Study	Other Abatement Action taken
July 2005	0.2	mg/L	/d	5 exceedances	0.398	0.964	Conducting Study	Other Abatement Action taken
August 2005	0.2	mg/L	/d	1 exceedance	0.395		Action Plan Submitted - Implementing Improvements	Other Abatement Action taken
August 2005	0.2	mg/L	/d	1 exceedance	0.406		Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
August 2005	0.2	mg/L	/d	1 exceedance	0.216		Operational Process Modification	Other Abatement Action taken
September 2005	0.2	mg/L	/d	1 exceedance	0.236		Action Plan Submitted - Implementing Improvements	Program Approval issued

**Total C of A Non-Compliance = 12 exceedances**

### LOW PH EFFLUENT

#### Clean Water Regulations

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Wesdome Mines - Eagle River Mine

52 km S. on Paint Lk Rd from Hwy. 17  
Michipicoten

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 2005	6	pH	any	1 exceedance	5.85		Conducting Study	Assessment Complete - Incident Resolved

**Total Clean Water Regulations = 1 exceedance**

### SUSPENDED SOLIDS

#### Clean Water Regulations

January 1, 2005 - January 31, 2005	15	mg/L	mon avg	1 exceedance	19.8		Additional monitoring underway	Voluntary Abatement Program Underway
March 1, 2005 - March 31, 2005	15	mg/L	mon avg	1 exceedance	19.37		New Equipment or Treatment Process Installed	Assessment underway
April 2005	30	mg/L	/d	3 exceedances	34	36	New Equipment or Treatment Process Installed	Assessment underway
April 1, 2005 - April 30, 2005	15	mg/L	mon avg	1 exceedance	26.8		New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
May 2005	30	mg/L	/d	1 exceedance	46		Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
October 2005	30	mg/L	/d	1 exceedance	33		Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway

**Total Clean Water Regulations = 8 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Weyerhaeuser Company Limited - Dryden

Duke St.  
Dryden

Sector: Pulp and Paper  
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY - TROUT

#### Clean Water Regulations

May 2005	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Conducting Study	Assessment Complete - No Action Required
September 2005	Pass	acute toxicity	any	3 exceedances	Fail	Fail	Ceased Operations	Assessment Complete - Incident Resolved

**Total Clean Water Regulations = 5 exceedances**

### ACUTE LETHALITY DAPHNIA

#### Clean Water Regulations

July 2005	Pass	acute toxicity	any	4 exceedances	Fail	Fail	Conducting Study	Assessment Complete - Incident Resolved
-----------	------	----------------	-----	---------------	------	------	------------------	-----------------------------------------

**Total Clean Water Regulations = 4 exceedances**

### SUSPENDED SOLIDS

#### C of A Non-Compliance

May 2005	12	tonne/d	/d	1 exceedance	12.3		Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
----------	----	---------	----	--------------	------	--	---------------------------------------------------	-----------------------------------------

**Total C of A Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

**Weyerhaeuser Company Limited -  
Dryden**

Duke St.  
Dryden

**Sector:** Pulp and Paper  
**Ministry Office:** Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### TOLUENE

#### Clean Water Regulations

May 2005	0.369	kg/d	none	5 exceedances	0.481	1.408	Conducting Study	Assessment Complete - No Action Required
June 2005	0.369	kg/d	none	2 exceedances	0.608	0.629	Conducting Study	Assessment Complete - No Action Required

**Total Clean Water Regulations = 7 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."

## 2005 Industrial Sewage Monthly Summary - Northern Region

### Williams Operating Corporation

4.5 Km West of Hwy 614 on Hwy 17  
Bomby

**Sector:** Metal Mining and Refining  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### Clean Water Regulations

October 2005	30	mg/L	/d	1 exceedance	50.4		Conducting Study	Assessment underway
--------------	----	------	----	--------------	------	--	------------------	---------------------

**Total Clean Water Regulations = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to October 2006. For up-to-date information, please contact the appropriate district or area office."