

2006 Air Emissions Monthly Summary - Central Region

2047330 Ontario Limited

170 Mills Road
Ajax

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

OPACITY

Legislation Non-Compliance

March 2006	20	% opacity	any	1 day of exceedances	20.1	20.1	None Required	Assessment Complete - Incident Resolved
------------	----	-----------	-----	----------------------	------	------	---------------	---

Total Legislation Non-Compliance = 1 day of exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

Algonquin Power Energy From Waste Inc.

7656 Bramalea Road
Brampton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
CARBON MONOXIDE								
C of A/Permit Non-Compliance								
February 11, 2006 - February 12, 2006	43	ppm	4h avg	2 exceedances	50.7	51.5	None Required	Other Abatement Action Taken
March 11, 2006 - March 27, 2006	43	ppm	4h avg	5 exceedances	53	77.2	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
March 25, 2006 - March 26, 2006	43	ppm	4h avg	2 exceedances	61	62.1	Operational Process Modification	Assessment Complete - Incident Resolved
June 2006	43	ppm	4h avg	1 exceedance	67.6	67.6	Other	Assessment Complete - Incident Resolved
June 2006	43	ppm	4h avg	1 exceedance	44.6	44.6	Other	Assessment Complete - No Action Required
July 2006	43	ppm	4h avg	1 exceedance	60.6	60.6	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required
August 2006	43	ppm	4h avg	1 exceedance	43.9	43.9	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

Algonquin Power Energy From Waste Inc.

7656 Bramalea Road
Brampton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 2006	43	ppm	4h avg	1 exceedance	43.5	43.5	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 14 exceedances

HYDROGEN CHLORIDE GAS

C of A/Permit Non-Compliance

August 2006	18	ppm	24h avg	2 exceedances	19	19	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
September 2006	18	ppm	24h avg	1 exceedance	19	19	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 3 exceedances

NITROGEN OXIDES

C of A/Permit Non-Compliance

August 2006	110	ppm	24h avg	1 exceedance	120	120	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
-------------	-----	-----	---------	--------------	-----	-----	---	---

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

Algonquin Power Energy From Waste Inc.

7656 Bramalea Road
Brampton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
October 31, 2006 - November 1, 2006	110	ppm	24h avg	2 exceedances	114	124	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

OPACITY

C of A/Permit Non-Compliance

January 2006	5	% opacity	2hr avg	1 day of exceedances	5.1	5.1	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
January 2006	10	% opacity	6min avg	1 day of exceedances	15.1	15.1	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
March 2006	10	% opacity	6min avg	1 day of exceedances	10.2	10.3	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
April 2006	10	% opacity	6min avg	1 day of exceedances	12	12	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
July 2006	10	% opacity	6min avg	2 days of exceedances	15.5	19.1	Other	Assessment Complete - No Action Required

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

Algonquin Power Energy From Waste Inc.

7656 Bramalea Road
Brampton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 2006	10	% opacity	6min avg	1 day of exceedances	16.9	17.2	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
September 2006	10	% opacity	6min avg	1 day of exceedances	11.3	11.3	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
November 2006	10	% opacity	6min avg	1 day of exceedances	13.1	13.1	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
November 2006	10	% opacity	6min avg	1 day of exceedances	16.6	16.6	None Required	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 10 days of exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

Canac Kitchens, divisions of Kohler Canada Co. 360 John St
Markham

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ODOUR

C of A/Permit Non-Compliance

January 1, 2006 - December 31, 2006	1	odour unit	any	1 exceedance	18	18	Action Plan Submitted - Implementing Improvements, Ceased Operations, Equipment Modified, Repaired, Replaced or Re- calibrated, Operational Process Modification, Other	Additional Requirements Added in Certificate of Approval/Permit, Other Abatement Action Taken, Provincial Officer's Order Issued
--	---	---------------	-----	--------------	----	----	---	---

Total C of A/Permit Non-Compliance = 1 exceedance
Based on air dispersion models

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

Halton Recycling Ltd.

395 Harry Walker Pky S
Newmarket

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ODOUR

C of A/Permit Non-Compliance

January 1, 2006 - December 31, 2006	1	odour unit	10min avg	1 exceedance	1.01	1218	Action Plan Submitted - Implementing Improvements, New Equipment or Treatment Process Installed, Operational Process Modification, Other	Assessment Underway, Director's Order Issued, Other Abatement Action Taken, Provincial Officer's Order Issued, Voluntary Abatement Program Underway
--	---	---------------	-----------	--------------	------	------	--	--

Total C of A/Permit Non-Compliance = 1 exceedance
Based on air dispersion models

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

Medical Waste Management Inc.

3, 4 - 95 Deerhurst Drive
Brampton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

MERCURY

C of A/Permit Non-Compliance

May 16, 2006 - May 18, 2006	20	µg/m3	any	1 exceedance	22.1	22.1	Action Plan Submitted - Implementing Improvements	Assessment Underway
--------------------------------	----	-------	-----	--------------	------	------	--	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

NITROGEN OXIDES

C of A/Permit Non-Compliance

May 16, 2006 - May 18, 2006	324	mg/m3	any	1 exceedance	408	408	Action Plan Submitted - Implementing Improvements	Assessment Underway
--------------------------------	-----	-------	-----	--------------	-----	-----	--	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

Meritor Suspension Systems Company Ltd.

150 Steeles Ave
MILTON

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
NOISE								
C of A/Permit Non-Compliance								
May 2006	45	dBA	any	1 exceedance	53	53	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
May 2006	48	dBA	any	1 exceedance	59	59	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

Nestlé Canada Inc.

55 & 65 Carrier Dr
Toronto

Sector: Miscellaneous
Ministry Office: Toronto

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ODOUR

C of A/Permit Non-Compliance

January 1, 2006 - December 31, 2006	1	odour unit	10min avg	1 exceedance	1	1	Action Plan Submitted - Implementing Improvements, New/Modified Sampling Program Underway, Operational Process Modification	Voluntary Abatement Program Underway
--	---	---------------	-----------	--------------	---	---	--	---

Total C of A/Permit Non-Compliance = 1 exceedance
Based on air dispersion models

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

**St. Marys Cement Company
(Canada) Inc. - Clarington**

400 Waverley Road South
Clarington

Sector: Industrial Minerals
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
OPACITY								
Legislation Non-Compliance								
February 2006	20	% opacity	any	1 day of exceedances	20	20	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
February 2006	20	% opacity	any	2 days of exceedances	40	80	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
May 2006	20	% opacity	any	1 day of exceedances	61.58	61.58	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
June 2006	20	% opacity	any	3 days of exceedances	38	68	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
June 2006	20	% opacity	any	1 day of exceedances	20	20	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway
July 2006	20	% opacity	any	1 day of exceedances	66	66	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

**St. Marys Cement Company
(Canada) Inc. - Clarington**

400 Waverley Road South
Clarington

Sector: Industrial Minerals
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
July 2006	20	% opacity	any	1 day of exceedances	20	20	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
August 2006	20	% opacity	any	1 day of exceedances	26.8	26.8	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
October 2006	20	% opacity	any	1 day of exceedances	24.13	24.13	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
November 2006	20	% opacity	any	1 day of exceedances	20	20	None Required	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 13 days of exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Air Emissions Monthly Summary - Central Region

Universal Drum Reconditioning Company

110 Glen Scarlett
Toronto

Sector: Miscellaneous
Ministry Office: Toronto

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED PARTICULATE MATTER

Legislation Non-Compliance

January 1, 2006 - December 31, 2006	100	ppm	30min avg	1 exceedance	433	433	Additional Monitoring Underway	Voluntary Abatement Program Underway
--	-----	-----	-----------	--------------	-----	-----	-----------------------------------	---

Total Legislation Non-Compliance = 1 exceedance
Based on air dispersion models

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."