

2006 Industrial Sewage Monthly Summary - All Regions

36569 Yukon Inc.

Part of N 1/2 of Lot 1, Conc 12
Lorrain

Sector: Metal Mining and Refining
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ARSENIC

Legislation Non-Compliance

April 1, 2006 - April 30, 2006	0.5	mg/L	mon avg	1 exceedance	1.21	1.21	New/Modified Sampling Program Underway, Training/Procedure Change	Assessment Underway
April 19, 2006 - April 21, 2006	1	mg/L	daily	2 exceedances	1.21	1.53	New/Modified Sampling Program Underway, Training/Procedure Change	Assessment Underway
November 1, 2006 - November 30, 2006	0.5	mg/L	mon avg	1 exceedance	0.73	0.73	New/Modified Sampling Program Underway, Operational Process Modification	Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 4 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Abitibi-Consolidated Company of Canada - Iroquois Falls

1 Park Street
Iroquois Falls

Sector: Pulp and Paper
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ACUTE LETHALITY DAPHNIA								
Legislation Non-Compliance								
August 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway	Assessment Underway
August 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Conducting Study	Assessment Underway
October 2006	Pass	acute toxicity	any	3 exceedances	Fail	Fail	Additional Monitoring Underway	Assessment Underway
October 2006	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Conducting Study	Assessment Underway
October 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Other	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 8 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Abitibi-Consolidated Company of Canada - Kenora

504 Ninth Street North
Kenora

Sector: Pulp and Paper
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

Legislation Non-Compliance

January 2006	6	pH	any	1 exceedance	3	3	Ceased operations	Assessment Complete - Incident Resolved
--------------	---	----	-----	--------------	---	---	-------------------	--

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Algoma Steel Inc.

105 West St
Sault Ste. Marie

Sector: Iron and Steel
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BENZENE

Legislation Non-Compliance

December 2006	0.417	kg/d	/d	2 exceedances	0.643	3.19	Operational Process Modification	Assessment Underway
---------------	-------	------	----	---------------	-------	------	----------------------------------	---------------------

Total Legislation Non-Compliance = 2 exceedances

PHENOL

Legislation Non-Compliance

October 2006	22.7	kg/d	/d	1 exceedance	43.4	43.4	Other	Assessment Underway
--------------	------	------	----	--------------	------	------	-------	---------------------

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Algora Tubes Inc.

547 Wallace Terrace
Sault Ste. Marie

Sector: Iron and Steel
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-Compliance								
August 2006	15	mg/L	/d	1 exceedance	27.7	27.7	None Required	Assessment Complete - No Action Required
August 2006	15	mg/L	/d	2 exceedances	16	26	Operational Process Modification	Assessment Underway
October 2006	15	mg/L	/d	4 exceedances	17	28.3	New Equipment or Treatment Process Installed	Assessment Underway
November 2006	15	mg/L	/d	5 exceedances	31.5	36.5	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway
December 2006	15	mg/L	/d	1 exceedance	17	17	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 13 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Armistice Resources Ltd.

Highway 66, 1 km SW of Virginiatown
McGarry

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

November 1, 2006 - November 30, 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Ceased Operations, Conducting Study	Assessment Underway
---	------	-------------------	-----	--------------	------	---	--	---------------------

Total Legislation Non-Compliance = 1 exceedance

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

November 1, 2006 - November 30, 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Ceased Operations, Conducting Study	Assessment Underway
---	------	-------------------	-----	--------------	------	---	--	---------------------

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Begetekong Power Corporation

N. side of White R. at Umbata Falls
Unsurveyed (Thunder Bay D.O.)

Sector: Electric Power Generation
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

November 10, 2006 - December 14, 2006	25	mg/L	/d	6 exceedances	37	52	Operational Process Modification	Other Abatement Action Taken
--	----	------	----	---------------	----	----	-------------------------------------	------------------------------

Total C of A/Permit Non-Compliance = 6 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Bowater Canadian Forest Products Inc., Thunder Bay

2001 Neebing Avenue
Thunder Bay

Sector: Pulp and Paper
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

April 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Other	Assessment Complete - No Action Required
------------	------	----------------	-----	--------------	------	---	-------	--

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Bruce Power Inc. - Bruce A

Lot 28, Conc A Plan
Kincardine

Sector: Electric Power Generation
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

September 10, 2006 - September 11, 2006	5	mg/L	/mon	1 exceedance	6.1	6.1	Other	Assessment Complete - Incident Resolved
--	---	------	------	--------------	-----	-----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

TEMPERATURE

C of A/Permit Non-Compliance

August 2006	32.2	deg. C	rolling avg	1 exceedance	32.47	32.47	Ceased Operations	Assessment Complete - No Action Required
August 2006	32.2	deg. C	24hr avg	1 exceedance	32.36	32.36	Ceased Operations, Other	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Bruce Power Inc. - Bruce B

Lot 11- 20 Conc, Lake Range Plan
Kincardine

Sector: Electric Power Generation
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

May 2006	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Additional Monitoring Underway	Assessment complete - Incident resolved
----------	------	----------------	-----	---------------	------	------	--------------------------------	---

Total Legislation Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Bruce Power Inc. - Bruce Nuclear Power Development

Lot 28, Conc A Plan
Kincardine

Sector: Electric Power Generation
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

Legislation Non-Compliance

April 13, 2006 - April 14, 2006	6	pH	any	2 exceedances	5.8	5.8	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
------------------------------------	---	----	-----	---------------	-----	-----	--	--

Total Legislation Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Cabot Canada Ltd.

800 Tashmoo Avenue
Sarnia

Sector: Inorganic Chemicals
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ALUMINUM

Legislation Non-Compliance

October 2006	3.5	kg/d	24hr avg	1 exceedance	5.26	5.26	Action Plan Submitted - Implementing Improvements	Assessment underway, Voluntary Abatement Program Underway
--------------	-----	------	----------	--------------	------	------	--	---

Total Legislation Non-Compliance = 1 exceedance

DISSOLVED ORGANIC CARBON

Legislation Non-Compliance

August 2006	29	kg/d	24hr avg	1 exceedance	33	33	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
-------------	----	------	----------	--------------	----	----	--	--

Total Legislation Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

Legislation Non-Compliance

February 2006	48	kg/d	24hr avg	1 exceedance	68.47	68.47	Conducting Study	Assessment underway, Voluntary Abatement Program Underway
May 2006	48	kg/d	24hr avg	1 exceedance	153	153	Conducting Study	Assessment underway, Voluntary Abatement Program Underway

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Cabot Canada Ltd.

800 Tashmoo Avenue
Sarnia

Sector: Inorganic Chemicals
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 2, 2006 - August 3, 2006	48	kg/d	24hr avg	1 exceedance	182	182	Action Plan Submitted - Implementing Improvements	Assessment Underway
December 2006	48	kg/d	24hr avg	1 exceedance	79.3	79.3	Action Plan Submitted - Implementing Improvements	Assessment Underway

Total Legislation Non-Compliance = 4 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Cameco Corporation - Port Hope

1 Eldorado Pl
Port Hope

Sector: Metal Mining and Refining
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

April 2006	Pass	acute toxicity	/mon	1 exceedance	Fail	1	Operational Process Modification	Assessment Complete - No Action Required
November 2006	Pass	acute toxicity	/mon	1 exceedance	Fail	1	Operational Process Modification	Assessment Complete - No Action Required
December 2006	Pass	acute toxicity	/mon	1 exceedance	Fail	1	Operational Process Modification	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 3 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

**Canadian National Railway
Company**

58 Front Street
Hornepayne

Sector: Miscellaneous
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

OIL & GREASE

C of A/Permit Non-Compliance

June 2006	15	mg/L	any	1 exceedance	22.1	22.1	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
-----------	----	------	-----	--------------	------	------	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

**CanGro Foods Inc./Aliments
Cangro Inc.**

329 Four Mile Creek Road
Niagara-On-The-Lake

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

March 30, 2006 - April 6, 2006	0.3	mg/L	/wk	1 exceedance	0.39	0.39	Ceased Operations	Assessment underway
April 3, 2006 - April 6, 2006	0.3	mg/L	/wk	1 exceedance	0.48	0.48	Ceased Operations	Assessment Complete - No Action Required
May 16, 2006 - May 23, 2006	0.3	mg/L	/wk	1 exceedance	0.38	0.38	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Carmeuse Lime (Dundas) Limited

600 Highway 5
Hamilton

Sector: Industrial Minerals
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

March 1, 2006 - March 31, 2006	25	mg/L	/mon	1 exceedance	26.8	26.8	None Required	Assessment Complete - No Action Required
March 2006	50	mg/L	any	1 exceedance	79	79	None Required	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Casco Inc.

4040 James Street
Edwardsburgh/Cardinal

Sector: Miscellaneous
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

February 2006	35	mg/L	mon avg	1 exceedance	37.7	37.7	Action Plan Submitted - Implementing Improvements	Other Abatement Action taken
March 2006	35	mg/L	mon avg	1 exceedance	61.8	61.8	Action Plan Submitted - Implementing Improvements	Assessment underway

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

CGC Inc.

55 Third Line Road
Haldimand

Sector: Industrial Minerals
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

July 2006	50	mg/L	/wk	1 exceedance	160	160	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required
July 12, 2006 - July 31, 2006	25	mg/L	/mon	1 exceedance	51.5	51.5	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Chinook Global Limited - Sombra Site

224 Holt Line W
St. Clair

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

Legislation Non-Compliance

October 2006	6	pH	any	1 exceedance	5.26	5.26	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
--------------	---	----	-----	--------------	------	------	---	--

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Cold Water Fisheries Inc.

12297 Highway 12, Coldwater
Severn

Sector: Miscellaneous
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

February 1, 2006 - February 28, 2006	0.5	mg/L	/mon	1 exceedance	1	1	Operational Process Modification	Assessment Complete - No Action Required
June 2006	0.5	mg/L	/mon	1 exceedance	1.1	1.1	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Conestoga Meat Packers Ltd.

313 Menno Street
Woolwich

Sector: Miscellaneous
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

March 1, 2006 - March 31, 2006	3	mg/L	mon avg	1 exceedance	3.56	3.56	Ceased Operations	Assessment Complete - Incident Resolved
-----------------------------------	---	------	---------	--------------	------	------	-------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

October 1, 2006 - October 31, 2006	0.3	mg/L	mon avg	1 exceedance	0.33	0.33	Additional Monitoring Underway	Assessment Underway
---------------------------------------	-----	------	---------	--------------	------	------	-----------------------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

CVRD-Inco Limited - Copper Cliff

337 Power Street
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

Legislation Non-Compliance

June 2006	9.5	pH	any	1 exceedance	10.7	11.2	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway
-----------	-----	----	-----	--------------	------	------	---	--------------------------------------

Total Legislation Non-Compliance = 1 exceedance

LOW PH EFFLUENT

Legislation Non-Compliance

June 2006	6	pH	any	1 exceedance	5.75	5.75	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
July 2006	6	pH	any	1 exceedance	5.8	5.8	None Required	Assessment Complete - No Action Required
October 2006	6	pH	any	1 exceedance	5.8	5.8	Conducting Study	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 3 exceedances

SUSPENDED SOLIDS

Legislation Non-Compliance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

CVRD-Inco Limited - Copper Cliff

337 Power Street
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
June 2006	30	mg/L	/d	1 exceedance	36	36	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

CVRD-Inco Limited - Nolin Creek

Lot: 9 and 10, Conc: 3, McKim
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

Legislation Non-Compliance

January 2006	9.5	pH	any	1 exceedance	9.8	9.8	Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification	Assessment Complete - Incident Resolved
June 2006	9.5	pH	any	1 exceedance	10.12	10.12	Training/Procedure Change	Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

Legislation Non-Compliance

July 2006	30	mg/L	/d	1 exceedance	52	52	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
-----------	----	------	----	--------------	----	----	---	---

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

De Beers Canada Inc.

90 km West of Attawapiskat

Sector:

Miscellaneous

Unsurveyed Territory (Timmins District Office **Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

October 2006	30	mg/L	any	2 exceedances	77	133	None Required	Assessment Complete - No Action Required
--------------	----	------	-----	---------------	----	-----	---------------	--

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Domtar Inc. - Espanola

1 Station Road
Espanola

Sector: Pulp and Paper
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

TOLUENE

Legislation Non-Compliance

January 2006	0.261	kg/d	/d	3 exceedances	0.288	0.589	Conducting Study	Assessment Underway
February 2006	0.261	kg/d	/d	2 exceedances	0.27	0.425	Conducting Study	Assessment Underway
March 2006	0.261	kg/d	/d	2 exceedances	0.494	1.43	Conducting Study	Assessment Underway
April 2006	0.261	kg/d	/d	4 exceedances	0.279	0.371	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 11 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Domtar Pulp and Paper Products Inc. - Dryden

Duke Street
Dryden

Sector: Pulp and Paper
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOLUENE								
Legislation Non-Compliance								
April 2006	0.369	kg/d	none	1 exceedance	0.503	0.503	Additional Monitoring Underway	Assessment Complete - Incident Resolved
April 2006	0.369	kg/d	none	1 exceedance	0.411	0.411	Additional Monitoring Underway, Conducting Study	Assessment Complete - Incident Resolved
May 2006	0.369	kg/d	none	2 exceedances	0.706	0.724	Additional Monitoring Underway	Assessment Complete - Incident Resolved
May 1, 2006 - May 31, 2006	0.369	kg/d	mon avg	1 exceedance	0.432	0.432	Additional Monitoring Underway, Conducting Study	Assessment Complete - Incident Resolved

Total Legislation Non-Compliance = 5 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Dow Chemical Canada Inc. - LaSalle Landfill Site

463 LaSalle Line
St. Clair

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

November 2006	160	kg	24hr	1 exceedance	630	630	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
---------------	-----	----	------	--------------	-----	-----	--	---

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Dow Chemical Canada Inc. - Sarnia Site

1425 Vidal St S
Sarnia

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CARBON TETRACHLORIDE

C of A/Permit Non-Compliance

December 2006	5	µg/L	/d	1 exceedance	5.5	5.5	Operational Process Modification	Assessment underway, Voluntary Abatement Program Underway
---------------	---	------	----	--------------	-----	-----	----------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Dyno Nobel Nitrogen Inc.

1301 Brockchem Rd Maitland
Augusta

Sector: Inorganic Chemicals
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

October 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	None Required	Other Abatement Action taken
--------------	------	----------------	-----	--------------	------	---	---------------	------------------------------

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

EPCOR Power L.P.

Hwy. 11 North, Hearst, ON
Stoddart

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ALUMINUM

C of A/Permit Non-Compliance

January 16, 2006 - February 20, 2006	1	mg/L	/mon	1 exceedance	1.92	2.05	Operational Process Modification, Other	Assessment Complete - Incident Resolved
---	---	------	------	--------------	------	------	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

April 24, 2006 - May 1, 2006	15	mg/L	/wk	1 exceedance	16	17	Other	Assessment Complete - Incident Resolved
---------------------------------	----	------	-----	--------------	----	----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Ethyl Canada Inc.

220 St. Clair Parkway
St. Clair

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CHLORINE RESIDUAL

C of A/Permit Non-Compliance

October 30, 2006 - October 31, 2006	0.01	mg/L	any	2 exceedances	0.0112	0.0149	Operational Process Modification	Assessment Complete - Incident Resolved
--	------	------	-----	---------------	--------	--------	-------------------------------------	--

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Falconbridge Limited - Xstrata Copper Canada - Hoyle Twp.

10050 Hwy. 101, Con. I, Lot 1, Hoyle Twp.
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

September 2006	Pass	acute toxicity	any	3 exceedances	Fail	Fail	Additional Monitoring Underway, Conducting Study	Assessment Underway
October 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway, Conducting Study	Assessment Underway, Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 4 exceedances

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

May 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway	Voluntary Abatement Program Underway
September 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway, Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

**Ford Motor Company of Canda
Limited - Windsor**

1 Quality Way
Windsor

Sector: Metal Casting
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 2006	15	mg/L	/2wk	1 exceedance	60	60	Other	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
--------------	----	------	------	--------------	----	----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Gay Lea Foods Co-Operative Limited

21 Clinton Street North
South Bruce

Sector: Miscellaneous
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

May 2006	200	CT/100 mL	/mon	1 exceedance	1560	200	Other	Assessment Complete - No Action Required
----------	-----	--------------	------	--------------	------	-----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

FLOW

C of A/Permit Non-Compliance

December 1, 2006 - December 31, 2006	245	m3	mon avg	1 exceedance	259	259	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
---	-----	----	---------	--------------	-----	-----	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

March 2006	2	mg/L	/d	1 exceedance	2.54	1518	Other	Assessment Complete - No Action Required
------------	---	------	----	--------------	------	------	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Gay Lea Foods Co-Operative Limited

21 Clinton Street North
South Bruce

Sector: Miscellaneous
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
March 2006	30	mg/L	/d	1 exceedance	33	2005	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order issued
November 2006	30	mg/L	/d	1 exceedance	35.8	35.8	Operational Process Modification	Other Abatement Action Taken, Voluntary Abatement Program Underway
December 2006	30	mg/L	/d	1 exceedance	33	33	New Equipment or Treatment Process Installed	Assessment Underway

Total C of A/Permit Non-Compliance = 3 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Georgia-Pacific Canada, Inc. - Caledonia

350 Argyle Street North, Caledonia
Haldimand

Sector: Industrial Minerals
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-Compliance								
January 1, 2006 - January 31, 2006	25	mg/L	/mon	1 exceedance	33	33	Conducting Study	Assessment Complete - Incident Resolved
January 2006	50	mg/L	/wk	1 exceedance	56	56	Conducting Study	Assessment Complete - Incident Resolved
January 2006	50	mg/L	/wk	1 exceedance	53	53	Conducting Study	Voluntary Abatement Program Underway
February 1, 2006 - February 28, 2006	25	mg/L	/mon	1 exceedance	31.5	31.5	Conducting Study	Voluntary Abatement Program Underway
December 2006	50	ppm	/wk	1 exceedance	153	153	None Required	Other Abatement Action Taken

Total Legislation Non-Compliance = 5 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

**Georgia-Pacific Canada, Inc.-
Thorold**

319 Allanburg Road
Thorold

Sector: Pulp and Paper
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

January 1, 2006 - January 31, 2006	Pass	acute toxicity	/mon	1 exceedance	Fail	1	Ceased Operations	Other Abatement Action Taken
---------------------------------------	------	-------------------	------	--------------	------	---	-------------------	------------------------------

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Goldcorp Canada Ltd. - Timmins

1 Gold Mine Road, South Porcupine
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

June 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway, Ceased Operations, Conducting Study, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
-----------	------	----------------	-----	--------------	------	---	---	---

Total Legislation Non-Compliance = 1 exceedance

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

May 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway, Conducting Study, Operational Process Modification, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
----------	------	----------------	-----	--------------	------	---	--	---

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Goldcorp Inc. - Red Lake

Mine Road, Red Lake Mine Division
Red Lake

Sector: Metal Mining and Refining
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

April 2006	30	mg/L	/wk	1 exceedance	32	32	Additional Monitoring Underway	Assessment Complete - No Action Required
------------	----	------	-----	--------------	----	----	--------------------------------	--

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Goodyear Engineered Products Canada Inc.

45 Raynes Ave
Clarington

Sector: Organic Chemicals Manufacturing
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

March 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Operational Process Modification	Voluntary Abatement Program Underway
December 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Operational Process Modification	Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Harold Sutherland Construction Limited - Keppel Quarry

Grey Rd. 17, Keppel Twp.
Georgian Bluffs

Sector: Miscellaneous
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
June 1, 2006 - June 30, 2006	0.01	mg/L	mon avg	1 exceedance	0.017	0.017	Additional Monitoring Underway, Operational Process Modification	Assessment Underway, Other Abatement Action Taken
July 1, 2006 - July 31, 2006	0.01	mg/L	mon avg	1 exceedance	0.018	0.018	Additional Monitoring Underway, Operational Process Modification	Assessment Underway, Other Abatement Action Taken
August 1, 2006 - August 31, 2006	0.01	mg/L	mon avg	1 exceedance	0.03	0.03	Additional Monitoring Underway, Operational Process Modification	Assessment Underway, Other Abatement Action Taken
September 1, 2006 - September 30, 2006	0.01	mg/L	mon avg	1 exceedance	0.015	0.015	Additional Monitoring Underway, Operational Process Modification	Assessment Underway, Other Abatement Action Taken
October 1, 2006 - October 31, 2006	0.01	mg/L	mon avg	1 exceedance	0.012	0.012	Additional Monitoring Underway, Operational Process Modification	Assessment Underway, Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 5 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Imperial Oil Limited - Nanticoke

Lot 9, 10, 11, Conc 1, 2, 3
Haldimand

Sector: Petroleum Refineries
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

VOLATILE SUSPENDED SOLIDS

Legislation Non-Compliance

June 2006	265	kg/d	/d	1 exceedance	293.6	293.6	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
-----------	-----	------	----	--------------	-------	-------	--	---

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Imperial Oil Limited - Sarnia Pumping Station

100 - 5th Conc Road East, Waterdown
Hamilton

Sector: Petroleum Refineries
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BENZENE

C of A/Permit Non-Compliance

October 2006	5	ug/L	any	1 exceedance	180	180	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway
--------------	---	------	-----	--------------	-----	-----	---	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

ETHYLBENZE

C of A/Permit Non-Compliance

October 2006	2	ug/L	any	1 exceedance	3.5	3.5	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway
--------------	---	------	-----	--------------	-----	-----	---	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

TOLUENE

C of A/Permit Non-Compliance

October 2006	24	ug/L	any	1 exceedance	120	120	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway
--------------	----	------	-----	--------------	-----	-----	---	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Invista (Canada) Company - Maitland

1400 County Road 2 East, Maitland
Augusta

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

(AMMONIA + AMMONIUM) NITROGEN

Order Non-Compliance

November 14, 2006 - November 21, 2006	469	kg/d	/d	2 exceedances	755.6	877.2	Operational Process Modification	Other Abatement Action taken
December 1, 2006 - December 31, 2006	140	kg/d	mon avg	1 exceedance	522	522	Operational Process Modification	Other Abatement Action taken

Total Order Non-Compliance = 3 exceedances

CARBON TETRACHLORIDE

Order Non-Compliance

February 2006	0.05	kg	/d	1 exceedance	0.065	0.065	Equipment Modified, Repaired, Replaced or Re- calibrated	other Abatement Action taken
---------------	------	----	----	--------------	-------	-------	--	------------------------------

Total Order Non-Compliance = 1 exceedance

LOW PH EFFLUENT

Legislation Non-Compliance

February 2006	6	pH	any	1 exceedance	5.83	5.83	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action taken
---------------	---	----	-----	--------------	------	------	--	------------------------------

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Invista (Canada) Company - Maitland

1400 County Road 2 East, Maitland
Augusta

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
May 2006	6	pH	any	1 exceedance	4	4	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action taken
July 2006	6	pH	any	1 exceedance	5.9	5.9	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action taken

Total Legislation Non-Compliance = 3 exceedances

SUSPENDED SOLIDS

Order Non-Compliance

January 2006	791	kg/d	/d	1 exceedance	1329	1329	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action taken
--------------	-----	------	----	--------------	------	------	--	------------------------------

Total Order Non-Compliance = 1 exceedance

TETRACHLOROETHYLENE

Order Non-Compliance

March 2006	0.112	kg/d	/d	1 exceedance	0.113	0.113	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action taken
------------	-------	------	----	--------------	-------	-------	--	------------------------------

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Invista (Canada) Company - Maitland

1400 County Road 2 East, Maitland
Augusta

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
October 2006	0.112	kg/d	/d	1 exceedance	0.185	0.185	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action taken
October 2006	0.112	kg/d	/d	1 exceedance	0.85	0.85	Training/Procedure Change	Other Abatement Action taken

Total Order Non-Compliance = 3 exceedances

TOTAL KJELDAHL NITROGEN

Order Non-Compliance

December 1, 2006 - December 31, 2006	155	kg/d	mon avg	1 exceedance	389	389	Operational Process Modification	Other Abatement Action taken
---	-----	------	---------	--------------	-----	-----	-------------------------------------	------------------------------

Total Order Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Iroquois Falls Power Corp.

1 Northwest Industrial Road
Iroquois Falls

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
DISSOLVED ORGANIC CARBON								
C of A/Permit Non-Compliance								
May 2006	15	mg/L	/d	1 exceedance	15.1	15.1	None Required	Assessment Complete - No Action Required
July 2006	15	mg/L	/d	1 exceedance	16.1	16.1	None Required	Assessment Complete - No Action Required
October 2006	15	mg/L	/d	4 exceedances	15.9	22.3	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 6 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Jungbunzlauer Canada Inc.

1555 Elm Street
Port Colborne

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

September 2006	1	mg/L	any	1 exceedance	1.56	1.56	Operational Process Modification	Other Abatement Action Taken
----------------	---	------	-----	--------------	------	------	----------------------------------	------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

TEMPERATURE

C of A/Permit Non-Compliance

August 2006	33	deg. C	any	3 exceedances	33.1	33.8	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
-------------	----	--------	-----	---------------	------	------	---	--

Total C of A/Permit Non-Compliance = 3 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Kreb Enterprises

2154 Riverside Dr
Timmins

Sector: Miscellaneous
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

OIL

C of A/Permit Non-Compliance

July 2006	15	mg/L	mon avg	1 exceedance	96	96	Additional Monitoring Underway	Assessment Complete - Incident Resolved
-----------	----	------	---------	--------------	----	----	--------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

KWH Pipe (Canada) Ltd.

37 Centre St.,
Huntsville

Sector: Miscellaneous
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

TEMPERATURE

C of A/Permit Non-Compliance

May 2006	2	deg. C	/d	1 exceedance	2.9	2.9	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
----------	---	--------	----	--------------	-----	-----	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Lake Erie Steel GP Inc.

2300 Regional Rd. No. 3
Haldimand

Sector: Iron and Steel
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

February 2006	Pass	acute toxicity	/mon	1 exceedance	Fail	1	Conducting Study	Assessment underway
---------------	------	----------------	------	--------------	------	---	------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

Legislation Non-Compliance

August 2006	679	kg	/d	1 exceedance	920	920	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway
-------------	-----	----	----	--------------	-----	-----	---	--------------------------------------

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Liberty Mines Inc.

Eldorado Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

November 1, 2006 - December 31, 2006	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Other	Other Abatement Action Taken, Provincial Officer's Order issued
---	------	-------------------	-----	---------------	------	------	-------	---

Total Legislation Non-Compliance = 2 exceedances

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

November 1, 2006 - December 31, 2006	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Other	Other Abatement Action Taken, Provincial Officer's Order issued
---	------	-------------------	-----	---------------	------	------	-------	---

Total Legislation Non-Compliance = 2 exceedances

NICKEL

C of A/Permit Non-Compliance, Legislation Non-Compliance

April 10, 2006 - December 31, 2006	0.5	mg/L	mon avg	9 exceedances	3.43	8.915	Additional Monitoring Underway, Conducting Study	Assessment Underway, Provincial Officer's Order issued
April 10, 2006 - December 28, 2006	1	mg/L	/d	44 exceedances	1.97	16.9	Additional Monitoring Underway, Conducting Study	Assessment Underway, Provincial Officer's Order issued

Total C of A/Permit Non-Compliance, Legislation Non-Compliance = 53 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Liberty Mines Inc.

Eldorado Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance, Legislation Non-Compliance

November 1, 2006 - December 31, 2006	15	mg/L	mon avg	2 exceedances	18.1	152.3	Additional Monitoring Underway, Conducting Study	Assessment Underway, Provincial Officer's Order issued
November 3, 2006 - December 28, 2006	30	mg/L	/d	8 exceedances	33	472	Additional Monitoring Underway, Conducting Study	Assessment Underway, Provincial Officer's Order issued

Total C of A/Permit Non-Compliance, Legislation Non-Compliance = 10 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Liqui-Box Canada Inc.

201 South Blair Street
Whitby

Sector: Organic Chemicals Manufacturing
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ACUTE LETHALITY DAPHNIA								
Legislation Non-Compliance								
January 1, 2006 - January 31, 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Other	Assessment Complete - No Action Required
December 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Underway

Total Legislation Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Longlac Wood Industries Inc.

1 Katamaki Road
Greenstone

Sector: Miscellaneous
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

C of A/Permit Non-Compliance

May 2006	5.5	pH	any	2 exceedances	4.8	5.2	Other	Assessment Complete - No Action Required
----------	-----	----	-----	---------------	-----	-----	-------	--

Total C of A/Permit Non-Compliance = 2 exceedances

PHENOL

C of A/Permit Non-Compliance

April 2006	0.02	mg/L	/d	1 exceedance	0.038	0.038	Other	Assessment Complete - No Action Required
------------	------	------	----	--------------	-------	-------	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

May 2006	25	mg/L	/d	1 exceedance	28	28	Other	Assessment Complete - No Action Required
----------	----	------	----	--------------	----	----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Magellan Aerospace Limited

634 Magnesium Road
Whitewater Region

Sector: Metal Casting
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
Legislation Non-Compliance								
February 1, 2006 - February 28, 2006	0.309	kg	/mon	1 exceedance	0.378	0.378	Action Plan Submitted - Implementing Improvements, New Equipment or Treatment Process Installed, Operational Process Modification	Voluntary Abatement Program Underway
August 1, 2006 - August 31, 2006	0.309	kg	/mon	1 exceedance	0.402	0.402	New Equipment or Treatment Process Installed	Additional Requirements Added in Certificate of Approval/Permit

Total Legislation Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Magna Structural Systems Inc.

400 Chisholm Drive
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

OIL & GREASE

C of A/Permit Non-Compliance

September 2006	10	mg/L	any	3 exceedances	18.5	61	Other	Assessment Underway
----------------	----	------	-----	---------------	------	----	-------	---------------------

Total C of A/Permit Non-Compliance = 3 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 2006	15	mg/L	any	3 exceedances	17	32	Conducting Study	Assessment Underway, Provincial Officer's Order issued
February 2006	15	mg/L	any	2 exceedances	25	31	Conducting Study	Assessment Underway, Provincial Officer's Order issued
February 2006	15	mg/L	any	2 exceedances	17	28	Other	Assessment Underway
March 2006	15	mg/L	any	7 exceedances	18	130	Other	Assessment Underway
April 2006	15	mg/L	any	1 exceedance	20	20	Other	Assessment Underway
September 2006	15	mg/L	any	1 exceedance	42	42	Other	Assessment Underway
October 2006	15	mg/L	any	2 exceedances	20	53	Other	Assessment Underway

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Magna Structural Systems Inc.

400 Chisholm Drive
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

Total C of A/Permit Non-Compliance = 18 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Maple Leaf Foods Inc. - Rothsay

880 Hwy 5 W, Lts 5 & 6 Conc 2, Flamboroug
Hamilton

Sector: Miscellaneous
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

March 2006	10	mg/L	/d	1 exceedance	11	11	Additional Monitoring Underway, Ceased Operations	Assessment Complete - No Action Required Closed/Subordinate
April 2006	7.5	mg/L	/d	1 exceedance	9	9	Additional Monitoring Underway	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Morbern Inc.

80 Boundary Rd
Cornwall

Sector: Organic Chemicals Manufacturing
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
CHLORINE RESIDUAL								
C of A/Permit Non-Compliance								
July 2006	0.01	mg/L	any	1 exceedance	0.15	0.15	Conducting Study	Assessment Underway
July 2006	0.01	mg/L	any	1 exceedance	0.15	0.15	Conducting Study	Voluntary Abatement Program Underway
August 2006	0.01	mg/L	any	5 exceedances	0.55	0.65	Conducting Study	Voluntary Abatement Program Underway
September 2006	0.01	mg/L	any	3 exceedances	0.6	0.75	Conducting Study	Voluntary Abatement Program Underway
October 2006	0.01	mg/L	any	5 exceedances	0.6	0.7	Conducting Study	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 15 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

NOVA Chemicals Corporation

510 Moore Line Road
St. Clair

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ALUMINUM

Legislation Non-Compliance

December 2006	2.6	kg/d	/d	1 exceedance	3.38	3.38	Operational Process Modification	Voluntary Abatement Program Underway
---------------	-----	------	----	--------------	------	------	----------------------------------	--------------------------------------

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Ontario Northland Transportation Commission

South half lot 12, Conc: 6
Englehart

Sector: Miscellaneous
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

March 2006	15	mg/L	/d	1 exceedance	34	34	Additional Monitoring Underway	Assessment Complete - No Action Required
------------	----	------	----	--------------	----	----	--------------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Atikokan

P.O. Box 1900 Atikokan Ontario
Atikokan

Sector: Electric Power Generation
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

July 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Operational Process Modification	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
August 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Operational Process Modification	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved

Total Legislation Non-Compliance = 2 exceedances

IRON

C of A/Permit Non-Compliance

January 1, 2006 - January 31, 2006	1	mg/L	mon avg	1 exceedance	1.4	1.4	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
January 2006	2.5	mg/L	/wk	1 exceedance	2.8	2.8	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
February 1, 2006 - February 28, 2006	1	mg/L	mon avg	1 exceedance	2.7	2.7	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Atikokan

P.O. Box 1900 Atikokan Ontario
Atikokan

Sector: Electric Power Generation
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
February 2006	2.5	mg/L	/wk	1 exceedance	7.5	7.5	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
March 1, 2006 - March 31, 2006	1	mg/L	mon avg	1 exceedance	1.2	1.2	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
April 1, 2006 - April 30, 2006	1	mg/L	mon avg	1 exceedance	1.5	1.5	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
April 2006	2.5	mg/L	/wk	1 exceedance	4.9	4.9	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 7 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Caribou Falls

Caribou Falls
Unsurveyed Territory (Kenora Area Office)

Sector: Electric Power Generation
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

OIL & GREASE

C of A/Permit Non-Compliance

June 2006	15	µg/L	any	1 exceedance	19	19	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Other	Assessment Complete - Incident Resolved
-----------	----	------	-----	--------------	----	----	---	--

Total C of A/Permit Non-Compliance = 1 exceedance

PCB-CONTAMINATED OIL

C of A/Permit Non-Compliance

May 2006	0.05	µg/L	any	1 exceedance	0.09	0.09	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Other	Assessment Complete - Incident Resolved
June 2006	0.05	µg/L	any	1 exceedance	0.08	0.08	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Other	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Lambton Generating Station

1886 St Clair Pky Lots 15 16 & 17 Front Con
St. Clair

Sector: Electric Power Generation
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

C of A/Permit Non-Compliance

May 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Ceased Operations	Assessment Complete - Incident Resolved
----------	------	----------------	-----	--------------	------	---	-------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

ACUTE LETHALITY DAPHNIA

C of A/Permit Non-Compliance

February 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway	Assessment Complete - No Action Required
February 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Conducting Study	Assessment underway

Total C of A/Permit Non-Compliance = 2 exceedances

ALUMINUM

C of A/Permit Non-Compliance

January 2006	0.8	mg/L	any	1 exceedance	1.1	1.1	Additional Monitoring Underway	Assessment underway
--------------	-----	------	-----	--------------	-----	-----	--------------------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Nanticoke

Lot 7, 8, 9, Conc. 1, Walpole
Haldimand

Sector: Electric Power Generation
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

August 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Conducting Study	Voluntary Abatement Program Underway
September 2006	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Conducting Study	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 3 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Pickering

1675 Montgomery Park Road
Pickering

Sector: Electric Power Generation
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CHLORINE RESIDUAL

C of A/Permit Non-Compliance

October 2006	0.1	mg/L	/d	1 exceedance	0.11	0.11	Training/Procedure Change	Assessment Complete - Incident Resolved
--------------	-----	------	----	--------------	------	------	---------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

Legislation Non-Compliance

January 2006	70	mg/L	/d	1 exceedance	84	84	Other	Assessment Complete - No Action Required
December 2006	70	mg/L	/d	2 exceedances	79.2	101.4	New Equipment or Treatment Process Installed	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 3 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Thunder Bay

920 108th Avenue, Mission Island
Thunder Bay

Sector: Electric Power Generation
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
IRON								
Legislation Non-Compliance								
October 1, 2006 - October 31, 2006	1	mg/L	mon avg	1 exceedance	1.09	1.09	Training/Procedure Change	Assessment Complete - No Action Required
October 2006	2.5	mg/L	/d	1 exceedance	5.2	5.2	Training/Procedure Change	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Patricia Mining Corp.

Lot 19, Con 5, Finan Twp.
Finan

Sector: Metal Mining and Refining
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA NITRATE

C of A/Permit Non-Compliance

March 22, 2006 - March 24, 2006	10	mg/L	/wk	2 exceedances	11	12	Additional Monitoring Underway	Voluntary Abatement Program Underway
------------------------------------	----	------	-----	---------------	----	----	-----------------------------------	---

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Petro-Canada - Oakville

3275 Rebecca St
Oakville

Sector: Petroleum Refineries
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

December 2006	348	kg/d	/d	1 exceedance	406.9	406.9	Other	Assessment Complete - Incident Resolved
---------------	-----	------	----	--------------	-------	-------	-------	---

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Port Colborne Poultry Limited

2276 Second Conc, R.R. #1
Port Colborne

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

April 2006	10	mg/L	any	2 exceedances	11.1	12.9	New/Modified Sampling Program Underway	Other Abatement Action taken
------------	----	------	-----	---------------	------	------	--	------------------------------

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Praxair Canada Inc.

1 Patrick Street
Sault Ste. Marie

Sector: Inorganic Chemicals
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

DISSOLVED ORGANIC CARBON

Legislation Non-Compliance

June 1, 2006 - June 30, 2006	2.9	kg/d	mon avg	1 exceedance	3.08	3.08	New Equipment or Treatment Process Installed	Assessment Underway
August 1, 2006 - August 31, 2006	2.9	kg/d	mon avg	1 exceedance	3	3	New Equipment or Treatment Process Installed	Assessment Underway

Total Legislation Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Prestressed Systems Incorporated

4955 Walker Road
Tecumseh

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

March 1, 2006 - March 31, 2006	15	mg/L	mon avg	1 exceedance	17.64	17.64	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
April 1, 2006 - April 30, 2006	15	mg/L	mon avg	1 exceedance	29.65	29.65	None Required	Assessment Complete - No Action Required
July 1, 2006 - July 31, 2006	15	mg/L	mon avg	1 exceedance	21	21	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Richmont Mines Inc.

Lot 19, Con 5, Finan Twp.
Finan

Sector: Metal Mining and Refining
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

IRON

C of A/Permit Non-Compliance

May 4, 2006 - June 12, 2006	1	mg/L	/wk	6 exceedances	1.5	2.8	Conducting Study	Assessment Underway
--------------------------------	---	------	-----	---------------	-----	-----	------------------	---------------------

Total C of A/Permit Non-Compliance = 6 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Shell Canada Products Limited - Sarnia

150 St. Clair Parkway
St. Clair

Sector: Petroleum Refineries
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
VOLATILE SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
August 2006	15	ppm	any	3 exceedances	22.6	437	Conducting Study	Voluntary Abatement Program Underway
October 2006	15	ppm	any	2 exceedances	31.1	790	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 5 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Sifto Canada Corp.

300 North Harbour Road West
Goderich

Sector: Miscellaneous
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CHLORIDE

C of A/Permit Non-Compliance

September 1, 2006 - September 30, 2006	7700	mg/L	/mon	1 exceedance	25000	25000	Operational Process Modification	Assessment Underway
---	------	------	------	--------------	-------	-------	-------------------------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Sofina Foods Inc./Aliments Sofina Inc.

147 John Street, Dublin
West Perth

Sector: Miscellaneous
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

Order Non-Compliance

August 18, 2006 - August 23, 2006	10	mg/L	rolling avg	4 exceedances	11.8	19.8	Conducting Study	Assessment Underway, Provincial Officer's Order Issued
August 15, 2006 - August 18, 2006	15	mg/L	/d	3 exceedances	18	24	Conducting Study	Assessment Underway, Provincial Officer's Order Issued

Total Order Non-Compliance = 7 exceedances

DISSOLVED OXYGEN

Order Non-Compliance

August 2006	4	mg/L	/d	1 exceedance	2.4	2.4	Conducting Study	Assessment Underway, Provincial Officer's Order Issued
-------------	---	------	----	--------------	-----	-----	------------------	--

Total Order Non-Compliance = 1 exceedance

FLOW

Order Non-Compliance

August 23, 2006 - August 24, 2006	500	m3	/d	2 exceedances	510	540	Conducting Study	Assessment Underway, Provincial Officer's Order Issued
--------------------------------------	-----	----	----	---------------	-----	-----	------------------	--

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Sofina Foods Inc./Aliments Sofina Inc.

147 John Street, Dublin
West Perth

Sector: Miscellaneous
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

Total Order Non-Compliance = 2 exceedances

HIGH PH EFFLUENT

C of A/Permit Non-Compliance

December 2006	8.5	pH	/d	1 exceedance	8.9	8.9	Conducting Study	Assessment Underway, Provincial Officer's Order Issued
---------------	-----	----	----	--------------	-----	-----	------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

November 3, 2006 - December 22, 2006	10	mg/L	rolling avg	3 exceedances	11.5	13.8	Conducting Study	Assessment Underway, Provincial Officer's Order Issued
November 7, 2006 - December 29, 2006	15	mg/L	/d	5 exceedances	15.3	18.5	Conducting Study	Assessment Underway, Provincial Officer's Order Issued
November 5, 2006 - December 29, 2006	54	kg/d	/d	2 exceedances	59.1	60	Conducting Study	Assessment Underway, Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 10 exceedances

Order Non-Compliance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Sofina Foods Inc./Aliments Sofina Inc.

147 John Street, Dublin
West Perth

Sector: Miscellaneous
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 18, 2006 - August 29, 2006	10	mg/L	rolling avg	7 exceedances	15.3	21.5	Conducting Study	Assessment Underway, Provincial Officer's Order Issued
August 15, 2006 - August 29, 2006	15	mg/L	/d	9 exceedances	17	28	Conducting Study	Assessment Underway, Provincial Officer's Order Issued

Total Order Non-Compliance = 16 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

St. Andrew Goldfields Ltd. - Clavos Mine

Lot 1 and 2, Conc 6, German Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
February 1, 2006 - February 28, 2006	0.13	mg/L	mon avg	1 exceedance	0.144	0.144	New Equipment or Treatment Process Installed	Other Abatement Action Taken
March 1, 2006 - March 31, 2006	0.13	mg/L	mon avg	1 exceedance	0.1612	0.1612	New Equipment or Treatment Process Installed	Other Abatement Action Taken
April 1, 2006 - April 30, 2006	0.13	mg/L	mon avg	1 exceedance	0.3834	0.3834	New Equipment or Treatment Process Installed	Other Abatement Action Taken
May 1, 2006 - May 31, 2006	0.13	mg/L	mon avg	1 exceedance	0.5529	0.5529	New Equipment or Treatment Process Installed	Other Abatement Action Taken
June 1, 2006 - June 30, 2006	0.13	mg/L	mon avg	1 exceedance	0.546	0.546	New Equipment or Treatment Process Installed	Other Abatement Action Taken
July 1, 2006 - July 31, 2006	0.13	mg/L	mon avg	1 exceedance	0.36	0.36	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
August 1, 2006 - August 31, 2006	0.13	mg/L	mon avg	1 exceedance	0.4344	0.4344	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

St. Andrew Goldfields Ltd. - Clavos Mine

Lot 1 and 2, Conc 6, German Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
September 1, 2006 - September 30, 2006	0.13	mg/L	mon avg	1 exceedance	0.3075	0.3075	Action Plan Submitted - Implementing Improvements, Operational Process Modification	Assessment Complete - Incident Resolved
October 1, 2006 - October 31, 2006	0.13	mg/L	mon avg	1 exceedance	0.16	0.16	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 9 exceedances

ARSENIC

C of A/Permit Non-Compliance

January 1, 2006 - February 28, 2006	0.5	mg/L	mon avg	2 exceedances	0.526	0.563	New Equipment or Treatment Process Installed	Other Abatement Action Taken
October 1, 2006 - October 31, 2006	0.5	mg/L	mon avg	1 exceedance	0.51	0.51	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 3 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

July 1, 2006 - July 31, 2006	15	mg/L	mon avg	1 exceedance	16.5	16.5	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
---------------------------------	----	------	---------	--------------	------	------	---	--

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

St. Andrew Goldfields Ltd. - Clavos Mine

Lot 1 and 2, Conc 6, German Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 1, 2006 - August 31, 2006	15	mg/L	mon avg	1 exceedance	15.7	15.7	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
September 1, 2006 - September 30, 2006	15	mg/L	mon avg	1 exceedance	26.4	26.4	Action Plan Submitted - Implementing Improvements, Operational Process Modification	Assessment Complete - Incident Resolved
October 1, 2006 - October 31, 2006	15	mg/L	mon avg	1 exceedance	25.4	25.4	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
November 1, 2006 - November 30, 2006	15	mg/L	mon avg	1 exceedance	21.8	21.8	Action Plan Submitted - Implementing Improvements, New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 5 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

St. Lawrence Cement Inc. - Halton Hills

12791 Churchill Road (Third Line)
Halton Hills

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

July 2006	15	mg/L	any	1 exceedance	19	19	Additional Monitoring Underway	Assessment Complete - No Action Required
-----------	----	------	-----	--------------	----	----	--------------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

**St. Lawrence Cement Inc. -
Mississauga**

2391 Lakeshore Rd. West
MISSISSAUGA

Sector: Industrial Minerals
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-compliance								
February 1, 2006 - February 28, 2006	25	mg/L	mon avg	1 exceedance	63.5	63.5	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
February 2006	50	mg/L	24hr avg	1 exceedance	232.9	232.9	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
March 2006	50	mg/L	24hr avg	1 exceedance	105.4	105.4	Conducting Study	Other Abatement Action taken
March 1, 2006 - March 31, 2006	25	mg/L	mon avg	1 exceedance	35.6	35.6	Conducting Study	Other Abatement Action taken

Total Legislation Non-compliance = 4 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

**St. Marys Cement Inc. (Canada) -
Clarington**

400 Waverley Road South
Clarington

Sector: Industrial Minerals
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-Compliance								
January 2006	50	mg/L	/wk	1 exceedance	56	56	Other	Assessment Complete - No Action Required
February 1, 2006 - February 28, 2006	25	mg/L	mon avg	1 exceedance	30.25	30.25	Other	Assessment Complete - No Action Required
February 2006	50	mg/L	/wk	1 exceedance	60	60	Other	Assessment Complete - No Action Required
April 2006	50	mg/L	/wk	1 exceedance	63	63	Additional Monitoring Underway	Assessment underway
April 1, 2006 - April 30, 2006	25	mg/L	mon avg	1 exceedance	32	32	Other	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 5 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Strabag Inc.

2520 Stanley Ave
Niagara Falls

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CHLORIDE

C of A/Permit Non-Compliance

December 8, 2006 - December 11, 2006	150	mg/L	any	5 exceedances	180	261	Conducting Study	Provincial Officer's Order Issued
---	-----	------	-----	---------------	-----	-----	------------------	--------------------------------------

Total C of A/Permit Non-Compliance = 5 exceedances

CHLORINE RESIDUAL

C of A/Permit Non-Compliance

November 2006	0.01	mg/L	any	1 exceedance	0.012	0.012	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
November 2006	0.01	mg/L	any	1 exceedance	0.017	0.017	Equipment Modified, Repaired, Replaced or Re- calibrated, New/Modified Sampling Program Underway	Other Abatement Action Taken
November 2006	0.01	mg/L	any	1 exceedance	0.057	0.057	Operational Process Modification	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 3 exceedances

HIGH PH EFFLUENT

C of A/Permit Non-Compliance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Strabag Inc.

2520 Stanley Ave
Niagara Falls

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
November 2006	9.5	pH	any	1 exceedance	9.65	9.65	Conducting Study	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 1 exceedance

LOW PH EFFLUENT

C of A/Permit Non-Compliance

December 2006	6	pH	any	1 exceedance	3.19	3.19	Conducting Study	Provincial Officer's Order Issued
---------------	---	----	-----	--------------	------	------	------------------	-----------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

November 2006	25	mg/L	any	4 exceedances	27	44	Conducting Study	Provincial Officer's Order Issued
November 2006	25	mg/L	any	1 exceedance	40	40	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway
November 2006	25	mg/L	any	3 exceedances	29	32	Equipment Modified, Repaired, Replaced or Re-calibrated, New/Modified Sampling Program Underway	Other Abatement Action Taken

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Strabag Inc.

2520 Stanley Ave
Niagara Falls

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 2006	25	mg/L	any	6 exceedances	26	49	Conducting Study	Provincial Officer's Order Issued
December 2006	25	mg/L	any	1 exceedance	35	35	Other	Provincial Officer's Order Issued Closed/Subordinate

Total C of A/Permit Non-Compliance = 15 exceedances

TOLUENE

C of A/Permit Non-Compliance

November 2006	0.0008	mg/L	any	1 exceedance	0.0012	0.0012	Conducting Study	Provincial Officer's Order Issued
November 2006	0.0008	mg/L	any	1 exceedance	0.0009	0.0009	Equipment Modified, Repaired, Replaced or Re-calibrated, New/Modified Sampling Program Underway	Other Abatement Action Taken
December 2006	0.0008	mg/L	any	2 exceedances	0.002	0.006	Other	Provincial Officer's Order Issued Closed/Subordinate

Total C of A/Permit Non-Compliance = 4 exceedances

XYLENE

C of A/Permit Non-Compliance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Strabag Inc.

2520 Stanley Ave
Niagara Falls

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 2006	0.002	mg/L	any	2 exceedances	0.004	0.011	Other	Provincial Officer's Order Issued Closed/Subordinate

Total C of A/Permit Non-Compliance = 2 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Sun-Canadian Pipe Line Company Limited

Sun Avenue
Sarnia

Sector: Miscellaneous
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

March 2006	25	mg/L	/2wk	1 exceedance	42	42	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
------------	----	------	------	--------------	----	----	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

**Suncor Energy Products Inc. -
Sarnia**

1900 River Road
Sarnia

Sector: Petroleum Refineries
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHENOL

Legislation Non-Compliance

January 2006	0.42	kg	/d	1 exceedance	1.15	1.15	Conducting Study	Assessment underway
February 2006	0.47	kg	/d	2 exceedances	0.79	1.25	conducting study	Assessment underway

Total Legislation Non-Compliance = 3 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Terra International (Canada) Inc.

161 Bickford Line, Courtright
St. Clair

Sector: Inorganic Chemicals
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ALUMINUM

Legislation Non-Compliance

March 2006	8.9	kg/d	/d	1 exceedance	14.89	14.89	Additional Monitoring Underway	Assessment Complete - No Action Required
August 2006	8.9	kg/d	/d	1 exceedance	13.56	13.56	Additional Monitoring Underway	Assessment Complete - Incident Resolved
November 2006	8.9	kg/d	/d	1 exceedance	9.86	9.86	Additional Monitoring Underway	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 3 exceedances

FLUORIDE

Legislation Non-Compliance

March 2006	4	kg/d	/d	1 exceedance	9.8	9.8	Additional Monitoring Underway	Assessment Complete - No Action Required
June 2006	4	kg/d	/d	1 exceedance	9.8	9.8	Additional Monitoring Underway	Assessment Complete - No Action Required
August 2006	4	kg/d	/d	1 exceedance	10.47	10.47	Additional Monitoring Underway	Assessment Complete - No Action Required

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Terra International (Canada) Inc.

161 Bickford Line, Courtright
St. Clair

Sector: Inorganic Chemicals
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
November 2006	4	kg/d	/d	1 exceedance	10.75	10.75	Additional Monitoring Underway	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 4 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

**The Canadian Salt Company
Limited**

200 Morton Dr
Windsor

Sector: Industrial Minerals
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

C of A/Permit Non-Compliance

September 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Operational Process Modification	Assessment Complete - Incident Resolved
----------------	------	----------------	-----	--------------	------	---	----------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

**The Corporation of the City of
Thorold**

part Lot 160 Rice Road
Thorold

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
DISSOLVED OXYGEN								
C of A/Permit Non-Compliance								
July 2006	63	%	any	5 exceedances	30.1	55.3	New/Modified Sampling Program Underway	Voluntary Abatement Program Underway
August 2006	63	%	any	3 exceedances	38.1	44.1	New/Modified Sampling Program Underway	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 8 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Timminco Limited

962 Magnesium Rd
Whitewater Region

Sector: Industrial Minerals
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

October 11, 2006 - October 26, 2006	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Conducting Study	Assessment Underway
November 1, 2006 - November 30, 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway	Assessment Underway

Total Legislation Non-Compliance = 3 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Toronto Port Authority

8 Unwin Ave
Toronto

Sector: Miscellaneous
Ministry Office: Toronto

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
October 1, 2006 - October 31, 2006	2	mg/L	/mon	1 exceedance	3.45	3.45	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Unimin Canada Ltd.

County Road 6, Lots 13, 14, Conc 9
Havelock-Belmont-Methuen

Sector: Inorganic Chemicals
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-Compliance								
March 2006	50	ppm	/d	1 exceedance	91.7	91.7	Additional Monitoring Underway	Other Abatement Action Taken

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Washington Mills Electro Minerals Corporation

7780 Stanley Ave
Niagara Falls

Sector: Inorganic Chemicals
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ALUMINUM

Legislation Non-Compliance

January 26, 2006 - February 22, 2006	6.1	kg/d	/d	4 exceedances	7.08	15.5	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
January 1, 2006 - February 28, 2006	2.7	kg/d	mon avg	2 exceedances	4.6	11.2	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued

Total Legislation Non-Compliance = 6 exceedances

SUSPENDED SOLIDS

Legislation Non-Compliance

January 10, 2006 - March 16, 2006	395	kg/d	/d	2 exceedances	429	478	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
January 1, 2006 - February 28, 2006	127	kg/d	mon avg	2 exceedances	141	163	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
May 2006	395	kg/d	/d	1 exceedance	477.3	477.3	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Washington Mills Electro Minerals Corporation

7780 Stanley Ave
Niagara Falls

Sector: Inorganic Chemicals
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
July 1, 2006 - September 30, 2006	127	kg/d	mon avg	3 exceedances	141.3	186.4	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
September 14, 2006 - September 24, 2006	395	kg/d	/d	2 exceedances	482.5	1118.5	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
October 9, 2006 - December 28, 2006	395	kg/d	/d	17 exceedances	414	1573.4	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
October 1, 2006 - December 31, 2006	127	kg/d	mon avg	3 exceedances	180.2	423.8	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued

Total Legislation Non-Compliance = 30 exceedances

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

West Carleton Sand & Gravel Inc.

Lot 11-14, Conc 4
Ottawa

Sector: Miscellaneous
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

October 2006	25	mg/L	any	1 exceedance	32	32	Operational Process Modification	Voluntary Abatement Program Underway
--------------	----	------	-----	--------------	----	----	----------------------------------	--------------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

2006 Industrial Sewage Monthly Summary - All Regions

Williams Operating Corporation

4.5 km West of Hwy 614 on Hwy 17
Bomby

Sector: Metal Mining and Refining
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

July 2006	30	mg/L	/d	1 exceedance	56	56	Other	Assessment Complete - No Action Required
-----------	----	------	----	--------------	----	----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

Legislation Non-Compliance

January 2006	30	mg/L	/d	1 exceedance	38	38	Other	Assessment Complete - No Action Required
--------------	----	------	----	--------------	----	----	-------	--

Total Legislation Non-Compliance = 1 exceedance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."