

## 2006 Industrial Sewage Monthly Summary - Northern Region

**36569 Yukon Inc.**

Part of N 1/2 of Lot 1, Conc 12  
Lorrain

**Sector:** Metal Mining and Refining  
**Ministry Office:** North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ARSENIC

#### Legislation Non-Compliance

April 1, 2006 - April 30, 2006	0.5	mg/L	mon avg	1 exceedance	1.21	1.21	New/Modified Sampling Program Underway, Training/Procedure Change	Assessment Underway
April 19, 2006 - April 21, 2006	1	mg/L	daily	2 exceedances	1.21	1.53	New/Modified Sampling Program Underway, Training/Procedure Change	Assessment Underway
November 1, 2006 - November 30, 2006	0.5	mg/L	mon avg	1 exceedance	0.73	0.73	New/Modified Sampling Program Underway, Operational Process Modification	Voluntary Abatement Program Underway

**Total Legislation Non-Compliance = 4 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Abitibi-Consolidated Company of Canada - Iroquois Falls

1 Park Street  
Iroquois Falls

**Sector:** Pulp and Paper  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
<b>ACUTE LETHALITY DAPHNIA</b>								
<b>Legislation Non-Compliance</b>								
August 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway	Assessment Underway
August 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Conducting Study	Assessment Underway
October 2006	Pass	acute toxicity	any	3 exceedances	Fail	Fail	Additional Monitoring Underway	Assessment Underway
October 2006	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Conducting Study	Assessment Underway
October 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Other	Assessment Complete - No Action Required

**Total Legislation Non-Compliance = 8 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

**Abitibi-Consolidated Company of  
Canada - Kenora**

504 Ninth Street North  
Kenora

**Sector:** Pulp and Paper  
**Ministry Office:** Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### LOW PH EFFLUENT

#### Legislation Non-Compliance

January 2006	6	pH	any	1 exceedance	3	3	Ceased operations	Assessment Complete - Incident Resolved
--------------	---	----	-----	--------------	---	---	-------------------	--

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Algoma Steel Inc.

105 West St  
Sault Ste. Marie

**Sector:** Iron and Steel  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### BENZENE

#### Legislation Non-Compliance

December 2006	0.417	kg/d	/d	2 exceedances	0.643	3.19	Operational Process Modification	Assessment Underway
---------------	-------	------	----	---------------	-------	------	----------------------------------	---------------------

**Total Legislation Non-Compliance = 2 exceedances**

### PHENOL

#### Legislation Non-Compliance

October 2006	22.7	kg/d	/d	1 exceedance	43.4	43.4	Other	Assessment Underway
--------------	------	------	----	--------------	------	------	-------	---------------------

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Algora Tubes Inc.

547 Wallace Terrace  
Sault Ste. Marie

**Sector:** Iron and Steel  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### Legislation Non-Compliance

August 2006	15	mg/L	/d	1 exceedance	27.7	27.7	None Required	Assessment Complete - No Action Required
August 2006	15	mg/L	/d	2 exceedances	16	26	Operational Process Modification	Assessment Underway
October 2006	15	mg/L	/d	4 exceedances	17	28.3	New Equipment or Treatment Process Installed	Assessment Underway
November 2006	15	mg/L	/d	5 exceedances	31.5	36.5	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway
December 2006	15	mg/L	/d	1 exceedance	17	17	Conducting Study	Assessment Underway

**Total Legislation Non-Compliance = 13 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Armistice Resources Ltd.

Highway 66, 1 km SW of Virginiatown  
McGarry

**Sector:** Metal Mining and Refining  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY - TROUT

#### Legislation Non-Compliance

November 1, 2006 - November 30, 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Ceased Operations, Conducting Study	Assessment Underway
---	------	-------------------	-----	--------------	------	---	--	---------------------

**Total Legislation Non-Compliance = 1 exceedance**

### ACUTE LETHALITY DAPHNIA

#### Legislation Non-Compliance

November 1, 2006 - November 30, 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Ceased Operations, Conducting Study	Assessment Underway
---	------	-------------------	-----	--------------	------	---	--	---------------------

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Begetekong Power Corporation

N. side of White R. at Umbata Falls  
Unsurveyed (Thunder Bay D.O.)

**Sector:** Electric Power Generation  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### C of A/Permit Non-Compliance

November 10, 2006 - December 14, 2006	25	mg/L	/d	6 exceedances	37	52	Operational Process Modification	Other Abatement Action Taken
--	----	------	----	---------------	----	----	-------------------------------------	------------------------------

**Total C of A/Permit Non-Compliance = 6 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Bowater Canadian Forest Products Inc., Thunder Bay

2001 Neebing Avenue  
Thunder Bay

**Sector:** Pulp and Paper  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY - TROUT

#### Legislation Non-Compliance

April 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Other	Assessment Complete - No Action Required
------------	------	----------------	-----	--------------	------	---	-------	--

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

**Canadian National Railway  
Company**

58 Front Street  
Hornepayne

**Sector:** Miscellaneous  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### OIL & GREASE

#### C of A/Permit Non-Compliance

June 2006	15	mg/L	any	1 exceedance	22.1	22.1	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
-----------	----	------	-----	--------------	------	------	--	---

**Total C of A/Permit Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### CVRD-Inco Limited - Copper Cliff

337 Power Street  
Greater Sudbury

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### HIGH PH EFFLUENT

#### Legislation Non-Compliance

June 2006	9.5	pH	any	1 exceedance	10.7	11.2	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway
-----------	-----	----	-----	--------------	------	------	---	--------------------------------------

**Total Legislation Non-Compliance = 1 exceedance**

### LOW PH EFFLUENT

#### Legislation Non-Compliance

June 2006	6	pH	any	1 exceedance	5.75	5.75	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
July 2006	6	pH	any	1 exceedance	5.8	5.8	None Required	Assessment Complete - No Action Required
October 2006	6	pH	any	1 exceedance	5.8	5.8	Conducting Study	Assessment Complete - No Action Required

**Total Legislation Non-Compliance = 3 exceedances**

### SUSPENDED SOLIDS

#### Legislation Non-Compliance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### **CVRD-Inco Limited - Copper Cliff**

337 Power Street  
Greater Sudbury

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sudbury

<b>Date</b>	<b>Limit</b>	<b>Unit</b>	<b>Frequency</b>	<b>No. of Exceedances</b>	<b>Min.</b>	<b>Max.</b>	<b>Facility Action</b>	<b>Ministry Action</b>
June 2006	30	mg/L	/d	1 exceedance	36	36	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### CVRD-Inco Limited - Nolin Creek

Lot: 9 and 10, Conc: 3, McKim  
Greater Sudbury

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### HIGH PH EFFLUENT

#### Legislation Non-Compliance

January 2006	9.5	pH	any	1 exceedance	9.8	9.8	Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification	Assessment Complete - Incident Resolved
June 2006	9.5	pH	any	1 exceedance	10.12	10.12	Training/Procedure Change	Voluntary Abatement Program Underway

**Total Legislation Non-Compliance = 2 exceedances**

### SUSPENDED SOLIDS

#### Legislation Non-Compliance

July 2006	30	mg/L	/d	1 exceedance	52	52	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
-----------	----	------	----	--------------	----	----	---	---

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### De Beers Canada Inc.

90 km West of Attawapiskat

**Sector:**

Miscellaneous

Unsurveyed Territory (Timmins District Office **Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### C of A/Permit Non-Compliance

October 2006	30	mg/L	any	2 exceedances	77	133	None Required	Assessment Complete - No Action Required
--------------	----	------	-----	---------------	----	-----	---------------	--

**Total C of A/Permit Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Domtar Inc. - Espanola

1 Station Road  
Espanola

Sector: Pulp and Paper  
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### TOLUENE

#### Legislation Non-Compliance

January 2006	0.261	kg/d	/d	3 exceedances	0.288	0.589	Conducting Study	Assessment Underway
February 2006	0.261	kg/d	/d	2 exceedances	0.27	0.425	Conducting Study	Assessment Underway
March 2006	0.261	kg/d	/d	2 exceedances	0.494	1.43	Conducting Study	Assessment Underway
April 2006	0.261	kg/d	/d	4 exceedances	0.279	0.371	Conducting Study	Assessment Underway

**Total Legislation Non-Compliance = 11 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Domtar Pulp and Paper Products Inc. - Dryden

Duke Street  
Dryden

**Sector:** Pulp and Paper  
**Ministry Office:** Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
<b>TOLUENE</b>								
<b>Legislation Non-Compliance</b>								
April 2006	0.369	kg/d	none	1 exceedance	0.503	0.503	Additional Monitoring Underway	Assessment Complete - Incident Resolved
April 2006	0.369	kg/d	none	1 exceedance	0.411	0.411	Additional Monitoring Underway, Conducting Study	Assessment Complete - Incident Resolved
May 2006	0.369	kg/d	none	2 exceedances	0.706	0.724	Additional Monitoring Underway	Assessment Complete - Incident Resolved
May 1, 2006 - May 31, 2006	0.369	kg/d	mon avg	1 exceedance	0.432	0.432	Additional Monitoring Underway, Conducting Study	Assessment Complete - Incident Resolved

**Total Legislation Non-Compliance = 5 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### EPCOR Power L.P.

Hwy. 11 North, Hearst, ON  
Stoddart

**Sector:** Electric Power Generation  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ALUMINUM

#### C of A/Permit Non-Compliance

January 16, 2006 - February 20, 2006	1	mg/L	/mon	1 exceedance	1.92	2.05	Operational Process Modification, Other	Assessment Complete - Incident Resolved
---	---	------	------	--------------	------	------	--	--

**Total C of A/Permit Non-Compliance = 1 exceedance**

### SUSPENDED SOLIDS

#### C of A/Permit Non-Compliance

April 24, 2006 - May 1, 2006	15	mg/L	/wk	1 exceedance	16	17	Other	Assessment Complete - Incident Resolved
---------------------------------	----	------	-----	--------------	----	----	-------	--

**Total C of A/Permit Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Falconbridge Limited - Xstrata Copper Canada - Hoyle Twp.

10050 Hwy. 101, Con. I, Lot 1, Hoyle Twp.  
Timmins

**Sector:** Metal Mining and Refining  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY - TROUT

#### Legislation Non-Compliance

September 2006	Pass	acute toxicity	any	3 exceedances	Fail	Fail	Additional Monitoring Underway, Conducting Study	Assessment Underway
October 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway, Conducting Study	Assessment Underway, Voluntary Abatement Program Underway

**Total Legislation Non-Compliance = 4 exceedances**

### ACUTE LETHALITY DAPHNIA

#### Legislation Non-Compliance

May 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway	Voluntary Abatement Program Underway
September 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway, Conducting Study	Assessment Underway

**Total Legislation Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Goldcorp Canada Ltd. - Timmins

1 Gold Mine Road, South Porcupine  
Timmins

**Sector:** Metal Mining and Refining  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY - TROUT

#### Legislation Non-Compliance

June 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway, Ceased Operations, Conducting Study, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
-----------	------	----------------	-----	--------------	------	---	---	---

**Total Legislation Non-Compliance = 1 exceedance**

### ACUTE LETHALITY DAPHNIA

#### Legislation Non-Compliance

May 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Additional Monitoring Underway, Conducting Study, Operational Process Modification, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
----------	------	----------------	-----	--------------	------	---	--	---

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Goldcorp Inc. - Red Lake

Mine Road, Red Lake Mine Division  
Red Lake

**Sector:** Metal Mining and Refining  
**Ministry Office:** Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### Legislation Non-Compliance

April 2006	30	mg/L	/wk	1 exceedance	32	32	Additional Monitoring Underway	Assessment Complete - No Action Required
------------	----	------	-----	--------------	----	----	--------------------------------	--

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Iroquois Falls Power Corp.

1 Northwest Industrial Road  
Iroquois Falls

**Sector:** Electric Power Generation  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### DISSOLVED ORGANIC CARBON

#### C of A/Permit Non-Compliance

May 2006	15	mg/L	/d	1 exceedance	15.1	15.1	None Required	Assessment Complete - No Action Required
July 2006	15	mg/L	/d	1 exceedance	16.1	16.1	None Required	Assessment Complete - No Action Required
October 2006	15	mg/L	/d	4 exceedances	15.9	22.3	None Required	Assessment Complete - No Action Required

**Total C of A/Permit Non-Compliance = 6 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Kreb Enterprises

2154 Riverside Dr  
Timmins

**Sector:** Miscellaneous  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### OIL

#### C of A/Permit Non-Compliance

July 2006	15	mg/L	mon avg	1 exceedance	96	96	Additional Monitoring Underway	Assessment Complete - Incident Resolved
-----------	----	------	---------	--------------	----	----	--------------------------------	---

**Total C of A/Permit Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Liberty Mines Inc.

Eldorado Twp  
Timmins

**Sector:** Metal Mining and Refining  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY - TROUT

#### Legislation Non-Compliance

November 1, 2006 - December 31, 2006	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Other	Other Abatement Action Taken, Provincial Officer's Order issued
---	------	-------------------	-----	---------------	------	------	-------	---

**Total Legislation Non-Compliance = 2 exceedances**

### ACUTE LETHALITY DAPHNIA

#### Legislation Non-Compliance

November 1, 2006 - December 31, 2006	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Other	Other Abatement Action Taken, Provincial Officer's Order issued
---	------	-------------------	-----	---------------	------	------	-------	---

**Total Legislation Non-Compliance = 2 exceedances**

### NICKEL

#### C of A/Permit Non-Compliance, Legislation Non-Compliance

April 10, 2006 - December 31, 2006	0.5	mg/L	mon avg	9 exceedances	3.43	8.915	Additional Monitoring Underway, Conducting Study	Assessment Underway, Provincial Officer's Order issued
April 10, 2006 - December 28, 2006	1	mg/L	/d	44 exceedances	1.97	16.9	Additional Monitoring Underway, Conducting Study	Assessment Underway, Provincial Officer's Order issued

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Liberty Mines Inc.

Eldorado Twp  
Timmins

**Sector:** Metal Mining and Refining  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

**Total C of A/Permit Non-Compliance, Legislation Non-Compliance = 53 exceedance**

### SUSPENDED SOLIDS

#### C of A/Permit Non-Compliance, Legislation Non-Compliance

November 1, 2006 - December 31, 2006	15	mg/L	mon avg	2 exceedances	18.1	152.3	Additional Monitoring Underway, Conducting Study	Assessment Underway, Provincial Officer's Order issued
November 3, 2006 - December 28, 2006	30	mg/L	/d	8 exceedances	33	472	Additional Monitoring Underway, Conducting Study	Assessment Underway, Provincial Officer's Order issued

**Total C of A/Permit Non-Compliance, Legislation Non-Compliance = 10 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Longlac Wood Industries Inc.

1 Katamaki Road  
Greenstone

Sector: Miscellaneous  
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### LOW PH EFFLUENT

#### C of A/Permit Non-Compliance

May 2006	5.5	pH	any	2 exceedances	4.8	5.2	Other	Assessment Complete - No Action Required
----------	-----	----	-----	---------------	-----	-----	-------	--

**Total C of A/Permit Non-Compliance = 2 exceedances**

### PHENOL

#### C of A/Permit Non-Compliance

April 2006	0.02	mg/L	/d	1 exceedance	0.038	0.038	Other	Assessment Complete - No Action Required
------------	------	------	----	--------------	-------	-------	-------	--

**Total C of A/Permit Non-Compliance = 1 exceedance**

### SUSPENDED SOLIDS

#### C of A/Permit Non-Compliance

May 2006	25	mg/L	/d	1 exceedance	28	28	Other	Assessment Complete - No Action Required
----------	----	------	----	--------------	----	----	-------	--

**Total C of A/Permit Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Ontario Northland Transportation Commission

South half lot 12, Conc: 6  
Englehart

**Sector:** Miscellaneous  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### C of A/Permit Non-Compliance

March 2006	15	mg/L	/d	1 exceedance	34	34	Additional Monitoring Underway	Assessment Complete - No Action Required
------------	----	------	----	--------------	----	----	--------------------------------	--

**Total C of A/Permit Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Ontario Power Generation Inc. - Atikokan

P.O. Box 1900 Atikokan Ontario  
Atikokan

**Sector:** Electric Power Generation  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY DAPHNIA

#### Legislation Non-Compliance

July 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Operational Process Modification	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
August 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Operational Process Modification	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved

**Total Legislation Non-Compliance = 2 exceedances**

### IRON

#### C of A/Permit Non-Compliance

January 1, 2006 - January 31, 2006	1	mg/L	mon avg	1 exceedance	1.4	1.4	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
January 2006	2.5	mg/L	/wk	1 exceedance	2.8	2.8	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
February 1, 2006 - February 28, 2006	1	mg/L	mon avg	1 exceedance	2.7	2.7	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Ontario Power Generation Inc. - Atikokan

P.O. Box 1900 Atikokan Ontario  
Atikokan

**Sector:** Electric Power Generation  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
February 2006	2.5	mg/L	/wk	1 exceedance	7.5	7.5	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
March 1, 2006 - March 31, 2006	1	mg/L	mon avg	1 exceedance	1.2	1.2	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
April 1, 2006 - April 30, 2006	1	mg/L	mon avg	1 exceedance	1.5	1.5	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved
April 2006	2.5	mg/L	/wk	1 exceedance	4.9	4.9	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway, Assessment Complete - Incident Resolved

**Total C of A/Permit Non-Compliance = 7 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Ontario Power Generation Inc. - Caribou Falls

Caribou Falls  
Unsurveyed Territory (Kenora Area Office)

**Sector:** Electric Power Generation  
**Ministry Office:** Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

#### OIL & GREASE

##### C of A/Permit Non-Compliance

June 2006	15	µg/L	any	1 exceedance	19	19	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Other	Assessment Complete - Incident Resolved
-----------	----	------	-----	--------------	----	----	---	--

**Total C of A/Permit Non-Compliance = 1 exceedance**

#### PCB-CONTAMINATED OIL

##### C of A/Permit Non-Compliance

May 2006	0.05	µg/L	any	1 exceedance	0.09	0.09	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Other	Assessment Complete - Incident Resolved
June 2006	0.05	µg/L	any	1 exceedance	0.08	0.08	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Other	Assessment Complete - Incident Resolved

**Total C of A/Permit Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Ontario Power Generation Inc. - Thunder Bay

920 108th Avenue, Mission Island  
Thunder Bay

**Sector:** Electric Power Generation  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### IRON

#### Legislation Non-Compliance

October 1, 2006 - October 31, 2006	1	mg/L	mon avg	1 exceedance	1.09	1.09	Training/Procedure Change	Assessment Complete - No Action Required
October 2006	2.5	mg/L	/d	1 exceedance	5.2	5.2	Training/Procedure Change	Assessment Complete - No Action Required

**Total Legislation Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Patricia Mining Corp.

Lot 19, Con 5, Finan Twp.  
Finan

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### AMMONIA NITRATE

#### C of A/Permit Non-Compliance

March 22, 2006 - March 24, 2006	10	mg/L	/wk	2 exceedances	11	12	Additional Monitoring Underway	Voluntary Abatement Program Underway
------------------------------------	----	------	-----	---------------	----	----	-----------------------------------	---

**Total C of A/Permit Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Praxair Canada Inc.

1 Patrick Street  
Sault Ste. Marie

**Sector:** Inorganic Chemicals  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### DISSOLVED ORGANIC CARBON

#### Legislation Non-Compliance

June 1, 2006 - June 30, 2006	2.9	kg/d	mon avg	1 exceedance	3.08	3.08	New Equipment or Treatment Process Installed	Assessment Underway
August 1, 2006 - August 31, 2006	2.9	kg/d	mon avg	1 exceedance	3	3	New Equipment or Treatment Process Installed	Assessment Underway

**Total Legislation Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Richmont Mines Inc.

Lot 19, Con 5, Finan Twp.  
Finan

**Sector:** Metal Mining and Refining  
**Ministry Office:** Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### IRON

#### C of A/Permit Non-Compliance

May 4, 2006 - June 12, 2006	1	mg/L	/wk	6 exceedances	1.5	2.8	Conducting Study	Assessment Underway
--------------------------------	---	------	-----	---------------	-----	-----	------------------	---------------------

**Total C of A/Permit Non-Compliance = 6 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### St. Andrew Goldfields Ltd. - Clavos Mine

Lot 1 and 2, Conc 6, German Twp  
Timmins

**Sector:** Metal Mining and Refining  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
<b>AMMONIA</b>								
<b>C of A/Permit Non-Compliance</b>								
February 1, 2006 - February 28, 2006	0.13	mg/L	mon avg	1 exceedance	0.144	0.144	New Equipment or Treatment Process Installed	Other Abatement Action Taken
March 1, 2006 - March 31, 2006	0.13	mg/L	mon avg	1 exceedance	0.1612	0.1612	New Equipment or Treatment Process Installed	Other Abatement Action Taken
April 1, 2006 - April 30, 2006	0.13	mg/L	mon avg	1 exceedance	0.3834	0.3834	New Equipment or Treatment Process Installed	Other Abatement Action Taken
May 1, 2006 - May 31, 2006	0.13	mg/L	mon avg	1 exceedance	0.5529	0.5529	New Equipment or Treatment Process Installed	Other Abatement Action Taken
June 1, 2006 - June 30, 2006	0.13	mg/L	mon avg	1 exceedance	0.546	0.546	New Equipment or Treatment Process Installed	Other Abatement Action Taken
July 1, 2006 - July 31, 2006	0.13	mg/L	mon avg	1 exceedance	0.36	0.36	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
August 1, 2006 - August 31, 2006	0.13	mg/L	mon avg	1 exceedance	0.4344	0.4344	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### St. Andrew Goldfields Ltd. - Clavos Mine

Lot 1 and 2, Conc 6, German Twp  
Timmins

**Sector:** Metal Mining and Refining  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
September 1, 2006 - September 30, 2006	0.13	mg/L	mon avg	1 exceedance	0.3075	0.3075	Action Plan Submitted - Implementing Improvements, Operational Process Modification	Assessment Complete - Incident Resolved
October 1, 2006 - October 31, 2006	0.13	mg/L	mon avg	1 exceedance	0.16	0.16	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

**Total C of A/Permit Non-Compliance = 9 exceedances**

### ARSENIC

#### C of A/Permit Non-Compliance

January 1, 2006 - February 28, 2006	0.5	mg/L	mon avg	2 exceedances	0.526	0.563	New Equipment or Treatment Process Installed	Other Abatement Action Taken
October 1, 2006 - October 31, 2006	0.5	mg/L	mon avg	1 exceedance	0.51	0.51	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

**Total C of A/Permit Non-Compliance = 3 exceedances**

### SUSPENDED SOLIDS

#### C of A/Permit Non-Compliance

July 1, 2006 - July 31, 2006	15	mg/L	mon avg	1 exceedance	16.5	16.5	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
---------------------------------	----	------	---------	--------------	------	------	---	--

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### St. Andrew Goldfields Ltd. - Clavos Mine

Lot 1 and 2, Conc 6, German Twp  
Timmins

**Sector:** Metal Mining and Refining  
**Ministry Office:** Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 1, 2006 - August 31, 2006	15	mg/L	mon avg	1 exceedance	15.7	15.7	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
September 1, 2006 - September 30, 2006	15	mg/L	mon avg	1 exceedance	26.4	26.4	Action Plan Submitted - Implementing Improvements, Operational Process Modification	Assessment Complete - Incident Resolved
October 1, 2006 - October 31, 2006	15	mg/L	mon avg	1 exceedance	25.4	25.4	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
November 1, 2006 - November 30, 2006	15	mg/L	mon avg	1 exceedance	21.8	21.8	Action Plan Submitted - Implementing Improvements, New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

**Total C of A/Permit Non-Compliance = 5 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - Northern Region

### Williams Operating Corporation

4.5 km West of Hwy 614 on Hwy 17  
Bomby

**Sector:** Metal Mining and Refining  
**Ministry Office:** Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### C of A/Permit Non-Compliance

July 2006	30	mg/L	/d	1 exceedance	56	56	Other	Assessment Complete - No Action Required
-----------	----	------	----	--------------	----	----	-------	--

**Total C of A/Permit Non-Compliance = 1 exceedance**

#### Legislation Non-Compliance

January 2006	30	mg/L	/d	1 exceedance	38	38	Other	Assessment Complete - No Action Required
--------------	----	------	----	--------------	----	----	-------	--

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."