

## 2006 Industrial Sewage Monthly Summary - West Central Region

**CanGro Foods Inc./Aliments  
Cangro Inc.**

329 Four Mile Creek Road  
Niagara-On-The-Lake

**Sector:** Miscellaneous  
**Ministry Office:** Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### PHOSPHORUS

#### C of A/Permit Non-Compliance

March 30, 2006 - April 6, 2006	0.3	mg/L	/wk	1 exceedance	0.39	0.39	Ceased Operations	Assessment underway
April 3, 2006 - April 6, 2006	0.3	mg/L	/wk	1 exceedance	0.48	0.48	Ceased Operations	Assessment Complete - No Action Required
May 16, 2006 - May 23, 2006	0.3	mg/L	/wk	1 exceedance	0.38	0.38	None Required	Assessment Complete - No Action Required

**Total C of A/Permit Non-Compliance = 3 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Carmeuse Lime (Dundas) Limited

600 Highway 5  
Hamilton

**Sector:** Industrial Minerals  
**Ministry Office:** Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### Legislation Non-Compliance

March 1, 2006 - March 31, 2006	25	mg/L	/mon	1 exceedance	26.8	26.8	None Required	Assessment Complete - No Action Required
March 2006	50	mg/L	any	1 exceedance	79	79	None Required	Assessment Complete - No Action Required

**Total Legislation Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

**CGC Inc.**

55 Third Line Road  
Haldimand

**Sector:** Industrial Minerals  
**Ministry Office:** Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### SUSPENDED SOLIDS

#### Legislation Non-Compliance

July 2006	50	mg/L	/wk	1 exceedance	160	160	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required
July 12, 2006 - July 31, 2006	25	mg/L	/mon	1 exceedance	51.5	51.5	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway

**Total Legislation Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Conestoga Meat Packers Ltd.

313 Menno Street  
Woolwich

Sector: Miscellaneous  
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### AMMONIA

#### C of A/Permit Non-Compliance

March 1, 2006 - March 31, 2006	3	mg/L	mon avg	1 exceedance	3.56	3.56	Ceased Operations	Assessment Complete - Incident Resolved
-----------------------------------	---	------	---------	--------------	------	------	-------------------	--

**Total C of A/Permit Non-Compliance = 1 exceedance**

### PHOSPHORUS

#### C of A/Permit Non-Compliance

October 1, 2006 - October 31, 2006	0.3	mg/L	mon avg	1 exceedance	0.33	0.33	Additional Monitoring Underway	Assessment Underway
---------------------------------------	-----	------	---------	--------------	------	------	-----------------------------------	---------------------

**Total C of A/Permit Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

**Georgia-Pacific Canada, Inc. -  
Caledonia**

350 Argyle Street North, Caledonia  
Haldimand

**Sector:** Industrial Minerals  
**Ministry Office:** Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
<b>SUSPENDED SOLIDS</b>								
<b>Legislation Non-Compliance</b>								
January 1, 2006 - January 31, 2006	25	mg/L	/mon	1 exceedance	33	33	Conducting Study	Assessment Complete - Incident Resolved
January 2006	50	mg/L	/wk	1 exceedance	56	56	Conducting Study	Assessment Complete - Incident Resolved
January 2006	50	mg/L	/wk	1 exceedance	53	53	Conducting Study	Voluntary Abatement Program Underway
February 1, 2006 - February 28, 2006	25	mg/L	/mon	1 exceedance	31.5	31.5	Conducting Study	Voluntary Abatement Program Underway
December 2006	50	ppm	/wk	1 exceedance	153	153	None Required	Other Abatement Action Taken

**Total Legislation Non-Compliance = 5 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

**Georgia-Pacific Canada, Inc.-  
Thorold**

319 Allanburg Road  
Thorold

**Sector:** Pulp and Paper  
**Ministry Office:** Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY DAPHNIA

#### Legislation Non-Compliance

January 1, 2006 - January 31, 2006	Pass	acute toxicity	/mon	1 exceedance	Fail	1	Ceased Operations	Other Abatement Action Taken
---------------------------------------	------	-------------------	------	--------------	------	---	-------------------	------------------------------

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Imperial Oil Limited - Nanticoke

Lot 9, 10, 11, Conc 1, 2, 3  
Haldimand

**Sector:** Petroleum Refineries  
**Ministry Office:** Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### VOLATILE SUSPENDED SOLIDS

#### Legislation Non-Compliance

June 2006	265	kg/d	/d	1 exceedance	293.6	293.6	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
-----------	-----	------	----	--------------	-------	-------	--	---

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Imperial Oil Limited - Sarnia Pumping Station

100 - 5th Conc Road East, Waterdown  
Hamilton

**Sector:** Petroleum Refineries  
**Ministry Office:** Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

#### BENZENE

##### C of A/Permit Non-Compliance

October 2006	5	ug/L	any	1 exceedance	180	180	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway
--------------	---	------	-----	--------------	-----	-----	---	---------------------

**Total C of A/Permit Non-Compliance = 1 exceedance**

#### ETHYLBENZE

##### C of A/Permit Non-Compliance

October 2006	2	ug/L	any	1 exceedance	3.5	3.5	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway
--------------	---	------	-----	--------------	-----	-----	---	---------------------

**Total C of A/Permit Non-Compliance = 1 exceedance**

#### TOLUENE

##### C of A/Permit Non-Compliance

October 2006	24	ug/L	any	1 exceedance	120	120	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway
--------------	----	------	-----	--------------	-----	-----	---	---------------------

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

---

### Imperial Oil Limited - Sarnia Pumping Station

100 - 5th Conc Road East, Waterdown  
Hamilton

**Sector:** Petroleum Refineries  
**Ministry Office:** Hamilton

---

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

---

**Total C of A/Permit Non-Compliance = 1 exceedance**

---

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Jungbunzlauer Canada Inc.

1555 Elm Street  
Port Colborne

**Sector:** Miscellaneous  
**Ministry Office:** Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### PHOSPHORUS

#### C of A/Permit Non-Compliance

September 2006	1	mg/L	any	1 exceedance	1.56	1.56	Operational Process Modification	Other Abatement Action Taken
----------------	---	------	-----	--------------	------	------	----------------------------------	------------------------------

**Total C of A/Permit Non-Compliance = 1 exceedance**

### TEMPERATURE

#### C of A/Permit Non-Compliance

August 2006	33	deg. C	any	3 exceedances	33.1	33.8	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
-------------	----	--------	-----	---------------	------	------	---	--

**Total C of A/Permit Non-Compliance = 3 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Lake Erie Steel GP Inc.

2300 Regional Rd. No. 3  
Haldimand

**Sector:** Iron and Steel  
**Ministry Office:** Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ACUTE LETHALITY DAPHNIA

#### Legislation Non-Compliance

February 2006	Pass	acute toxicity	/mon	1 exceedance	Fail	1	Conducting Study	Assessment underway
---------------	------	----------------	------	--------------	------	---	------------------	---------------------

**Total Legislation Non-Compliance = 1 exceedance**

### SUSPENDED SOLIDS

#### Legislation Non-Compliance

August 2006	679	kg	/d	1 exceedance	920	920	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway
-------------	-----	----	----	--------------	-----	-----	---	--------------------------------------

**Total Legislation Non-Compliance = 1 exceedance**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Maple Leaf Foods Inc. - Rothsay

880 Hwy 5 W, Lts 5 & 6 Conc 2, Flamboroug  
Hamilton

**Sector:** Miscellaneous  
**Ministry Office:** Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### BIOCHEMICAL OXYGEN DEMAND

#### C of A/Permit Non-Compliance

March 2006	10	mg/L	/d	1 exceedance	11	11	Additional Monitoring Underway, Ceased Operations	Assessment Complete - No Action Required Closed/Subordinate
April 2006	7.5	mg/L	/d	1 exceedance	9	9	Additional Monitoring Underway	Assessment Complete - No Action Required

**Total C of A/Permit Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Ontario Power Generation Inc. - Nanticoke

Lot 7, 8, 9, Conc. 1, Walpole  
Haldimand

**Sector:** Electric Power Generation  
**Ministry Office:** Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
<b>ACUTE LETHALITY DAPHNIA</b>								
<b>Legislation Non-Compliance</b>								
August 2006	Pass	acute toxicity	any	1 exceedance	Fail	1	Conducting Study	Voluntary Abatement Program Underway
September 2006	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Conducting Study	Assessment Complete - No Action Required

**Total Legislation Non-Compliance = 3 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Port Colborne Poultry Limited

2276 Second Conc, R.R. #1  
Port Colborne

**Sector:** Miscellaneous  
**Ministry Office:** Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### AMMONIA

#### C of A/Permit Non-Compliance

April 2006	10	mg/L	any	2 exceedances	11.1	12.9	New/Modified Sampling Program Underway	Other Abatement Action taken
------------	----	------	-----	---------------	------	------	--	------------------------------

**Total C of A/Permit Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Strabag Inc.

2520 Stanley Ave  
Niagara Falls

Sector: Miscellaneous  
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### CHLORIDE

#### C of A/Permit Non-Compliance

December 8, 2006 - December 11, 2006	150	mg/L	any	5 exceedances	180	261	Conducting Study	Provincial Officer's Order Issued
---	-----	------	-----	---------------	-----	-----	------------------	--------------------------------------

**Total C of A/Permit Non-Compliance = 5 exceedances**

### CHLORINE RESIDUAL

#### C of A/Permit Non-Compliance

November 2006	0.01	mg/L	any	1 exceedance	0.012	0.012	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
November 2006	0.01	mg/L	any	1 exceedance	0.017	0.017	Equipment Modified, Repaired, Replaced or Re- calibrated, New/Modified Sampling Program Underway	Other Abatement Action Taken
November 2006	0.01	mg/L	any	1 exceedance	0.057	0.057	Operational Process Modification	Other Abatement Action Taken

**Total C of A/Permit Non-Compliance = 3 exceedances**

### HIGH PH EFFLUENT

#### C of A/Permit Non-Compliance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Strabag Inc.

2520 Stanley Ave  
Niagara Falls

**Sector:** Miscellaneous  
**Ministry Office:** Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
November 2006	9.5	pH	any	1 exceedance	9.65	9.65	Conducting Study	Provincial Officer's Order Issued

**Total C of A/Permit Non-Compliance = 1 exceedance**

### LOW PH EFFLUENT

#### C of A/Permit Non-Compliance

December 2006	6	pH	any	1 exceedance	3.19	3.19	Conducting Study	Provincial Officer's Order Issued
---------------	---	----	-----	--------------	------	------	------------------	-----------------------------------

**Total C of A/Permit Non-Compliance = 1 exceedance**

### SUSPENDED SOLIDS

#### C of A/Permit Non-Compliance

November 2006	25	mg/L	any	4 exceedances	27	44	Conducting Study	Provincial Officer's Order Issued
November 2006	25	mg/L	any	1 exceedance	40	40	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway
November 2006	25	mg/L	any	3 exceedances	29	32	Equipment Modified, Repaired, Replaced or Re-calibrated, New/Modified Sampling Program Underway	Other Abatement Action Taken

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Strabag Inc.

2520 Stanley Ave  
Niagara Falls

**Sector:** Miscellaneous  
**Ministry Office:** Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 2006	25	mg/L	any	6 exceedances	26	49	Conducting Study	Provincial Officer's Order Issued
December 2006	25	mg/L	any	1 exceedance	35	35	Other	Provincial Officer's Order Issued Closed/Subordinate

**Total C of A/Permit Non-Compliance = 15 exceedances**

### TOLUENE

#### C of A/Permit Non-Compliance

November 2006	0.0008	mg/L	any	1 exceedance	0.0012	0.0012	Conducting Study	Provincial Officer's Order Issued
November 2006	0.0008	mg/L	any	1 exceedance	0.0009	0.0009	Equipment Modified, Repaired, Replaced or Re-calibrated, New/Modified Sampling Program Underway	Other Abatement Action Taken
December 2006	0.0008	mg/L	any	2 exceedances	0.002	0.006	Other	Provincial Officer's Order Issued Closed/Subordinate

**Total C of A/Permit Non-Compliance = 4 exceedances**

### XYLENE

#### C of A/Permit Non-Compliance

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Strabag Inc.

2520 Stanley Ave  
Niagara Falls

**Sector:** Miscellaneous  
**Ministry Office:** Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 2006	0.002	mg/L	any	2 exceedances	0.004	0.011	Other	Provincial Officer's Order Issued Closed/Subordinate

**Total C of A/Permit Non-Compliance = 2 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

**The Corporation of the City of  
Thorold**

part Lot 160 Rice Road  
Thorold

**Sector:** Miscellaneous  
**Ministry Office:** Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
<b>DISSOLVED OXYGEN</b>								
<b>C of A/Permit Non-Compliance</b>								
July 2006	63	%	any	5 exceedances	30.1	55.3	New/Modified Sampling Program Underway	Voluntary Abatement Program Underway
August 2006	63	%	any	3 exceedances	38.1	44.1	New/Modified Sampling Program Underway	Voluntary Abatement Program Underway

**Total C of A/Permit Non-Compliance = 8 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Washington Mills Electro Minerals Corporation

7780 Stanley Ave  
Niagara Falls

**Sector:** Inorganic Chemicals  
**Ministry Office:** Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

### ALUMINUM

#### Legislation Non-Compliance

January 26, 2006 - February 22, 2006	6.1	kg/d	/d	4 exceedances	7.08	15.5	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
January 1, 2006 - February 28, 2006	2.7	kg/d	mon avg	2 exceedances	4.6	11.2	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued

**Total Legislation Non-Compliance = 6 exceedances**

### SUSPENDED SOLIDS

#### Legislation Non-Compliance

January 10, 2006 - March 16, 2006	395	kg/d	/d	2 exceedances	429	478	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
January 1, 2006 - February 28, 2006	127	kg/d	mon avg	2 exceedances	141	163	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
May 2006	395	kg/d	/d	1 exceedance	477.3	477.3	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."

## 2006 Industrial Sewage Monthly Summary - West Central Region

### Washington Mills Electro Minerals Corporation

7780 Stanley Ave  
Niagara Falls

**Sector:** Inorganic Chemicals  
**Ministry Office:** Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
July 1, 2006 - September 30, 2006	127	kg/d	mon avg	3 exceedances	141.3	186.4	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
September 14, 2006 - September 24, 2006	395	kg/d	/d	2 exceedances	482.5	1118.5	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
October 9, 2006 - December 28, 2006	395	kg/d	/d	17 exceedances	414	1573.4	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued
October 1, 2006 - December 31, 2006	127	kg/d	mon avg	3 exceedances	180.2	423.8	Equipment Modified, Repaired, Replaced or Re- calibrated	Provincial Officer's Order Issued

**Total Legislation Non-Compliance = 30 exceedances**

"This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to August 2007. For up-to-date information, please contact the appropriate district or area office."