

2007 Industrial Sewage Monthly Summary - All Regions

36569 Yukon Inc.

Part of N 1/2 of Lot 1, Conc 12
Lorrain

Sector: Metal Mining and Refining
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ARSENIC								
C of A/Permit Non-Compliance								
June 1, 2007 - June 30, 2007	0.5	mg/L	mon avg	1 exceedance	0.83	0.83	New/Modified Sampling Program Underway	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Abitibi-Consolidated Company of Canada - Fort Frances

145 Third St W
Fort Frances

Sector: Pulp and Paper
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

June 2007	Pass	acute toxicity	/mon	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
October 2007	Pass	acute toxicity	/mon	1 exceedance	Fail	Fail	Additional Monitoring Underway	Assessment Underway

Total Legislation Non-Compliance = 2 exceedances

PHENOL

Legislation Non-Compliance

February 2007	0.494	kg/d	/wk	2 exceedances	0.735	2.9398	Other	Assessment Complete - No Action Required
---------------	-------	------	-----	---------------	-------	--------	-------	--

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Abitibi-Consolidated Company of Canada - Thorold

2 Allanburg Rd
Thorold

Sector: Pulp and Paper
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOLUENE								
Legislation Non-Compliance								
November 2007	0.226	kg/d	/d	1 exceedance	0.3325	0.3325	Other	Assessment Underway

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Algoma Steel Inc.

105 West St
Sault Ste. Marie

Sector: Iron and Steel
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

September 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway	Environmental Penalty Order Issued
----------------	------	----------------	-----	--------------	------	------	--------------------------------	------------------------------------

Total Legislation Non-Compliance = 1 exceedance

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

September 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway	Environmental Penalty Order Issued
----------------	------	----------------	-----	--------------	------	------	--------------------------------	------------------------------------

Total Legislation Non-Compliance = 1 exceedance

BENZENE

Legislation Non-Compliance

January 1, 2007 - January 31, 2007	0.143	kg	mon avg	1 exceedance	3.397	3.397	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action Taken
---------------------------------------	-------	----	---------	--------------	-------	-------	--	------------------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Algoma Tubes Inc.

547 Wallace Terrace
Sault Ste. Marie

Sector: Iron and Steel
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

January 2007	15	mg/L	any	1 exceedance	24	24	Equipment Modified, Repaired, Replaced or Re-calibrated	Additional Requirements Added in Certificate of Approval/Permit
February 2007	15	mg/L	any	2 exceedances	16	18.3	Other	Additional Requirements Added in Certificate of Approval/Permit
March 2007	15	mg/L	any	3 exceedances	18	20	New Equipment or Treatment Process Installed	Additional Requirements Added in Certificate of Approval/Permit

Total Legislation Non-Compliance = 6 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Begetekong Power Corporation

N. side of White R. at Umbata Falls
Unsurveyed (Thunder Bay D.O.)

Sector: Electric Power Generation
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

February 21, 2007 - May 10, 2007	25	mg/L	/d	6 exceedances	26	111	Operational Process Modification	Other Abatement Action Taken
-------------------------------------	----	------	----	---------------	----	-----	-------------------------------------	------------------------------

Total C of A/Permit Non-Compliance = 6 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Belwood Poultry Limited

4272 4th Conc Road, R.R. #4
Amherstburg

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

February 1, 2007 - April 30, 2007	10	mg/L	mon avg	3 exceedances	18	28	Conducting Study	Voluntary Abatement Program Underway
--------------------------------------	----	------	---------	---------------	----	----	------------------	---

Total C of A/Permit Non-Compliance = 3 exceedances

DISSOLVED OXYGEN

C of A/Permit Non-Compliance

July 1, 2007 - December 31, 2007	4	mg/L	mon avg	6 exceedances	3.93	2.8	Conducting Study	Voluntary Abatement Program Underway
-------------------------------------	---	------	---------	---------------	------	-----	------------------	---

Total C of A/Permit Non-Compliance = 6 exceedances

ESCHERICHIA COLI

C of A/Permit Non-Compliance

February 1, 2007 - April 30, 2007	200	CFU/10 0ml	mon avg	3 exceedances	677	5129	Conducting Study	Voluntary Abatement Program Underway
--------------------------------------	-----	---------------	---------	---------------	-----	------	------------------	---

Total C of A/Permit Non-Compliance = 3 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	0.5	mg/L	mon avg	1 exceedance	10	10	Conducting Study	Voluntary Abatement Program Underway
---------------------------------------	-----	------	---------	--------------	----	----	------------------	---

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Belwood Poultry Limited

4272 4th Conc Road, R.R. #4
Amherstburg

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
February 1, 2007 - December 31, 2007	0.5	mg/L	mon avg	10 exceedances	10	19	Conducting Study	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 11 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - July 31, 2007	10	mg/L	mon avg	7 exceedances	10	87	Conducting Study	Voluntary Abatement Program Underway
September 1, 2007 - October 31, 2007	10	mg/L	mon avg	2 exceedances	13	13	Conducting Study	Voluntary Abatement Program Underway
December 1, 2007 - December 31, 2007	10	mg/L	mon avg	1 exceedance	11	11	Conducting Study	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 10 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Bowater Canadian Forest Products Inc.

2001 Neebing Ave
Thunder Bay

Sector: Pulp and Paper
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

April 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
------------	------	----------------	-----	--------------	------	------	------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

BP Canada Energy Company

1182 Plank Rd
Sarnia

Sector: Petroleum Refineries
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CHLORINE

C of A/Permit Non-Compliance

November 2007	10	ppb	/d	1 exceedance	28	28	Other	Assessment Complete - No Action Required
---------------	----	-----	----	--------------	----	----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

Legislation Non-Compliance

March 3, 2007 - March 4, 2007	32	kg/d	/d	2 exceedances	33.66	37.26	Operational Process Modification	Assessment Complete - Incident Resolved
----------------------------------	----	------	----	---------------	-------	-------	----------------------------------	---

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Bruce Power Inc. - Bruce A

Lot 28, Con.A
Kincardine

Sector: Electric Power Generation
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

March 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Other	Voluntary Abatement Program Underway
------------	------	----------------	-----	--------------	------	------	-------	--------------------------------------

Total Legislation Non-Compliance = 1 exceedance

BORON

C of A/Permit Non-Compliance

December 1, 2007 - December 2, 2007	25	mg/L	any	1 exceedance	38	38	Training/Procedure Change	Assessment Complete - Incident Resolved
--	----	------	-----	--------------	----	----	---------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Bruce Power Inc. - Bruce B

Lot 11-20 Lake Range
Kincardine

Sector: Electric Power Generation
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

April 2007	5	ppm	any	1 exceedance	5.43	5.43	New/Modified Sampling Program Underway	Assessment Complete - No Action Required
June 2007	5	ppm	any	1 exceedance	5.5	5.5	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Underway

Total C of A/Permit Non-Compliance = 2 exceedances

LOW PH EFFLUENT

Legislation Non-Compliance

May 2007	6	pH	any	1 exceedance	2.5	2.5	Ceased Operations, Conducting Study	Voluntary Abatement Program Underway
----------	---	----	-----	--------------	-----	-----	-------------------------------------	--------------------------------------

Total Legislation Non-Compliance = 1 exceedance

RUST INHIBITOR

C of A/Permit Non-Compliance

January 2007	100	mg/L	any	1 exceedance	5000	5000	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
--------------	-----	------	-----	--------------	------	------	---	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Bruce Power Inc. - Bruce B

Lot 11-20 Lake Range
Kincardine

Sector: Electric Power Generation
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
C of A/Permit Non-Compliance								
February 2007	1.5	mg/L	any	1 exceedance	29.4	29.4	Other	Assessment Complete - No Action Required
July 2007	1.5	mg/L	any	1 exceedance	4.95	4.95	None Required	Assessment Complete - No Action Required
December 2007	1.5	mg/L	any	1 exceedance	47.06	47.06	Additional Monitoring Underway	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

TEMPERATURE

C of A/Permit Non-Compliance

January 2007	13	deg. C	any	1 exceedance	13.17	13.17	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
March 2007	13	deg. C	any	1 exceedance	13.3	13.3	None Required	Assessment Complete - Incident Resolved
August 2007	11.1	deg. C	any	1 exceedance	11.7	11.7	Ceased Operations, Other	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Bruce Power Inc. - Bruce Nuclear Power Development

Lot 11,14 Conc 3; Lot 11,18,23 Lk. Range
Kincardine

Sector: Electric Power Generation
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

Legislation Non-Compliance

April 2007	6	pH	any	1 exceedance	2	5.6	Conducting Study, Other	Voluntary Abatement Program Underway
May 2007	6	pH	any	2 exceedances	5.77	5.77	Conducting Study	Assessment Underway, Voluntary Abatement Program Underway
June 2007	6	pH	any	1 exceedance	5.89	5.89	Equipment Modified, Repaired, Replaced or Re-calibrated, Other	Voluntary Abatement Program Underway
November 2007	6	pH	any	1 exceedance	5.89	5.89	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 5 exceedances

SUSPENDED SOLIDS

Legislation Non-Compliance

April 2007	44	mg/L	/d	1 exceedance	285	285	None Required	Assessment Complete - No Action Required
------------	----	------	----	--------------	-----	-----	---------------	--

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

CanGro Foods Inc.

329 Four Mile Creek Road
Niagara-on-the-Lake

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA NITROGEN

C of A/Permit Non-Compliance

June 2007	0.5	mg/L	any	4 exceedances	0.68	1.77	Ceased Operations	Assessment Complete - No Action Required
-----------	-----	------	-----	---------------	------	------	-------------------	--

Total C of A/Permit Non-Compliance = 4 exceedances

CARBONACEOUS BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

June 2007	15	mg/L	any	2 exceedances	19	20	Ceased Operations	Assessment Complete - No Action Required
-----------	----	------	-----	---------------	----	----	-------------------	--

Total C of A/Permit Non-Compliance = 2 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

June 2007	0.3	mg/L	any	3 exceedances	0.33	0.47	Ceased Operations	Assessment Complete - No Action Required
-----------	-----	------	-----	---------------	------	------	-------------------	--

Total C of A/Permit Non-Compliance = 3 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

May 2007	25	mg/L	any	1 exceedance	35	35	Ceased Operations	Assessment Complete - No Action Required
----------	----	------	-----	--------------	----	----	-------------------	--

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

CanGro Foods Inc.

329 Four Mile Creek Road
Niagara-on-the-Lake

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
June 2007	25	mg/L	any	3 exceedances	28	80	Ceased Operations	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Carmeuse Lime (Canada) Limited - Dundas 600 Highway 5
Hamilton

Sector: Industrial Minerals
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-Compliance								
March 12, 2007 - March 18, 2007	50	mg/L	/wk	1 exceedance	54	54	None Required	Assessment Complete - No Action Required
March 2007	50	mg/L	/d	1 exceedance	54	54	None Required	Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Cascades Canada Inc. - Trenton

300 Marmora St Trenton
Quinte West

Sector: Pulp and Paper
Ministry Office: Belleville

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

Legislation Non-Compliance

March 2007	9.5	pH	any	5 exceedances	9.8	9.85	Other	Assessment Complete - Incident Resolved
------------	-----	----	-----	---------------	-----	------	-------	---

Total Legislation Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

CGC Inc.

55 Third Line Road
Haldimand

Sector: Industrial Minerals
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

September 1, 2007 - September 30, 2007	25	mg/L	mon avg	1 exceedance	92	92	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
September 2007	50	mg/L	/wk	1 exceedance	358	358	Action Plan Submitted - Implementing Improvements	Environmental Penalty Order Issued

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Chinook Global Limited - Sombra Site

224 Holt Line W
St. Clair

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ZINC

Legislation Non-Compliance

April 2007	0.066	kg/d	/d	1 exceedance	0.067	0.067	Ceased Operations	Assessment Complete - No Action Required
September 1, 2007 - September 30, 2007	0.023	kg/d	mon avg	1 exceedance	0.039	0.039	Ceased Operations	Assessment Complete - No Action Required
September 2007	0.066	kg/d	/d	1 exceedance	0.081	0.081	Ceased Operations	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

CVRD- Inco Limited - Copper Cliff

337 Power St
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

COPPER

C of A/Permit Non-Compliance

September 1, 2007 - September 30, 2007	0.3	mg/L	mon avg	1 exceedance	0.344	0.344	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
September 2007	0.6	mg/L	/d	1 exceedance	0.896	0.896	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

NICKEL

C of A/Permit Non-Compliance

April 2007	0.6	mg/L	/d	1 exceedance	1.12	1.12	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
September 1, 2007 - September 30, 2007	0.5	mg/L	mon avg	1 exceedance	1.745	1.745	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
September 2007	1	mg/L	/d	1 exceedance	6.5	6.5	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 3 exceedances

SUSPENDED SOLIDS

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

CVRD- Inco Limited - Copper Cliff

337 Power St
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
Legislation Non-Compliance								
September 2007	30	mg/L	/d	1 exceedance	115.8	115.8	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
November 2007	30	mg/L	/d	1 exceedance	45.2	45.2	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

CVRD- Inco Limited - Nolin Creek

McKim
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

NICKEL

C of A/Permit Non-Compliance

November 2007	1	mg/L	/d	1 exceedance	1.23	1.23	Conducting Study	Assessment Underway
---------------	---	------	----	--------------	------	------	------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

November 2007	30	mg/L	/d	1 exceedance	34.6	34.6	Conducting Study	Assessment Underway
---------------	----	------	----	--------------	------	------	------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

CVRD- Inco Limited - Totten Mine

6 Totten Mine Rd Drury
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	15	mg/L	mon avg	1 exceedance	17	17	Conducting Study	Assessment Underway
August 2007	30	mg/L	/wk	1 exceedance	35.4	35.4	Conducting Study	Assessment Underway
September 2007	30	mg/L	/wk	1 exceedance	89.2	89.2	Conducting Study	Assessment Underway

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Cytec Canada Inc.

9061 Garner Road
Niagara Falls

Sector: Inorganic Chemicals
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

May 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Equipment Modified, Repaired, Replaced or Re-calibrated	Other Abatement Action Taken
August 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Equipment Modified, Repaired, Replaced or Re-calibrated	Other Abatement Action Taken

Total Legislation Non-Compliance = 2 exceedances

LOW PH EFFLUENT

Legislation Non-Compliance

August 2007	6	pH	any	1 exceedance	3.1	3.1	Equipment Modified, Repaired, Replaced or Re-calibrated	Other Abatement Action Taken
-------------	---	----	-----	--------------	-----	-----	---	------------------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

De Beers Canada Inc.

90 km W of Attawapiskat
Unsurveyed Territory (Timmins D. O.)

Sector: Miscellaneous
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

February 16, 2007 - March 26, 2007	30	ppm	/d	2 exceedances	39	41	None Required	Assessment Complete - Incident Resolved
October 2007	30	ppm	/d	1 exceedance	127	127	Operational Process Modification	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Dow Chemical Canada Inc. - Sarnia Site

1425 Vidal St S
Sarnia

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
1, 2 - DICHLOROETHANE								
Legislation Non-Compliance								
March 2007	5	µg/L	/d	1 exceedance	7.2	7.2	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Enbridge Pipelines Inc.

1010 Plank Rd
Sarnia

Sector: Miscellaneous
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
March 2007	15	mg/L	/d	1 exceedance	16	16	None Required	Assessment Complete - No Action Required
May 2007	15	mg/L	/d	2 exceedances	39	82	Other	Assessment Underway
July 2007	15	mg/L	/d	2 exceedances	87	130	Other	Assessment Underway

Total C of A/Permit Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

EPCOR Power L.P.

Lot: 26, 27, 28, Conc: 4, Hwy. 11 North
Stoddart

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ALUMINUM SULPHATE

C of A/Permit Non-Compliance

July 2007	1	mg/L	any	1 exceedance	1.4	1.4	Conducting Study	Provincial Officer's Order Issued
October 2007	1	mg/L	any	1 exceedance	1.16	1.16	Conducting Study	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 2 exceedances

HIGH PH EFFLUENT

C of A/Permit Non-Compliance

October 2007	9.5	pH	any	2 exceedances	9.76	9.81	Conducting Study	Provincial Officer's Order Issued
November 2007	9.5	pH	any	1 exceedance	9.86	9.86	Conducting Study	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 3 exceedances

OIL

C of A/Permit Non-Compliance

August 2007	15	mg/L	any	1 exceedance	55.8	55.8	Conducting Study	Provincial Officer's Order Issued
-------------	----	------	-----	--------------	------	------	------------------	-----------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

EPCOR Power L.P.

Lot: 26, 27, 28, Conc: 4, Hwy. 11 North
Stoddart

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
March 2007	15	mg/L	any	1 exceedance	73	73	Conducting Study	Provincial Officer's Order Issued
April 2007	15	mg/L	any	3 exceedances	19	26	Conducting Study	Provincial Officer's Order Issued
June 2007	15	mg/L	any	2 exceedances	20	20	Conducting Study	Provincial Officer's Order Issued
July 2007	15	mg/L	any	1 exceedance	18	18	Conducting Study	Provincial Officer's Order Issued
September 2007	15	mg/L	any	1 exceedance	27	27	Conducting Study	Provincial Officer's Order Issued
October 2007	15	mg/L	any	1 exceedance	21	21	Conducting Study	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 9 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

First Nickel Inc.

412 Crean Hill Road
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

C of A/Permit Non-Compliance

December 2007	6.5	pH	any	1 exceedance	6.1	6.1	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Ceased Operations, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
---------------	-----	----	-----	--------------	-----	-----	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

FNX Mining Company Inc.

Lot 5 & 6, Conc 5
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

C of A/Permit Non-Compliance

April 2007	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Ceased Operations, New Equipment or Treatment Process Installed	Provincial Officer's Order Issued
------------	------	----------------	-----	---------------	------	------	--	-----------------------------------

Total C of A/Permit Non-Compliance = 2 exceedances

ACUTE LETHALITY DAPHNIA

C of A/Permit Non-Compliance

April 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Ceased Operations, New Equipment or Treatment Process Installed	Provincial Officer's Order Issued
------------	------	----------------	-----	--------------	------	------	--	-----------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

AMMONIA

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	5	mg/L	mon avg	1 exceedance	36.1	36.1	Operational Process Modification	Provincial Officer's Order Issued
--------------------------------	---	------	---------	--------------	------	------	----------------------------------	-----------------------------------

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

FNX Mining Company Inc.

Lot 5 & 6, Conc 5
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
April 12, 2007 - April 19, 2007	10	mg/L	/d	3 exceedances	15.2	95.8	Operational Process Modification	Provincial Officer's Order Issued
June 1, 2007 - June 30, 2007	5	mg/L	mon avg	1 exceedance	24.9	24.9	Operational Process Modification	Provincial Officer's Order Issued
June 13, 2007 - June 30, 2007	10	mg/L	/d	13 exceedances	10.5	39.7	Operational Process Modification	Provincial Officer's Order Issued
July 1, 2007 - July 31, 2007	5	mg/L	mon avg	1 exceedance	17.7	17.7	Operational Process Modification	Provincial Officer's Order Issued
July 1, 2007 - July 30, 2007	10	mg/L	/d	22 exceedances	10.2	33.3	Operational Process Modification	Provincial Officer's Order Issued
August 1, 2007 - August 31, 2007	5	mg/L	mon avg	1 exceedance	7.4	7.4	Operational Process Modification	Provincial Officer's Order Issued
August 8, 2007 - August 15, 2007	10	mg/L	/d	3 exceedances	10.6	13.1	Operational Process Modification	Provincial Officer's Order Issued
October 1, 2007 - October 31, 2007	5	mg/L	mon avg	1 exceedance	5.8	5.8	Action Plan Submitted - Implementing Improvements, Ceased Operations, New Equipment or Treatment Process Installed	Provincial Officer's Order Issued

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

FNX Mining Company Inc.

Lot 5 & 6, Conc 5
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
November 2007	10	mg/L	/d	1 exceedance	13.7	13.7	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Ceased Operations	Provincial Officer's Order Issued
November 1, 2007 - November 30, 2007	5	mg/L	mon avg	1 exceedance	7.2	7.2	Operational Process Modification	Provincial Officer's Order Issued
December 2007	10	mg/L	/d	1 exceedance	12	12	New Equipment or Treatment Process Installed	Provincial Officer's Order Issued
December 2007	10	mg/L	/d	1 exceedance	12.8	12.8	Operational Process Modification	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 50 exceedances

LOW PH EFFLUENT

C of A/Permit Non-Compliance

August 2007	6	pH	/d	1 exceedance	4.82	4.82	Additional Monitoring Underway	Provincial Officer's Order Issued
September 2007	6	pH	/d	1 exceedance	3.78	3.78	Additional Monitoring Underway	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

FNX Mining Company Inc.

Lot 5 & 6, Conc 5
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
C of A/Permit Non-Compliance								
April 1, 2007 - April 30, 2007	15	mg/L	mon avg	1 exceedance	16.46	16.46	Other	Provincial Officer's Order Issued
May 1, 2007 - May 31, 2007	15	mg/L	mon avg	1 exceedance	20.53	20.53	Other	Provincial Officer's Order Issued
May 2007	30	mg/L	/d	1 exceedance	31.3	31.3	Other	Provincial Officer's Order Issued
June 2007	30	mg/L	/d	3 exceedances	49	71	Other	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 6 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

**Ford Motor Company of Canada,
Limited - Essex Manufacturing
Plant**

1 Quality Way
Windsor

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

May 2007	15	mg/L	/wk	1 exceedance	23	23	Other	Assessment Complete - Incident Resolved
----------	----	------	-----	--------------	----	----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Ford Motor Company of Canada, Limited - Windsor Casting Plant

2900 Trenton St
Windsor

Sector: Metal Casting
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

March 2007	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Other	Voluntary Abatement Program Underway
------------	------	----------------	-----	---------------	------	------	-------	--------------------------------------

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Gay Lea Foods Co-Operative Limited

21 Clinton St N
South Bruce

Sector: Miscellaneous
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
March 1, 2007 - March 31, 2007	7	mg/L	mon avg	1 exceedance	22.2	22.2	Operational Process Modification	Assessment Underway
Total C of A/Permit Non-Compliance = 1 exceedance								
CARBONACEOUS BIOCHEMICAL OXYGEN DEMAND								
C of A/Permit Non-Compliance								
April 1, 2007 - April 30, 2007	280	kg/d	mon avg	1 exceedance	380.9	381	Conducting Study	Assessment Underway
Total C of A/Permit Non-Compliance = 1 exceedance								
FLOW								
C of A/Permit Non-Compliance								
April 1, 2007 - April 30, 2007	245	m3/d	mon avg	1 exceedance	268.25	268	Conducting Study	Assessment Underway
Total C of A/Permit Non-Compliance = 1 exceedance								
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
August 1, 2007 - August 31, 2007	10	mg/L	mon avg	1 exceedance	12	12	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Gay Lea Foods Co-Operative Limited

21 Clinton St N
South Bruce

Sector: Miscellaneous
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 2007	30	mg/L	/d	1 exceedance	33	33	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway
December 1, 2007 - December 31, 2007	10	mg/L	mon avg	1 exceedance	19	19	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway
December 2007	30	mg/L	/d	1 exceedance	48	48	Equipment Modified, Repaired, Replaced or Re-calibrated	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

GDX Canada Inc.

100 Kennedy St
Welland

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
OIL								
C of A/Permit Non-Compliance								
January 2007	15	mg/L	/wk	1 exceedance	22	22	New Equipment or Treatment Process Installed	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Georgia-Pacific Canada, Inc. - Caledonia

350 Argyle St North, Caledonia
Haldimand

Sector: Industrial Minerals
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-Compliance								
January 2007	50	ppm	mon avg	1 exceedance	116	116	None Required	Other Abatement Action Taken

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Goldcorp Canada Ltd. - Bell Creek

Hoyle
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
May 1, 2007 - May 31, 2007	15	mg/L	mon avg	1 exceedance	16.55	16.55	Training/Procedure Change	Assessment Complete - No Action Required
May 2007	30	mg/L	any	1 exceedance	42.6	42.6	Training/Procedure Change	Assessment Complete - No Action Required
July 2007	30	mg/L	any	1 exceedance	31.1	31.1	Other	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Goldcorp Canada Ltd. - Dome

4315 Gold Mine Rd, South Porcupine
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

June 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
-----------	------	----------------	-----	--------------	------	------	------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

June 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
-----------	------	----------------	-----	--------------	------	------	------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

June 1, 2007 - June 30, 2007	15	mg/L	mon avg	1 exceedance	18	18	Conducting Study	Assessment Underway
---------------------------------	----	------	---------	--------------	----	----	------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Goldcorp Canada Ltd. - McIntyre

Lot: 7 & 8, Conc: 3 & 4, Tisdale Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

September 1, 2007 - September 30, 2007	15	mg/L	mon avg	1 exceedance	28.38	28.38	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
September 2007	30	mg/L	any	1 exceedance	104	104	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Imperial Oil Limited - Sarnia

602 Christina St S
Sarnia

Sector: Petroleum Refineries
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ACUTE LETHALITY - TROUT								
C of A/Permit Non-Compliance								
November 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Imperial Oil Limited - Nanticoke

225 2nd Conc
Haldimand

Sector: Petroleum Refineries
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

DISSOLVED ORGANIC CARBON

Legislation Non-Compliance

March 2007	285	kg	/d	1 exceedance	614	614	New Equipment or Treatment Process Installed, Operational Process Modification	Assessment Complete - Incident Resolved
------------	-----	----	----	--------------	-----	-----	--	---

Total Legislation Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

Legislation Non-Compliance

December 2007	265	kg	/d	1 exceedance	382.5	382.5	Other	Assessment Underway
---------------	-----	----	----	--------------	-------	-------	-------	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

**Invista (Canada) Company -
Kingston**

455 Front Rd
Kingston

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
LOW PH EFFLUENT								
Legislation Non-Compliance								
July 2007	6	pH	/d	1 exceedance	5.3	5.3	None Required	Other Abatement Action Taken

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Invista (Canada) Company - Maitland

1400 County Road 2 East, Maitland
Augusta

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

February 2007	1	mg/L	/wk	1 exceedance	2.01	2.01	Training/Procedure Change	Assessment Complete - Incident Resolved
---------------	---	------	-----	--------------	------	------	---------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

VANADIUM

Order Non-Compliance

January 2007	1.76	Kg/d	/d	1 exceedance	2.51	2.51	Training/Procedure Change	Assessment Complete - Incident Resolved
--------------	------	------	----	--------------	------	------	---------------------------	--

Total Order Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Iroquois Falls Power Corp.

1 Northwest Industrial Road
Iroquois Falls

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
DISSOLVED ORGANIC CARBON								
C of A/Permit Non-Compliance								
January 2007	15	mg/L	/d	1 exceedance	15.3	15.3	None Required	Assessment Complete - Incident Resolved
April 2007	15	mg/L	/d	1 exceedance	16.5	16.5	None Required	Assessment Complete - Incident Resolved
May 2007	15	mg/L	/d	1 exceedance	23.2	23.2	None Required	Assessment Complete - Incident Resolved
June 2007	15	mg/L	/d	3 exceedances	18.1	19.6	None Required	Assessment Complete - Incident Resolved
July 2007	15	mg/L	/d	1 exceedance	15.6	15.6	None Required	Assessment Complete - Incident Resolved
August 2007	15	mg/L	/d	1 exceedance	16.5	16.5	None Required	Assessment Complete - Incident Resolved
September 2007	15	mg/L	/d	1 exceedance	17	17	None Required	Assessment Complete - Incident Resolved
November 2007	15	mg/L	/d	2 exceedances	16	20	None Required	Assessment Complete - Incident Resolved

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Iroquois Falls Power Corp.

1 Northwest Industrial Road
Iroquois Falls

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 2007	15	mg/L	/d	4 exceedances	17	21	None Required	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 15 exceedances

OIL AND GREASE

C of A/Permit Non-Compliance

June 2007	10	mg/L	/wk	2 exceedances	11.1	2120	Training/Procedure Change	Assessment Complete - No Action Required
July 2007	10	mg/L	/wk	1 exceedance	61.1	61.1	Training/Procedure Change	Assessment Complete - No Action Required
September 2007	10	mg/L	/wk	1 exceedance	32.3	32.3	Other	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 4 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

April 2007	25	mg/L	any	1 exceedance	58.5	58.5	None Required	Assessment Complete - No Action Required
------------	----	------	-----	--------------	------	------	---------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Jungbunzlauer Canada Inc.

1555 Elm St
Port Colborne

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

June 2007	1	mg/L	any	1 exceedance	4	4	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
-----------	---	------	-----	--------------	---	---	---	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Kirkland Lake Power Corp.

505 Archer's Dr
Kirkland Lake

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

C of A/Permit Non-Compliance

April 2007	9	pH	any	1 exceedance	9.1	9.1	None Required	Assessment Complete - No Action Required
------------	---	----	-----	--------------	-----	-----	---------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

November 1, 2007 - November 30, 2007	0	kg	mon avg	1 exceedance	2.5	2.5	New Equipment or Treatment Process Installed	Assessment Complete - No Action Required
December 1, 2007 - December 31, 2007	0	kg	mon avg	1 exceedance	8.2	8.2	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Lake Huron Fishing Club

Part of Lot 38, Plan 260
Town of Port Elgin

Sector: Miscellaneous
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	0.1	mg/L	mon avg	1 exceedance	0.12	0.12	New/Modified Sampling Program Underway	Assessment Complete - Incident Resolved
---	-----	------	---------	--------------	------	------	---	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

May 1, 2007 - May 31, 2007	10	mg/L	mon avg	1 exceedance	11	11	New/Modified Sampling Program Underway	Assessment Complete - Incident Resolved
-------------------------------	----	------	---------	--------------	----	----	---	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Lanxess Inc.

1265 Vidal St S
Sarnia

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

March 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
------------	------	----------------	-----	--------------	------	------	------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Liberty Mines Inc.

Eldorado Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Operational Process Modification	Assessment Complete - Implementing Improvements
December 1, 2007 - December 31, 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements, Ceased Operations, New Equipment or Treatment Process Installed, Operational Process Modification, Training/Procedure Change	Environmental Penalty Order Issued

Total C of A/Permit Non-Compliance = 2 exceedances

ACUTE LETHALITY DAPHNIA

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Operational Process Modification	Assessment Complete - Implementing Improvements
---------------------------------------	------	-------------------	-----	--------------	------	------	-------------------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

NICKEL

C of A/Permit Non-Compliance

January 8, 2007 - February 28, 2007	1	mg/L	/d	27 exceedances	1.6	6.74	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
--	---	------	----	----------------	-----	------	---	--

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Liberty Mines Inc.

Eldorado Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
January 1, 2007 - February 28, 2007	0.5	mg/L	mon avg	2 exceedances	2.6	3.3	Additional Monitoring Underway, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 29 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 5, 2007 - February 28, 2007	30	mg/L	/d	23 exceedances	32	164	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
January 1, 2007 - February 28, 2007	15	mg/L	mon avg	2 exceedances	43.6	89.9	Additional Monitoring Underway, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 25 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Liqui-Box Canada Inc.

201 South Blair St
Whitby

Sector: Organic Chemicals Manufacturing
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

January 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
--------------	------	----------------	-----	--------------	------	------	------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

January 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
March 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
November 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	None Required	Environmental Penalty Order Issued

Total Legislation Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Magellan Aerospace Limited

634 Magnesium Rd
Whitewater Region

Sector: Metal Casting
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

February 1, 2007 - March 31, 2007	200	CT/100 mL	mon avg	2 exceedances	385.94	775.85	Equipment Modified, Repaired, Replaced or Re- calibrated, Operational Process Modification	Assessment Complete - No Action Required
November 1, 2007 - November 30, 2007	200	CT/100 mL	mon avg	1 exceedance	448.81	448.81	Conducting Study	Assessment Underway
December 1, 2007 - December 31, 2007	200	CT/100 mL	mon avg	1 exceedance	1124.83	1124.83	Conducting Study	Assessment Underway

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Magna Structural Systems Inc.

400 Chisholm Drive
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

OIL AND GREASE

C of A/Permit Non-Compliance

January 2007	10	mg/L	any	1 exceedance	14.57	14.57	Action Plan Submitted - Implementing Improvements	Assessment Underway
--------------	----	------	-----	--------------	-------	-------	--	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 2007	15	mg/L	any	2 exceedances	17	43	Action Plan Submitted - Implementing Improvements	Assessment Underway
March 2007	15	mg/L	any	5 exceedances	18	45	Action Plan Submitted - Implementing Improvements	Assessment Underway
April 2007	15	mg/L	any	4 exceedances	19	23	Action Plan Submitted - Implementing Improvements	Assessment Underway

Total C of A/Permit Non-Compliance = 11 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

**Maple Leaf Foods Inc. - Rothsay
Dundas**

880 Highway 5 W
Hamilton

Sector: Miscellaneous
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

December 2007	10	mg/L	/d	1 exceedance	11	11	Other	Assessment Underway
---------------	----	------	----	--------------	----	----	-------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Maple Leaf Foods Inc. - Rothsay Moorefield

Wellington County Road 7
Mapleton

Sector: Miscellaneous
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

December 2007	15	mg/L	any	1 exceedance	24	24	Ceased Operations	Other Abatement Action Taken
---------------	----	------	-----	--------------	----	----	-------------------	------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Morbern Inc.

80 Boundary Rd Part of Lot D, Conc 1
Cornwall

Sector: Organic Chemicals Manufacturing
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
CHLORINE RESIDUAL								
C of A/Permit Non-Compliance								
January 2007	0.01	mg/L	/wk	2 exceedances	0.55	0.75	Other	Assessment Complete - Incident Resolved
February 2007	0.01	mg/L	/wk	1 exceedance	0.6	0.6	Conducting Study	Assessment Complete - Incident Resolved
February 2007	0.01	mg/L	/wk	2 exceedances	0.15	0.75	Other	Assessment Complete - Incident Resolved
March 2007	0.01	mg/L	/wk	1 exceedance	0.65	0.65	Other	Assessment Complete - Incident Resolved
April 1, 2007 - April 30, 2007	0.01	mg/L	/wk	3 exceedances	0.61	0.81	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
May 2007	0.01	mg/L	/wk	3 exceedances	0.42	0.71	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
June 1, 2007 - June 30, 2007	0.01	mg/L	/wk	3 exceedances	0.65	0.71	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
July 2, 2007 - July 10, 2007	0.01	mg/L	/wk	2 exceedances	0.74	0.78	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Morbern Inc.

80 Boundary Rd Part of Lot D, Conc 1
Cornwall

Sector: Organic Chemicals Manufacturing
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 1, 2007 - August 31, 2007	0.01	mg/L	/wk	2 exceedances	0.77	0.78	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
August 14, 2007 - August 28, 2007	0.01	mg/L	/wk	3 exceedances	0.67	0.77	Other	Assessment Complete - Incident Resolved
September 1, 2007 - September 30, 2007	0.01	mg/L	/wk	3 exceedances	0.67	0.79	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 25 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Newalta Industrial Services Inc.

112 Adams Blvd
Brantford

Sector: Miscellaneous
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

June 2007	15	ppm	/wk	1 exceedance	247	247	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved, Voluntary Abatement Program Underway
July 2007	15	ppm	/wk	2 exceedances	34	35	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Northgate Minerals Corporation

4km W of the Town of Matachewan
Matachewan

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

December 2007	30	mg/L	any	1 exceedance	30.5	30.5	Additional Monitoring Underway	Assessment Underway
---------------	----	------	-----	--------------	------	------	--------------------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

NOVA Chemicals (Canada) Limited 285 Albert St
St. Clair

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

February 1, 2007 - February 28, 2007	570	kg/d	mon avg	1 exceedance	952.1	570	Conducting Study	Voluntary Abatement Program Underway
February 13, 2007 - February 15, 2007	1300	kg/d	/d	1 exceedance	1704	1704	Conducting Study	Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	570	kg/d	mon avg	1 exceedance	585	585	Additional Monitoring Underway	Assessment Underway
December 1, 2007 - December 31, 2007	570	kg/d	mon avg	1 exceedance	635	635	Conducting Study, None Required	Assessment Complete - Incident Resolved
December 1, 2007 - December 31, 2007	570	kg/d	mon avg	1 exceedance	626.6	626.6	Other	Assessment Complete - Incident Resolved

Total Legislation Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Darlington

2151 South Service Rd
Clarington

Sector: Electric Power Generation
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
HYDRAZINE								
C of A/Permit Non-Compliance								
March 2007	150	mg/L	/quart	1 exceedance	217	217	Conducting Study	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Lambton Generating Station

1886 St. Clair Parkway
St. Clair

Sector: Electric Power Generation
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

May 2007	10	mg/L	/mon	1 exceedance	15.3	15.3	Ceased Operations	Assessment Complete - No Action Required
----------	----	------	------	--------------	------	------	-------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

CHLORINE

C of A/Permit Non-Compliance

August 2007	10	ppb	/d	2 exceedances	53	56	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
-------------	----	-----	----	---------------	----	----	---	---

Total C of A/Permit Non-Compliance = 2 exceedances

MOLYBDENUM

C of A/Permit Non-Compliance

December 2007	0.4	mg/L	/mon	1 exceedance	1.2	1.2	Other	Assessment Complete - No Action Required
---------------	-----	------	------	--------------	-----	-----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Nanticoke

Lot 7, 8, 9, Conc. 1, Walpole
Haldimand

Sector: Electric Power Generation
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

August 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Complete - No Action Required
August 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
October 2007	Pass	acute toxicity	any	3 exceedances	Fail	Fail	Additional Monitoring Underway	Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Pickering

1675 Montgomery Park Road
Pickering

Sector: Electric Power Generation
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CHLORINE RESIDUAL

C of A/Permit Non-Compliance

August 2007	0.01	mg/L	/d	1 exceedance	0.03	0.03	Operational Process Modification	Assessment Complete - Incident Resolved
-------------	------	------	----	--------------	------	------	----------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

TEMPERATURE

C of A/Permit Non-Compliance

August 2007	14	deg. C	24h avg	2 exceedances	15	16	Operational Process Modification	Voluntary Abatement Program Underway
October 2007	14	deg. C	24h avg	2 exceedances	15.5	16.2	Conducting Study, Operational Process Modification	Assessment Underway, Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Ontario Power Generation Inc. - Pinard

Abitibi River
Pinard

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	25	mg/L	/annum	1 exceedance	68	68	Ceased Operations	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
--	----	------	--------	--------------	----	----	-------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	25	mg/L	/annum	1 exceedance	40.8	40.8	Ceased Operations	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
--	----	------	--------	--------------	------	------	-------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

**Ontario Power Generation Inc. &
ONDEO Nalco Company**

1675 Montgomery Park Road
Pickering

Sector: Electric Power Generation
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

March 2007	70	mg/L	/d	1 exceedance	90.6	90.6	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
------------	----	------	----	--------------	------	------	--	--------------------------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Oxy Vinyls Canada Inc.

8800 Thorold Townline Road
Thorold

Sector: Inorganic Chemicals
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHENOL

Legislation Non-Compliance

December 2007	0.32	kg	/d	1 exceedance	1.05	1.05	Conducting Study, Operational Process Modification, Training/Procedure Change	Assessment Underway
---------------	------	----	----	--------------	------	------	---	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Praxair Canada Inc. - Maitland

1336 Highway 2, Maitland, ON
Augusta

Sector: Inorganic Chemicals
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
NITRATE + NITRITE (AS NITROGEN)								
Legislation Non-Compliance								
March 1, 2007 - March 31, 2007	15	kg/d	mon avg	1 exceedance	24.5	24.5	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
March 2007	22	kg/d	/wk	2 exceedances	27.4	29.5	Additional Monitoring Underway, Conducting Study	Assessment Underway, Voluntary Abatement Program Underway
March 2007	22	kg/d	/wk	1 exceedance	23.9	23.9	Conducting Study	Assessment Underway, Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Praxair Canada Inc. - Sault Ste. Marie

1 Patrick St
Sault Ste. Marie

Sector: Inorganic Chemicals
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

July 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
-----------	------	----------------	-----	--------------	------	------	---	--

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Praxair Canada Inc. - St. Clair

Lot 25 & 26, Conc 8
St. Clair

Sector: Industrial Minerals
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ACUTE LETHALITY DAPHNIA								
C of A/Permit Non-Compliance								
November 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Prestressed Systems Incorporated

4955 Walker Rd
Tecumseh

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

March 1, 2007 - March 31, 2007	15	mg/L	mon avg	1 exceedance	134	134	Conducting Study	Voluntary Abatement Program Underway
January 1, 2007 - December 31, 2007	15	mg/L	mon avg	12 exceedances	17.6	125.1	Conducting Study	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 13 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Roxmark Mines Limited

Leased Mining Claim TB 4928
Greenstone

Sector: Miscellaneous
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ARSENIC

C of A/Permit Non-Compliance

October 1, 2007 - October 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.509	0.509	Other	Assessment Underway
---------------------------------------	-----	------	---------	--------------	-------	-------	-------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Royal Group Technologies Limited

1 Esso Chemical Dr
Sarnia

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

TEMPERATURE

C of A/Permit Non-Compliance

January 11, 2007 - January 12, 2007	10	deg. C	any	1 exceedance	10.04	10.04	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
--	----	--------	-----	--------------	-------	-------	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Sherritt Intl. Corp.

Lot 14, 15, Con 14, 166 Talc Mine Rd
Centre Hastings

Sector: Industrial Minerals
Ministry Office: Belleville

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

November 2007	50	mg/L	/wk	1 exceedance	124	124	Ceased Operations, Other	Voluntary Abatement Program Underway
November 1, 2007 - November 30, 2007	25	mg/L	mon avg	1 exceedance	47.25	47.25	Other	Other Abatement Action Taken

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

SMC (Canada) Ltd.

Coleman Road
Coleman

Sector: Metal Mining and Refining
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

March 7, 2007 - March 21, 2007	15	mg/L	/wk	6 exceedances	31	56	Operational Process Modification	Voluntary Abatement Program Underway
February 1, 2007 - May 31, 2007	15	mg/L	mon avg	4 exceedances	17.9	26.2	Operational Process Modification	Other Abatement Action Taken

Total Legislation Non-Compliance = 10 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

St Andrew Goldfields Ltd. - Clavos Mine

Lot 1 and 2, Conc 6, German Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ARSENIC

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	0.3	mg/L	mon avg	1 exceedance	0.342	0.342	New Equipment or Treatment Process Installed	Assessment Complete - No Action Required
February 1, 2007 - February 28, 2007	0.3	mg/L	mon avg	1 exceedance	0.317	0.317	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

St Andrew Goldfields Ltd. - Stock Mine

Lot 7, Conc 1, Stock Township
Black River-Matheson

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ARSENIC

Legislation Non-Compliance

January 1, 2007 - January 31, 2007	0.5	mg/L	/mon	1 exceedance	0.53	0.53	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
---------------------------------------	-----	------	------	--------------	------	------	---	--

Total Legislation Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

May 2007	30	mg/L	any	1 exceedance	35.5	35.5	Other	Assessment Complete - Incident Resolved
June 2007	30	mg/L	any	1 exceedance	31.4	31.4	Other	Assessment Complete - Incident Resolved
October 1, 2007 - October 31, 2007	15	mg/L	/mon	1 exceedance	21.38	21.38	Other	Assessment Complete - Incident Resolved
October 2007	30	mg/L	any	1 exceedance	106	106	Other	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

St Andrew Goldfields Ltd. - Taylor Advanced Exploration

Taylor Twp
Black River-Matheson

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Order Non-Compliance

March 2007	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Additional Monitoring Underway, Operational Process Modification	Assessment Underway
------------	------	----------------	-----	---------------	------	------	--	---------------------

Total Order Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

St. Lawrence Cement Inc. - Halton Hills

Lot 22, Concs 3 & 4, Twp of Esquesing
Halton Hills

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

May 2007	15	mg/L	any	1 exceedance	22	22	None Required	Assessment Complete - No Action Required
----------	----	------	-----	--------------	----	----	---------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

St. Marys Cement Inc. (Canada)

585 Water St S
St. Marys

Sector: Industrial Minerals
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-Compliance								
March 2007	50	mg/L	/d	1 exceedance	63	63	Operational Process Modification	Assessment Complete - Incident Resolved

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

St. Marys Paper Corp.

75 Huron St
Sault Ste. Marie

Sector: Pulp and Paper
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

September 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
----------------	------	----------------	-----	--------------	------	------	---	--

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Strabag Inc.

2520 Stanley Ave
Niagara Falls

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CHLORIDE

C of A/Permit Non-Compliance

February 2007	150	mg/L	any	2 exceedances	181	227	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
February 2007	150	mg/L	any	1 exceedance	156	156	New Equipment or Treatment Process Installed	Provincial Officer's Order Issued
February 2007	150	mg/L	any	1 exceedance	153	153	Training/Procedure Change	Provincial Officer's Order Issued
April 2007	150	mg/L	any	1 exceedance	281	281	New Equipment or Treatment Process Installed, Operational Process Modification	Assessment Underway, Other Abatement Action Taken
May 11, 2007 - May 12, 2007	150	mg/L	any	1 exceedance	173	173	Action Plan Submitted - Implementing Improvements	Assessment Underway, Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 6 exceedances

CHLORINE RESIDUAL

C of A/Permit Non-Compliance

February 2007	0.01	mg/L	any	1 exceedance	0.018	0.018	Training/Procedure Change	Provincial Officer's Order Issued
---------------	------	------	-----	--------------	-------	-------	---------------------------	-----------------------------------

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Strabag Inc.

2520 Stanley Ave
Niagara Falls

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

Total C of A/Permit Non-Compliance = 1 exceedance

HIGH PH EFFLUENT

C of A/Permit Non-Compliance

April 2007	9.5	pH	any	1 exceedance	9.83	9.83	Conducting Study	Assessment Underway
April 2007	9.5	pH	any	1 exceedance	9.88	9.88	Conducting Study	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 2 exceedances

LOW PH EFFLUENT

C of A/Permit Non-Compliance

April 2007	6.5	pH	any	1 exceedance	5.05	5.05	Conducting Study	Other Abatement Action Taken
------------	-----	----	-----	--------------	------	------	------------------	------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

OIL AND GREASE

C of A/Permit Non-Compliance

March 2007	15	mg/L	/d	6 exceedances	25	37	Action Plan Submitted - Implementing Improvements	Assessment Underway
March 14, 2007 - March 15, 2007	15	mg/L	/d	1 exceedance	60	60	Conducting Study	Assessment Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Strabag Inc.

2520 Stanley Ave
Niagara Falls

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
March 2007	15	mg/L	/d	2 exceedances	16	41	Conducting Study, Operational Process Modification	Assessment Underway, Provincial Officer's Order Issued
March 2007	15	mg/L	/d	18 exceedances	16	41	Conducting Study, Operational Process Modification	Other Abatement Action Taken, Provincial Officer's Order Issued
March 6, 2007 - March 7, 2007	15	mg/L	/d	2 exceedances	32	41	Other	Assessment Underway
April 2007	15	mg/L	/d	2 exceedances	20	21	Conducting Study, Operational Process Modification	Assessment Underway, Other Abatement Action Taken
June 13, 2007 - June 14, 2007	15	mg/L	/d	1 exceedance	42	42	New Equipment or Treatment Process Installed	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 32 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

April 2007	25	mg/L	any	1 exceedance	28	28	Conducting Study	Other Abatement Action Taken
April 2007	25	mg/L	any	1 exceedance	41	41	Conducting Study, Operational Process Modification	Assessment Underway, Other Abatement Action Taken

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Strabag Inc.

2520 Stanley Ave
Niagara Falls

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
October 2007	25	mg/L	any	1 exceedance	26	26	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 3 exceedances

TOLUENE

C of A/Permit Non-Compliance

July 2007	0.0008	mg/L	/d	1 exceedance	0.631	0.631	Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification	Provincial Officer's Order Issued
July 2007	0.0008	mg/L	/d	1 exceedance	0.0027	0.0027	New Equipment or Treatment Process Installed	Provincial Officer's Order Issued
August 2007	0.0008	mg/L	/d	4 exceedances	0.00102	0.0171	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
August 2007	0.0008	mg/L	/d	2 exceedances	0.173	0.633	Operational Process Modification	Provincial Officer's Order Issued
September 2007	0.0008	mg/L	/d	5 exceedances	0.0222	0.0639	Additional Monitoring Underway, Operational Process Modification	Assessment Complete - Incident Resolved
September 2007	0.0008	mg/L	/d	1 exceedance	0.0237	0.0237	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Strabag Inc.

2520 Stanley Ave
Niagara Falls

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
October 2007	0.0008	mg/L	/d	1 exceedance	0.0014	0.0014	Equipment Modified, Repaired, Replaced or Re-calibrated	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 15 exceedances

XYLENE

C of A/Permit Non-Compliance

July 2007	0.002	mg/L	/d	1 exceedance	0.003	0.003	Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification	Provincial Officer's Order Issued
July 2007	0.002	mg/L	/d	1 exceedance	0.003	0.003	New Equipment or Treatment Process Installed	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Suncor Energy Products Inc. - Sarnia

1900 River Rd
Sarnia

Sector: Petroleum Refineries
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

Legislation Non-Compliance

December 1, 2007 - December 31, 2007	55	kg	mon avg	1 exceedance	66	66	Other	Provincial Officer's Order Issued
---	----	----	---------	--------------	----	----	-------	--------------------------------------

Total Legislation Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

Legislation Non-Compliance

January 1, 2007 - January 31, 2007	236	kg/d	/mon	1 exceedance	238	238	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required
---------------------------------------	-----	------	------	--------------	-----	-----	--	---

Total Legislation Non-Compliance = 1 exceedance

VOLATILE SUSPENDED SOLIDS

Legislation Non-Compliance

February 2007	340	kg/d	/d	1 exceedance	358	358	Conducting Study	Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	184	kg/d	/mon	1 exceedance	187	187	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Suncor Energy Products Inc. - St. Clair

535 Rokeby Line Mooretown
St. Clair

Sector: Organic Chemicals Manufacturing
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

C of A/Permit Non-Compliance

January 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway, Conducting Study	Additional Requirements Added in Certificate of Approval/Permit, Assessment Underway
--------------	------	----------------	-----	--------------	------	------	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Terra International (Canada) Inc.

161 Bickford Line
St. Clair

Sector: Inorganic Chemicals
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ALUMINUM

Legislation Non-Compliance

August 2007	8.8	kg/d	/d	1 exceedance	14.95	14.95	Additional Monitoring Underway	Assessment Complete - No Action Required
December 2007	8.8	kg/d	/d	1 exceedance	18	18	Additional Monitoring Underway	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 2 exceedances

CARBONACEOUS BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

January 1, 2007 - September 30, 2007	0.95	kg/d	mon avg	4 exceedances	1.67	4.24	Conducting Study, Equipment Modified, Repaired, Replaced or Re-calibrated, New Equipment or Treatment Process Installed	Assessment Underway, Voluntary Abatement Program Underway
January 1, 2007 - September 30, 2007	25	mg/L	mon avg	1 exceedance	31.5	31.5	Conducting Study, Equipment Modified, Repaired, Replaced or Re-calibrated, New Equipment or Treatment Process Installed	Assessment Underway, Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 5 exceedances

FLUORIDE

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Terra International (Canada) Inc.

161 Bickford Line
St. Clair

Sector: Inorganic Chemicals
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
Legislation Non-Compliance								
March 2007	4	kg/d	/d	1 exceedance	8.8711	8.8711	Additional Monitoring Underway	Assessment Complete - No Action Required
June 2007	4	kg/d	/d	2 exceedances	14.31	14.31	Additional Monitoring Underway	Assessment Complete - No Action Required
August 2007	4	kg/d	/d	1 exceedance	13.8	13.8	Additional Monitoring Underway	Assessment Complete - No Action Required
December 2007	4	kg/d	/d	1 exceedance	7.13	7.13	Additional Monitoring Underway	Assessment Complete - No Action Required

Total Legislation Non-Compliance = 5 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	0.04	kg/d	mon avg	9 exceedances	0.11	0.51	Conducting Study, Equipment Modified, Repaired, Replaced or Re-calibrated, New Equipment or Treatment Process Installed	Assessment Underway, Voluntary Abatement Program Underway
--	------	------	---------	---------------	------	------	---	---

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Terra International (Canada) Inc.

161 Bickford Line
St. Clair

Sector: Inorganic Chemicals
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
January 1, 2007 - December 31, 2007	1	mg/L	mon avg	9 exceedances	2.3	5.52	Conducting Study, Equipment Modified, Repaired, Replaced or Re-calibrated, New Equipment or Treatment Process Installed	Assessment Underway, Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 18 exceedances

SULPHATE

Legislation Non-Compliance

November 2007	2700	kg/d	/d	1 exceedance	3796	3796	Additional Monitoring Underway	Assessment Complete - No Action Required
---------------	------	------	----	--------------	------	------	--------------------------------	--

Total Legislation Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - September 30, 2007	0.95	kg/d	mon avg	10 exceedances	1.12	17.4	Conducting Study, New Equipment or Treatment Process Installed, New/Modified Sampling Program Underway	Assessment Underway, Voluntary Abatement Program Underway
---	------	------	---------	----------------	------	------	--	---

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Terra International (Canada) Inc.

161 Bickford Line
St. Clair

Sector: Inorganic Chemicals
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
January 1, 2007 - September 30, 2007	25	mg/L	mon avg	7 exceedances	27.75	127.3	Conducting Study, New Equipment or Treatment Process Installed, New/Modified Sampling Program Underway	Assessment Underway, Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 17 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

**The Canadian Salt Company
Limited**

200 Morton Dr
Windsor

Sector: Industrial Minerals
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
LOW PH EFFLUENT								
Legislation Non-Compliance								
January 2007	6	pH	/wk	1 exceedance	2.7	2.7	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

**The Corporation of the City of
Thorold - Rice Road**

Part Lot 160 Rice Road
Thorold

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
April 1, 2007 - April 30, 2007	0.03	mg/L	mon avg	1 exceedance	0.04	0.04	None Required	Assessment Complete - No Action Required
May 1, 2007 - May 31, 2007	0.03	mg/L	mon avg	1 exceedance	0.06	0.06	None Required	Assessment Complete - No Action Required
July 1, 2007 - July 31, 2007	0.03	mg/L	mon avg	1 exceedance	0.06	0.06	None Required	Assessment Complete - No Action Required
August 1, 2007 - August 31, 2007	0.03	mg/L	mon avg	1 exceedance	0.05	0.05	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Timminco Limited

962 Magnesium Rd
Whitewater Region

Sector: Industrial Minerals
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

January 2007	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Action Plan Submitted - Implementing Improvements	Assessment Underway
February 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements	Assessment Underway
March 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements	Assessment Underway

Total Legislation Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

U.S. Steel Canada Inc. - Hamilton Works

386 Wilcox St
Hamilton

Sector: Iron and Steel
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

February 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Other	Assessment Underway
---------------	------	----------------	-----	--------------	------	------	-------	---------------------

Total Legislation Non-Compliance = 1 exceedance

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

February 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Other	Assessment Underway
---------------	------	----------------	-----	--------------	------	------	-------	---------------------

Total Legislation Non-Compliance = 1 exceedance

LOW PH EFFLUENT

C of A/Permit Non-Compliance

May 2007	6	pH	any	1 exceedance	5.77	5.77	Other	Assessment Complete - Incident Resolved
----------	---	----	-----	--------------	------	------	-------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

U.S. Steel Canada Inc. - Lake Erie Works

2330 Regional Road No.3
Haldimand

Sector: Iron and Steel
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

Legislation Non-Compliance

February 1, 2007 - February 28, 2007	37.7	kg/d	mon avg	1 exceedance	39.25	39.25	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
---	------	------	---------	--------------	-------	-------	--	--

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Unimin Canada Ltd. - Blue Mountain

Lot 19/20, Conc 6
Havelock-Belmont-Methuen

Sector: Industrial Minerals
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-Compliance								
April 1, 2007 - April 30, 2007	25	mg/L	mon avg	1 exceedance	28.4	28.4	Operational Process Modification	Assessment Complete - No Action Required
May 1, 2007 - May 31, 2007	25	mg/L	mon avg	1 exceedance	39.1	39.1	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
May 2007	50	mg/L	/wk	1 exceedance	57.2	57.2	Operational Process Modification	Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Unimin Canada Ltd. - Nephton

Lot 13 & 14, Conc 9, Methuen Ward
Havelock-Belmont-Methuen

Sector: Industrial Minerals
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

April 1, 2007 - April 30, 2007	25	mg/L	mon avg	1 exceedance	25.7	25.7	Equipment Modified, Repaired, Replaced or Re- calibrated, Operational Process Modification	Assessment Complete - No Action Required
-----------------------------------	----	------	---------	--------------	------	------	---	---

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Veyance Technologies Canada Inc.

45 Raynes Ave
Clarington

Sector: Organic Chemicals Manufacturing
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

March 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Equipment Modified, Repaired, Replaced or Re-calibrated	Other Abatement Action Taken, Voluntary Abatement Program Underway
April 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	New Equipment or Treatment Process Installed	Other Abatement Action Taken, Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 2 exceedances

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

January 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Equipment Modified, Repaired, Replaced or Re-calibrated	Other Abatement Action Taken, Voluntary Abatement Program Underway
March 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Equipment Modified, Repaired, Replaced or Re-calibrated	Other Abatement Action Taken, Voluntary Abatement Program Underway
April 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	New Equipment or Treatment Process Installed	Other Abatement Action Taken, Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Washington Mills Electro Minerals Corporation

7780 Stanley Ave
Niagara Falls

Sector: Inorganic Chemicals
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-Compliance								
February 2007	395	kg/d	/d	1 exceedance	522	522	Operational Process Modification	Other Abatement Action Taken

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Wellteck Environmental Systems Inc.

1046 Brawley Lane
South Frontenac

Sector: Miscellaneous
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LEAD

C of A/Permit Non-Compliance

March 24, 2007 - March 30, 2007	0.05	mg/L	/d	4 exceedances	0.1	0.6	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
------------------------------------	------	------	----	---------------	-----	-----	---	---

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

Williams Operating Corporation

4.5 km West of Hwy 614 on Hwy 17
Bomby

Sector: Metal Mining and Refining
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
March 2007	30	mg/L	/wk	1 exceedance	94	94	New/Modified Sampling Program Underway	Assessment Complete - Incident Resolved
April 2007	30	mg/L	/wk	1 exceedance	56	56	New/Modified Sampling Program Underway	Assessment Complete - Incident Resolved
June 2007	30	mg/L	/wk	1 exceedance	62	62	Additional Monitoring Underway	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - All Regions

**Xstrata Canada Corporation -
Hoyle Twp.**

10050 Hwy. 101, Con. I, Lot 1, Hoyle Twp.
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

May 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway	Assessment Underway
May 2007	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Conducting Study	Assessment Underway
June 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 4 exceedances

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

May 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway	Assessment Underway
May 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.