

2007 Industrial Sewage Monthly Summary - Eastern Region

Cascades Canada Inc. - Trenton

300 Marmora St Trenton
Quinte West

Sector: Pulp and Paper
Ministry Office: Belleville

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

Legislation Non-Compliance

March 2007	9.5	pH	any	5 exceedances	9.8	9.85	Other	Assessment Complete - Incident Resolved
------------	-----	----	-----	---------------	-----	------	-------	---

Total Legislation Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

**Invista (Canada) Company -
Kingston**

455 Front Rd
Kingston

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

Legislation Non-Compliance

July 2007	6	pH	/d	1 exceedance	5.3	5.3	None Required	Other Abatement Action Taken
-----------	---	----	----	--------------	-----	-----	---------------	------------------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

**Invista (Canada) Company -
Maitland**

1400 County Road 2 East, Maitland
Augusta

Sector: Organic Chemicals Manufacturing
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

February 2007	1	mg/L	/wk	1 exceedance	2.01	2.01	Training/Procedure Change	Assessment Complete - Incident Resolved
---------------	---	------	-----	--------------	------	------	---------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

VANADIUM

Order Non-Compliance

January 2007	1.76	Kg/d	/d	1 exceedance	2.51	2.51	Training/Procedure Change	Assessment Complete - Incident Resolved
--------------	------	------	----	--------------	------	------	---------------------------	--

Total Order Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

Magellan Aerospace Limited

634 Magnesium Rd
Whitewater Region

Sector: Metal Casting
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

February 1, 2007 - March 31, 2007	200	CT/100 mL	mon avg	2 exceedances	385.94	775.85	Equipment Modified, Repaired, Replaced or Re- calibrated, Operational Process Modification	Assessment Complete - No Action Required
November 1, 2007 - November 30, 2007	200	CT/100 mL	mon avg	1 exceedance	448.81	448.81	Conducting Study	Assessment Underway
December 1, 2007 - December 31, 2007	200	CT/100 mL	mon avg	1 exceedance	1124.83	1124.83	Conducting Study	Assessment Underway

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

Morbern Inc.

80 Boundary Rd Part of Lot D, Conc 1
Cornwall

Sector: Organic Chemicals Manufacturing
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
CHLORINE RESIDUAL								
C of A/Permit Non-Compliance								
January 2007	0.01	mg/L	/wk	2 exceedances	0.55	0.75	Other	Assessment Complete - Incident Resolved
February 2007	0.01	mg/L	/wk	1 exceedance	0.6	0.6	Conducting Study	Assessment Complete - Incident Resolved
February 2007	0.01	mg/L	/wk	2 exceedances	0.15	0.75	Other	Assessment Complete - Incident Resolved
March 2007	0.01	mg/L	/wk	1 exceedance	0.65	0.65	Other	Assessment Complete - Incident Resolved
April 1, 2007 - April 30, 2007	0.01	mg/L	/wk	3 exceedances	0.61	0.81	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
May 2007	0.01	mg/L	/wk	3 exceedances	0.42	0.71	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
June 1, 2007 - June 30, 2007	0.01	mg/L	/wk	3 exceedances	0.65	0.71	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
July 2, 2007 - July 10, 2007	0.01	mg/L	/wk	2 exceedances	0.74	0.78	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

Morbern Inc.

80 Boundary Rd Part of Lot D, Conc 1
Cornwall

Sector: Organic Chemicals Manufacturing
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 1, 2007 - August 31, 2007	0.01	mg/L	/wk	2 exceedances	0.77	0.78	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
August 14, 2007 - August 28, 2007	0.01	mg/L	/wk	3 exceedances	0.67	0.77	Other	Assessment Complete - Incident Resolved
September 1, 2007 - September 30, 2007	0.01	mg/L	/wk	3 exceedances	0.67	0.79	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 25 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

Praxair Canada Inc. - Maitland

1336 Highway 2, Maitland, ON
Augusta

Sector: Inorganic Chemicals
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
NITRATE + NITRITE (AS NITROGEN)								
Legislation Non-Compliance								
March 1, 2007 - March 31, 2007	15	kg/d	mon avg	1 exceedance	24.5	24.5	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
March 2007	22	kg/d	/wk	2 exceedances	27.4	29.5	Additional Monitoring Underway, Conducting Study	Assessment Underway, Voluntary Abatement Program Underway
March 2007	22	kg/d	/wk	1 exceedance	23.9	23.9	Conducting Study	Assessment Underway, Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

Sherritt Intl. Corp.

Lot 14, 15, Con 14, 166 Talc Mine Rd
Centre Hastings

Sector: Industrial Minerals
Ministry Office: Belleville

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

November 2007	50	mg/L	/wk	1 exceedance	124	124	Ceased Operations, Other	Voluntary Abatement Program Underway
November 1, 2007 - November 30, 2007	25	mg/L	mon avg	1 exceedance	47.25	47.25	Other	Other Abatement Action Taken

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

Timminco Limited

962 Magnesium Rd
Whitewater Region

Sector: Industrial Minerals
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

January 2007	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Action Plan Submitted - Implementing Improvements	Assessment Underway
February 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements	Assessment Underway
March 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements	Assessment Underway

Total Legislation Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

Unimin Canada Ltd. - Blue Mountain

Lot 19/20, Conc 6
Havelock-Belmont-Methuen

Sector: Industrial Minerals
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
Legislation Non-Compliance								
April 1, 2007 - April 30, 2007	25	mg/L	mon avg	1 exceedance	28.4	28.4	Operational Process Modification	Assessment Complete - No Action Required
May 1, 2007 - May 31, 2007	25	mg/L	mon avg	1 exceedance	39.1	39.1	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
May 2007	50	mg/L	/wk	1 exceedance	57.2	57.2	Operational Process Modification	Voluntary Abatement Program Underway

Total Legislation Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

Unimin Canada Ltd. - Nephton

Lot 13 & 14, Conc 9, Methuen Ward
Havelock-Belmont-Methuen

Sector: Industrial Minerals
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

April 1, 2007 - April 30, 2007	25	mg/L	mon avg	1 exceedance	25.7	25.7	Equipment Modified, Repaired, Replaced or Re- calibrated, Operational Process Modification	Assessment Complete - No Action Required
-----------------------------------	----	------	---------	--------------	------	------	---	---

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Eastern Region

**Wellteck Environmental Systems
Inc.**

1046 Brawley Lane
South Frontenac

Sector: Miscellaneous
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LEAD

C of A/Permit Non-Compliance

March 24, 2007 - March 30, 2007	0.05	mg/L	/d	4 exceedances	0.1	0.6	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
------------------------------------	------	------	----	---------------	-----	-----	---	---

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.