

2007 Industrial Sewage Monthly Summary - Northern Region

36569 Yukon Inc.

Part of N 1/2 of Lot 1, Conc 12
Lorrain

Sector: Metal Mining and Refining
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ARSENIC

C of A/Permit Non-Compliance

June 1, 2007 - June 30, 2007	0.5	mg/L	mon avg	1 exceedance	0.83	0.83	New/Modified Sampling Program Underway	Provincial Officer's Order Issued
---------------------------------	-----	------	---------	--------------	------	------	---	--------------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Abitibi-Consolidated Company of Canada - Fort Frances

145 Third St W
Fort Frances

Sector: Pulp and Paper
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

June 2007	Pass	acute toxicity	/mon	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
October 2007	Pass	acute toxicity	/mon	1 exceedance	Fail	Fail	Additional Monitoring Underway	Assessment Underway

Total Legislation Non-Compliance = 2 exceedances

PHENOL

Legislation Non-Compliance

February 2007	0.494	kg/d	/wk	2 exceedances	0.735	2.9398	Other	Assessment Complete - No Action Required
---------------	-------	------	-----	---------------	-------	--------	-------	--

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Algoma Steel Inc.

105 West St
Sault Ste. Marie

Sector: Iron and Steel
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

September 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway	Environmental Penalty Order Issued
----------------	------	----------------	-----	--------------	------	------	--------------------------------	------------------------------------

Total Legislation Non-Compliance = 1 exceedance

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

September 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway	Environmental Penalty Order Issued
----------------	------	----------------	-----	--------------	------	------	--------------------------------	------------------------------------

Total Legislation Non-Compliance = 1 exceedance

BENZENE

Legislation Non-Compliance

January 1, 2007 - January 31, 2007	0.143	kg	mon avg	1 exceedance	3.397	3.397	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action Taken
---------------------------------------	-------	----	---------	--------------	-------	-------	--	------------------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Algoma Tubes Inc.

547 Wallace Terrace
Sault Ste. Marie

Sector: Iron and Steel
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

January 2007	15	mg/L	any	1 exceedance	24	24	Equipment Modified, Repaired, Replaced or Re-calibrated	Additional Requirements Added in Certificate of Approval/Permit
February 2007	15	mg/L	any	2 exceedances	16	18.3	Other	Additional Requirements Added in Certificate of Approval/Permit
March 2007	15	mg/L	any	3 exceedances	18	20	New Equipment or Treatment Process Installed	Additional Requirements Added in Certificate of Approval/Permit

Total Legislation Non-Compliance = 6 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Begetekong Power Corporation

N. side of White R. at Umbata Falls
Unsurveyed (Thunder Bay D.O.)

Sector: Electric Power Generation
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

February 21, 2007 - May 10, 2007	25	mg/L	/d	6 exceedances	26	111	Operational Process Modification	Other Abatement Action Taken
-------------------------------------	----	------	----	---------------	----	-----	-------------------------------------	------------------------------

Total C of A/Permit Non-Compliance = 6 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Bowater Canadian Forest Products Inc.

2001 Neebing Ave
Thunder Bay

Sector: Pulp and Paper
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

April 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
------------	------	----------------	-----	--------------	------	------	------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

CVRD- Inco Limited - Copper Cliff

337 Power St
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

COPPER

C of A/Permit Non-Compliance

September 1, 2007 - September 30, 2007	0.3	mg/L	mon avg	1 exceedance	0.344	0.344	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
September 2007	0.6	mg/L	/d	1 exceedance	0.896	0.896	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

NICKEL

C of A/Permit Non-Compliance

April 2007	0.6	mg/L	/d	1 exceedance	1.12	1.12	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
September 1, 2007 - September 30, 2007	0.5	mg/L	mon avg	1 exceedance	1.745	1.745	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
September 2007	1	mg/L	/d	1 exceedance	6.5	6.5	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

CVRD- Inco Limited - Copper Cliff

337 Power St
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

September 2007	30	mg/L	/d	1 exceedance	115.8	115.8	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
November 2007	30	mg/L	/d	1 exceedance	45.2	45.2	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

CVRD- Inco Limited - Nolin Creek

McKim
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

NICKEL

C of A/Permit Non-Compliance

November 2007	1	mg/L	/d	1 exceedance	1.23	1.23	Conducting Study	Assessment Underway
---------------	---	------	----	--------------	------	------	------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

November 2007	30	mg/L	/d	1 exceedance	34.6	34.6	Conducting Study	Assessment Underway
---------------	----	------	----	--------------	------	------	------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

CVRD- Inco Limited - Totten Mine

6 Totten Mine Rd Drury
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	15	mg/L	mon avg	1 exceedance	17	17	Conducting Study	Assessment Underway
August 2007	30	mg/L	/wk	1 exceedance	35.4	35.4	Conducting Study	Assessment Underway
September 2007	30	mg/L	/wk	1 exceedance	89.2	89.2	Conducting Study	Assessment Underway

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

De Beers Canada Inc.

90 km W of Attawapiskat
Unsurveyed Territory (Timmins D. O.)

Sector: Miscellaneous
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

February 16, 2007 - March 26, 2007	30	ppm	/d	2 exceedances	39	41	None Required	Assessment Complete - Incident Resolved
October 2007	30	ppm	/d	1 exceedance	127	127	Operational Process Modification	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

EPCOR Power L.P.

Lot: 26, 27, 28, Conc: 4, Hwy. 11 North
Stoddart

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ALUMINUM SULPHATE

C of A/Permit Non-Compliance

July 2007	1	mg/L	any	1 exceedance	1.4	1.4	Conducting Study	Provincial Officer's Order Issued
October 2007	1	mg/L	any	1 exceedance	1.16	1.16	Conducting Study	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 2 exceedances

HIGH PH EFFLUENT

C of A/Permit Non-Compliance

October 2007	9.5	pH	any	2 exceedances	9.76	9.81	Conducting Study	Provincial Officer's Order Issued
November 2007	9.5	pH	any	1 exceedance	9.86	9.86	Conducting Study	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 3 exceedances

OIL

C of A/Permit Non-Compliance

August 2007	15	mg/L	any	1 exceedance	55.8	55.8	Conducting Study	Provincial Officer's Order Issued
-------------	----	------	-----	--------------	------	------	------------------	-----------------------------------

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

EPCOR Power L.P.

Lot: 26, 27, 28, Conc: 4, Hwy. 11 North
Stoddart

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

March 2007	15	mg/L	any	1 exceedance	73	73	Conducting Study	Provincial Officer's Order Issued
April 2007	15	mg/L	any	3 exceedances	19	26	Conducting Study	Provincial Officer's Order Issued
June 2007	15	mg/L	any	2 exceedances	20	20	Conducting Study	Provincial Officer's Order Issued
July 2007	15	mg/L	any	1 exceedance	18	18	Conducting Study	Provincial Officer's Order Issued
September 2007	15	mg/L	any	1 exceedance	27	27	Conducting Study	Provincial Officer's Order Issued
October 2007	15	mg/L	any	1 exceedance	21	21	Conducting Study	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 9 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

First Nickel Inc.

412 Crean Hill Road
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

C of A/Permit Non-Compliance

December 2007	6.5	pH	any	1 exceedance	6.1	6.1	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Ceased Operations, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
---------------	-----	----	-----	--------------	-----	-----	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

FNX Mining Company Inc.

Lot 5 & 6, Conc 5
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

C of A/Permit Non-Compliance

April 2007	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Ceased Operations, New Equipment or Treatment Process Installed	Provincial Officer's Order Issued
------------	------	----------------	-----	---------------	------	------	--	-----------------------------------

Total C of A/Permit Non-Compliance = 2 exceedances

ACUTE LETHALITY DAPHNIA

C of A/Permit Non-Compliance

April 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Ceased Operations, New Equipment or Treatment Process Installed	Provincial Officer's Order Issued
------------	------	----------------	-----	--------------	------	------	--	-----------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

AMMONIA

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	5	mg/L	mon avg	1 exceedance	36.1	36.1	Operational Process Modification	Provincial Officer's Order Issued
--------------------------------	---	------	---------	--------------	------	------	----------------------------------	-----------------------------------

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

FNX Mining Company Inc.

Lot 5 & 6, Conc 5
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
April 12, 2007 - April 19, 2007	10	mg/L	/d	3 exceedances	15.2	95.8	Operational Process Modification	Provincial Officer's Order Issued
June 1, 2007 - June 30, 2007	5	mg/L	mon avg	1 exceedance	24.9	24.9	Operational Process Modification	Provincial Officer's Order Issued
June 13, 2007 - June 30, 2007	10	mg/L	/d	13 exceedances	10.5	39.7	Operational Process Modification	Provincial Officer's Order Issued
July 1, 2007 - July 31, 2007	5	mg/L	mon avg	1 exceedance	17.7	17.7	Operational Process Modification	Provincial Officer's Order Issued
July 1, 2007 - July 30, 2007	10	mg/L	/d	22 exceedances	10.2	33.3	Operational Process Modification	Provincial Officer's Order Issued
August 1, 2007 - August 31, 2007	5	mg/L	mon avg	1 exceedance	7.4	7.4	Operational Process Modification	Provincial Officer's Order Issued
August 8, 2007 - August 15, 2007	10	mg/L	/d	3 exceedances	10.6	13.1	Operational Process Modification	Provincial Officer's Order Issued
October 1, 2007 - October 31, 2007	5	mg/L	mon avg	1 exceedance	5.8	5.8	Action Plan Submitted - Implementing Improvements, Ceased Operations, New Equipment or Treatment Process Installed	Provincial Officer's Order Issued

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

FNX Mining Company Inc.

Lot 5 & 6, Conc 5
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
November 2007	10	mg/L	/d	1 exceedance	13.7	13.7	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Ceased Operations	Provincial Officer's Order Issued
November 1, 2007 - November 30, 2007	5	mg/L	mon avg	1 exceedance	7.2	7.2	Operational Process Modification	Provincial Officer's Order Issued
December 2007	10	mg/L	/d	1 exceedance	12	12	New Equipment or Treatment Process Installed	Provincial Officer's Order Issued
December 2007	10	mg/L	/d	1 exceedance	12.8	12.8	Operational Process Modification	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 50 exceedances

LOW PH EFFLUENT

C of A/Permit Non-Compliance

August 2007	6	pH	/d	1 exceedance	4.82	4.82	Additional Monitoring Underway	Provincial Officer's Order Issued
September 2007	6	pH	/d	1 exceedance	3.78	3.78	Additional Monitoring Underway	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

FNX Mining Company Inc.

Lot 5 & 6, Conc 5
Greater Sudbury

Sector: Metal Mining and Refining
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
C of A/Permit Non-Compliance								
April 1, 2007 - April 30, 2007	15	mg/L	mon avg	1 exceedance	16.46	16.46	Other	Provincial Officer's Order Issued
May 1, 2007 - May 31, 2007	15	mg/L	mon avg	1 exceedance	20.53	20.53	Other	Provincial Officer's Order Issued
May 2007	30	mg/L	/d	1 exceedance	31.3	31.3	Other	Provincial Officer's Order Issued
June 2007	30	mg/L	/d	3 exceedances	49	71	Other	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 6 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Goldcorp Canada Ltd. - Bell Creek

Hoyle
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

May 1, 2007 - May 31, 2007	15	mg/L	mon avg	1 exceedance	16.55	16.55	Training/Procedure Change	Assessment Complete - No Action Required
May 2007	30	mg/L	any	1 exceedance	42.6	42.6	Training/Procedure Change	Assessment Complete - No Action Required
July 2007	30	mg/L	any	1 exceedance	31.1	31.1	Other	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Goldcorp Canada Ltd. - Dome

4315 Gold Mine Rd, South Porcupine
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

June 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
-----------	------	----------------	-----	--------------	------	------	------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

June 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway
-----------	------	----------------	-----	--------------	------	------	------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

June 1, 2007 - June 30, 2007	15	mg/L	mon avg	1 exceedance	18	18	Conducting Study	Assessment Underway
---------------------------------	----	------	---------	--------------	----	----	------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Goldcorp Canada Ltd. - McIntyre

Lot: 7 & 8, Conc: 3 & 4, Tisdale Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

September 1, 2007 - September 30, 2007	15	mg/L	mon avg	1 exceedance	28.38	28.38	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
September 2007	30	mg/L	any	1 exceedance	104	104	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Iroquois Falls Power Corp.

1 Northwest Industrial Road
Iroquois Falls

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
DISSOLVED ORGANIC CARBON								
C of A/Permit Non-Compliance								
January 2007	15	mg/L	/d	1 exceedance	15.3	15.3	None Required	Assessment Complete - Incident Resolved
April 2007	15	mg/L	/d	1 exceedance	16.5	16.5	None Required	Assessment Complete - Incident Resolved
May 2007	15	mg/L	/d	1 exceedance	23.2	23.2	None Required	Assessment Complete - Incident Resolved
June 2007	15	mg/L	/d	3 exceedances	18.1	19.6	None Required	Assessment Complete - Incident Resolved
July 2007	15	mg/L	/d	1 exceedance	15.6	15.6	None Required	Assessment Complete - Incident Resolved
August 2007	15	mg/L	/d	1 exceedance	16.5	16.5	None Required	Assessment Complete - Incident Resolved
September 2007	15	mg/L	/d	1 exceedance	17	17	None Required	Assessment Complete - Incident Resolved
November 2007	15	mg/L	/d	2 exceedances	16	20	None Required	Assessment Complete - Incident Resolved

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Iroquois Falls Power Corp.

1 Northwest Industrial Road
Iroquois Falls

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 2007	15	mg/L	/d	4 exceedances	17	21	None Required	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 15 exceedances

OIL AND GREASE

C of A/Permit Non-Compliance

June 2007	10	mg/L	/wk	2 exceedances	11.1	2120	Training/Procedure Change	Assessment Complete - No Action Required
July 2007	10	mg/L	/wk	1 exceedance	61.1	61.1	Training/Procedure Change	Assessment Complete - No Action Required
September 2007	10	mg/L	/wk	1 exceedance	32.3	32.3	Other	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 4 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

April 2007	25	mg/L	any	1 exceedance	58.5	58.5	None Required	Assessment Complete - No Action Required
------------	----	------	-----	--------------	------	------	---------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Kirkland Lake Power Corp.

505 Archer's Dr
Kirkland Lake

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

C of A/Permit Non-Compliance

April 2007	9	pH	any	1 exceedance	9.1	9.1	None Required	Assessment Complete - No Action Required
------------	---	----	-----	--------------	-----	-----	---------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

November 1, 2007 - November 30, 2007	0	kg	mon avg	1 exceedance	2.5	2.5	New Equipment or Treatment Process Installed	Assessment Complete - No Action Required
December 1, 2007 - December 31, 2007	0	kg	mon avg	1 exceedance	8.2	8.2	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Liberty Mines Inc.

Eldorado Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Operational Process Modification	Assessment Complete - Implementing Improvements
December 1, 2007 - December 31, 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Action Plan Submitted - Implementing Improvements, Ceased Operations, New Equipment or Treatment Process Installed, Operational Process Modification, Training/Procedure Change	Environmental Penalty Order Issued

Total C of A/Permit Non-Compliance = 2 exceedances

ACUTE LETHALITY DAPHNIA

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Operational Process Modification	Assessment Complete - Implementing Improvements
---------------------------------------	------	-------------------	-----	--------------	------	------	-------------------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

NICKEL

C of A/Permit Non-Compliance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Liberty Mines Inc.

Eldorado Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
January 8, 2007 - February 28, 2007	1	mg/L	/d	27 exceedances	1.6	6.74	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
January 1, 2007 - February 28, 2007	0.5	mg/L	mon avg	2 exceedances	2.6	3.3	Additional Monitoring Underway, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 29 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 5, 2007 - February 28, 2007	30	mg/L	/d	23 exceedances	32	164	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
January 1, 2007 - February 28, 2007	15	mg/L	mon avg	2 exceedances	43.6	89.9	Additional Monitoring Underway, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 25 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Northgate Minerals Corporation

4km W of the Town of Matachewan
Matachewan

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

December 2007	30	mg/L	any	1 exceedance	30.5	30.5	Additional Monitoring Underway	Assessment Underway
---------------	----	------	-----	--------------	------	------	--------------------------------	---------------------

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Ontario Power Generation Inc. - Pinard

Abitibi River
Pinard

Sector: Electric Power Generation
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	25	mg/L	/annum	1 exceedance	68	68	Ceased Operations	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
--	----	------	--------	--------------	----	----	-------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	25	mg/L	/annum	1 exceedance	40.8	40.8	Ceased Operations	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
--	----	------	--------	--------------	------	------	-------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Praxair Canada Inc. - Sault Ste. Marie

1 Patrick St
Sault Ste. Marie

Sector: Inorganic Chemicals
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

July 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
-----------	------	----------------	-----	--------------	------	------	---	--

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Roxmark Mines Limited

Leased Mining Claim TB 4928
Greenstone

Sector: Miscellaneous
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ARSENIC

C of A/Permit Non-Compliance

October 1, 2007 - October 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.509	0.509	Other	Assessment Underway
---------------------------------------	-----	------	---------	--------------	-------	-------	-------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

SMC (Canada) Ltd.

Coleman Road
Coleman

Sector: Metal Mining and Refining
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Legislation Non-Compliance

March 7, 2007 - March 21, 2007	15	mg/L	/wk	6 exceedances	31	56	Operational Process Modification	Voluntary Abatement Program Underway
February 1, 2007 - May 31, 2007	15	mg/L	mon avg	4 exceedances	17.9	26.2	Operational Process Modification	Other Abatement Action Taken

Total Legislation Non-Compliance = 10 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

St Andrew Goldfields Ltd. - Clavos Mine

Lot 1 and 2, Conc 6, German Twp
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ARSENIC

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	0.3	mg/L	mon avg	1 exceedance	0.342	0.342	New Equipment or Treatment Process Installed	Assessment Complete - No Action Required
February 1, 2007 - February 28, 2007	0.3	mg/L	mon avg	1 exceedance	0.317	0.317	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

St Andrew Goldfields Ltd. - Stock Mine

Lot 7, Conc 1, Stock Township
Black River-Matheson

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ARSENIC

Legislation Non-Compliance

January 1, 2007 - January 31, 2007	0.5	mg/L	/mon	1 exceedance	0.53	0.53	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
---------------------------------------	-----	------	------	--------------	------	------	---	--

Total Legislation Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

May 2007	30	mg/L	any	1 exceedance	35.5	35.5	Other	Assessment Complete - Incident Resolved
June 2007	30	mg/L	any	1 exceedance	31.4	31.4	Other	Assessment Complete - Incident Resolved
October 1, 2007 - October 31, 2007	15	mg/L	/mon	1 exceedance	21.38	21.38	Other	Assessment Complete - Incident Resolved
October 2007	30	mg/L	any	1 exceedance	106	106	Other	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

St Andrew Goldfields Ltd. - Taylor Advanced Exploration

Taylor Twp
Black River-Matheson

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Order Non-Compliance

March 2007	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Additional Monitoring Underway, Operational Process Modification	Assessment Underway
------------	------	----------------	-----	---------------	------	------	--	---------------------

Total Order Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

St. Marys Paper Corp.

75 Huron St
Sault Ste. Marie

Sector: Pulp and Paper
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

September 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - No Action Required
----------------	------	----------------	-----	--------------	------	------	---	--

Total Legislation Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

Williams Operating Corporation

4.5 km West of Hwy 614 on Hwy 17
Bomby

Sector: Metal Mining and Refining
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

March 2007	30	mg/L	/wk	1 exceedance	94	94	New/Modified Sampling Program Underway	Assessment Complete - Incident Resolved
April 2007	30	mg/L	/wk	1 exceedance	56	56	New/Modified Sampling Program Underway	Assessment Complete - Incident Resolved
June 2007	30	mg/L	/wk	1 exceedance	62	62	Additional Monitoring Underway	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Industrial Sewage Monthly Summary - Northern Region

**Xstrata Canada Corporation -
Hoyle Twp.**

10050 Hwy. 101, Con. I, Lot 1, Hoyle Twp.
Timmins

Sector: Metal Mining and Refining
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ACUTE LETHALITY - TROUT

Legislation Non-Compliance

May 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway	Assessment Underway
May 2007	Pass	acute toxicity	any	2 exceedances	Fail	Fail	Conducting Study	Assessment Underway
June 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 4 exceedances

ACUTE LETHALITY DAPHNIA

Legislation Non-Compliance

May 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Additional Monitoring Underway	Assessment Underway
May 2007	Pass	acute toxicity	any	1 exceedance	Fail	Fail	Conducting Study	Assessment Underway

Total Legislation Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.