

2007 Municipal/Private Sewage Monthly Summary - All Regions

1319536 Ontario Limited - Royal Ontario Golf Course

6378 Trafalgar Road
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

November 1, 2007 - November 30, 2007	200	CT/100 mL	mon avg	1 exceedance	520	520	Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Assessment Underway
---	-----	--------------	---------	--------------	-----	-----	---	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

October 1, 2007 - October 31, 2007	10	mg/L	mon avg	1 exceedance	13.4	13.4	Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Assessment Underway
November 1, 2007 - November 30, 2007	10	mg/L	mon avg	1 exceedance	11	11	Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Assessment Underway
December 1, 2007 - December 31, 2007	10	mg/L	mon avg	1 exceedance	12	12	Other	Assessment Underway

Total C of A/Permit Non-Compliance = 3 exceedances

SUSPENDED SOLIDS

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

1319536 Ontario Limited - Royal Ontario Golf Course

6378 Trafalgar Road
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

C of A/Permit Non-Compliance

October 1, 2007 - October 31, 2007	30	mg/L	mon avg	1 exceedance	43	43	Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Assessment Underway
---------------------------------------	----	------	---------	--------------	----	----	---	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

TOTAL AMMONIA NITROGEN

C of A/Permit Non-Compliance

June 1, 2007 - June 30, 2007	5	mg/L	mon avg	1 exceedance	7.7	7.7	New Equipment or Treatment Process Installed	Assessment Underway
July 1, 2007 - July 31, 2007	5	mg/L	mon avg	1 exceedance	7.2	7.2	New Equipment or Treatment Process Installed, Other	Assessment Underway
August 1, 2007 - August 31, 2007	5	mg/L	mon avg	1 exceedance	7	7	New Equipment or Treatment Process Installed, Other	Assessment Underway
October 1, 2007 - October 31, 2007	5	mg/L	mon avg	1 exceedance	21	21	Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Assessment Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

1319536 Ontario Limited - Royal Ontario Golf Course

6378 Trafalgar Road
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
November 1, 2007 - November 30, 2007	5	mg/L	mon avg	1 exceedance	9.1	9.1	Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Assessment Underway

Total C of A/Permit Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**1324457 Ontario Limited -
Burleigh Island Lodge**

4791 Highway 28, Burleigh Falls
North Kawartha

Sector: Miscellaneous
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

May 2007	2	mg/L	/wk	1 exceedance	2.1	2.1	Additional Monitoring Underway	Assessment Complete - No Action Required
----------	---	------	-----	--------------	-----	-----	--------------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

TOTAL AMMONIA NITROGEN

C of A/Permit Non-Compliance

May 2007	2	mg/L	/wk	1 exceedance	2.1	2.1	Additional Monitoring Underway	Assessment Complete - Incident Resolved
October 2007	2	mg/L	/wk	1 exceedance	3.8	3.8	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

351658 Ontario Limited - Kaneff Headquarters

8501 Mississauga Road
Brampton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
January 4, 2007 - January 10, 2007	10	mg/L	rolling avg	2 exceedances	11	15.5	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
February 21, 2007 - February 27, 2007	10	mg/L	rolling avg	2 exceedances	10.75	11.25	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
May 2007	10	mg/L	rolling avg	1 exceedance	10.75	10.75	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Century Lane Development Corp.

Lot 11, 12, 13, conc 10
Highlands East

Sector: Miscellaneous
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
August 1, 2007 - August 31, 2007	1	mg/L	mon avg	1 exceedance	1.18	1.18	Operational Process Modification	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

City of Greater Sudbury - Sudbury WWTP

1173 Kelly Lake Rd
Greater Sudbury

Sector: Sewage Municipal
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

September 2007	500	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	10000	10000	Other, Training/Procedure Change	Assessment Complete - No Action Required
----------------	-----	--------------	--	--------------	-------	-------	-------------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

City of Greater Sudbury - Walden STP

Lot: 10, Conc: 3, Walden STP
Greater Sudbury

Sector: Sewage Municipal
Ministry Office: Sudbury

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
September 12, 2007 - September 17, 2007	200	CT/100 mL	mon avg. on a geo. mean density	2 exceedances	2160	10000	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

City of Hamilton - Dundas STP

135 King St, Dundas
Hamilton

Sector: Sewage Municipal
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL KJELDAHL NITROGEN								
C of A/Permit Non-Compliance								
June 1, 2007 - June 30, 2007	2	mg/L	mon avg	1 exceedance	2.2	2.2	Other	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

City of Ottawa - Village Walk STP

65 Village Walk Pvt
Ottawa

Sector: Sewage Municipal
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

October 19, 2007 - October 23, 2007	1	mg/L	/d	3 exceedances	1.33	4.33	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
--	---	------	----	---------------	------	------	--	---

Total C of A/Permit Non-Compliance = 3 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

December 1, 2007 - December 31, 2007	0.04	mg/L	/mon	1 exceedance	0.062	0.062	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
---	------	------	------	--------------	-------	-------	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

City of Toronto - Highland Creek STP

51 Beechgrove Dr
Toronto

Sector: Sewage Municipal
Ministry Office: Toronto

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
May 1, 2007 - May 31, 2007	1	mg/L	/mon	1 exceedance	1.17	1.17	Action Plan Submitted - Implementing Improvements, Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved, Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

ClubLink Corporation - Emerald Hills Golf Course

14001 Warden Ave Stouffville
Whitchurch-Stouffville

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	200	cfu/100 ml	mon avg	1 exceedance	211.3	211.3	Operational Process Modification	Assessment Underway
-----------------------------------	-----	---------------	---------	--------------	-------	-------	-------------------------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

NITROGEN

C of A/Permit Non-Compliance

May 1, 2007 - May 31, 2007	22	mg/L	mon avg	1 exceedance	22.5	22.5	Action Plan Submitted - Implementing Improvements	Assessment Underway
June 1, 2007 - June 30, 2007	22	mg/L	mon avg	1 exceedance	22.7	22.7	Additional Monitoring Underway	Assessment Underway
August 1, 2007 - August 31, 2007	22	mg/L	mon avg	1 exceedance	26.6	26.6	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved
September 1, 2007 - September 30, 2007	22	mg/L	mon avg	1 exceedance	29.6	29.6	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Clublink Corporation - King Valley Golf Club

15675 Dufferin St, King City
King

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
January 1, 2007 - January 31, 2007	2.5	mg/L	mon avg	1 exceedance	28.3	28.3	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	2.5	mg/L	mon avg	1 exceedance	35	35	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	2.5	mg/L	mon avg	1 exceedance	25.6	25.6	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
April 1, 2007 - April 30, 2007	2.5	mg/L	mon avg	1 exceedance	14	14	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
May 1, 2007 - May 31, 2007	2.5	mg/L	mon avg	1 exceedance	7.7	7.7	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
November 1, 2007 - November 30, 2007	2.5	mg/L	mon avg	1 exceedance	3.5	3.5	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Clublink Corporation - King Valley Golf Club

15675 Dufferin St, King City
King

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
Total C of A/Permit Non-Compliance = 6 exceedances								
AMMONIA + NITRATE + NITRITE NITROGEN								
C of A/Permit Non-Compliance								
January 1, 2007 - January 31, 2007	22	mg/L	mon avg	1 exceedance	33	33	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	22	mg/L	mon avg	1 exceedance	37	37	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	22	mg/L	mon avg	1 exceedance	25	25	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
April 1, 2007 - April 30, 2007	22	mg/L	mon avg	1 exceedance	27	27	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
May 1, 2007 - May 31, 2007	22	mg/L	mon avg	1 exceedance	46	46	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Clublink Corporation - King Valley Golf Club

15675 Dufferin St, King City
King

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
June 1, 2007 - June 30, 2007	22	mg/L	mon avg	1 exceedance	25	25	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 6 exceedances

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	30	mg/L	mon avg	1 exceedance	66	66	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	30	mg/L	mon avg	1 exceedance	59	59	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
May 2007	3	mg/L	any	1 exceedance	3.1	3.1	Training/Procedure Change	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 3 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	2.5	mg/L	mon avg	1 exceedance	3.1	3.1	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
---	-----	------	---------	--------------	-----	-----	--	---

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Clublink Corporation - King Valley Golf Club

15675 Dufferin St, King City
King

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
May 1, 2007 - May 31, 2007	2.5	mg/L	mon avg	1 exceedance	2.7	2.7	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	30	mg/L	mon avg	1 exceedance	27	27	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	30	mg/L	mon avg	1 exceedance	45	45	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

ClubLink Corporation - King's Riding Golf Club

Lot: 17, Conc: 2
King

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
February 1, 2007 - February 28, 2007	2.5	mg/L	mon avg	1 exceedance	3.1	3.1	Other	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

ClubLink Corporation - National Pines Golf Club

8165 10th Sideroad
Innisfil

Sector: Miscellaneous
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	100	cfu/100 ml	mon avg	1 exceedance	228	228	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
-----------------------------------	-----	---------------	---------	--------------	-----	-----	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	15	mg/L	mon avg	1 exceedance	16	16	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
May 1, 2007 - May 31, 2007	15	mg/L	mon avg	1 exceedance	86	86	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

ClubLink Corporation - Rattlesnake Point Golf Club

5405 Regional Road 25
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
June 1, 2007 - June 30, 2007	200	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	413	413	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Underway
July 1, 2007 - July 31, 2007	200	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	9771	9771	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Underway
August 1, 2007 - August 31, 2007	200	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	3978	3978	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Underway

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

ClubLink Corporation - Wyndance Golf Club

403 - Hwy 47 RR #1 Goodwood
Uxbridge

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

July 1, 2007 - July 31, 2007	200	cfu/100 ml	mon avg. on a geo. mean density	1 exceedance	751	751	Other	Voluntary Abatement Program Underway
August 1, 2007 - August 31, 2007	200	cfu/100 ml	mon avg. on a geo. mean density	1 exceedance	3083	3083	Additional Monitoring Underway	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

July 1, 2007 - July 31, 2007	1	mg/L	mon avg	1 exceedance	5.5	5.5	Other	Voluntary Abatement Program Underway
August 1, 2007 - August 31, 2007	1	mg/L	mon avg	1 exceedance	5.4	5.4	Additional Monitoring Underway	Voluntary Abatement Program Underway
September 1, 2007 - September 30, 2007	1	mg/L	mon avg	1 exceedance	7.5	7.5	Other	Voluntary Abatement Program Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

ClubLink Corporation - Wyndance Golf Club

403 - Hwy 47 RR #1 Goodwood
Uxbridge

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
October 1, 2007 - October 31, 2007	1	mg/L	mon avg	1 exceedance	3.9	3.9	Other	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 4 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

October 1, 2007 - October 31, 2007	25	mg/L	mon avg	1 exceedance	29	29	Other	Voluntary Abatement Program Underway
---------------------------------------	----	------	---------	--------------	----	----	-------	---

Total C of A/Permit Non-Compliance = 1 exceedance

TOTAL AMMONIA NITROGEN

C of A/Permit Non-Compliance

July 1, 2007 - July 31, 2007	3	mg/L	mon avg	1 exceedance	52	52	Other	Voluntary Abatement Program Underway
August 1, 2007 - August 31, 2007	3	mg/L	mon avg	1 exceedance	27	27	Additional Monitoring Underway	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Crest Support Services (Meadowcrest) Inc.

13570 Elginfield Rd
Lucan Biddulph

Sector: Miscellaneous
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

November 1, 2007 - November 30, 2007	3	mg/L	mon avg	1 exceedance	6.6	6.6	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification, Training/Procedure Change	Additional Requirements Added in Certificate of Approval/Permit, Assessment Underway, Provincial Officer's Order Issued
---	---	------	---------	--------------	-----	-----	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

ESCHERICHIA COLI

C of A/Permit Non-Compliance

November 1, 2007 - November 30, 2007	200	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	223.08	223.08	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification, Training/Procedure Change	Additional Requirements Added in Certificate of Approval/Permit, Assessment Underway, Provincial Officer's Order Issued
---	-----	--------------	--	--------------	--------	--------	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Crest Support Services (Meadowcrest) Inc.

13570 Elginfield Rd
Lucan Biddulph

Sector: Miscellaneous
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
April 1, 2007 - April 30, 2007	1	mg/L	mon avg	1 exceedance	1.11	1.11	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification, Training/Procedure Change	Additional Requirements Added in Certificate of Approval/Permit, Assessment Underway, Provincial Officer's Order Issued
May 1, 2007 - November 30, 2007	0.5	mg/L	mon avg	7 exceedances	0.54	1.21	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification, Training/Procedure Change	Additional Requirements Added in Certificate of Approval/Permit, Assessment Underway, Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 8 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

June 1, 2007 - November 30, 2007	10	mg/L	mon avg	4 exceedances	11.3	28	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification, Training/Procedure Change	Additional Requirements Added in Certificate of Approval/Permit, Assessment Underway, Provincial Officer's Order Issued
-------------------------------------	----	------	---------	---------------	------	----	--	---

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**Crest Support Services
(Meadowcrest) Inc.**

13570 Elginfield Rd
Lucan Biddulph

Sector: Miscellaneous
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 1, 2007 - December 31, 2007	15	mg/L	mon avg	1 exceedance	18.5	18.5	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated, Operational Process Modification, Training/Procedure Change	Additional Requirements Added in Certificate of Approval/Permit, Assessment Underway, Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

De Beers Canada Inc.

90 km W of Attawapiskat
Unsurveyed Territory (Timmins D. O.)

Sector: Miscellaneous
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

January 2007	200	CT/100 mL	mon avg	1 exceedance	400	400	New Equipment or Treatment Process Installed	Assessment Complete - No Action Required
--------------	-----	-----------	---------	--------------	-----	-----	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 2007	30	mg/l	/d	1 exceedance	67	67	New Equipment or Treatment Process Installed	Assessment Complete - No Action Required
--------------	----	------	----	--------------	----	----	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

E.S. Fox Enterprises Inc.

9127 Montrose Ave
Niagara Falls

Sector: Miscellaneous
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	6	pH	any	31 exceedances	0	5.1	Ceased Operations	Other Abatement Action Taken
--	---	----	-----	----------------	---	-----	-------------------	------------------------------

Total C of A/Permit Non-Compliance = 31 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

February 28, 2007 - December 31, 2007	1	mg/L	mon avg	5 exceedances	1.3	3.88	Ceased Operations	Other Abatement Action Taken
--	---	------	---------	---------------	-----	------	-------------------	------------------------------

Total C of A/Permit Non-Compliance = 5 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	25	mg/L	annual avg	1 exceedance	125.2	125.2	Ceased Operations	Other Abatement Action Taken
--	----	------	------------	--------------	-------	-------	-------------------	------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Fern Resort Ltd.

4432 Fern Resort Rd W
Orillia

Sector: Miscellaneous
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	4	mg/L	mon avg	1 exceedance	7	7	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required
---------------------------------------	---	------	---------	--------------	---	---	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	0.25	mg/L	mon avg	1 exceedance	0.272	0.272	New Equipment or Treatment Process Installed, Operational Process Modification	Assessment Complete - No Action Required
---	------	------	---------	--------------	-------	-------	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Fifth Wheel Corporation

3305 Dorchester Rd S
Thames Centre

Sector: Miscellaneous
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
February 1, 2007 - April 30, 2007	6	mg/L	mon avg	3 exceedances	11.53	16.75	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
May 1, 2007 - May 31, 2007	3	mg/L	mon avg	1 exceedance	20.5	20.5	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Granite Golf and Country Club

2699 York Durham Line, Uxbridge
Whitchurch-Stouffville

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

July 1, 2007 - July 31, 2007	5	mg/L	mon avg	1 exceedance	5.5	5.5	Additional Monitoring Underway	Assessment Complete - Incident Resolved
---------------------------------	---	------	---------	--------------	-----	-----	-----------------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

TOTAL AMMONIA NITROGEN

C of A/Permit Non-Compliance

July 1, 2007 - July 31, 2007	2	mg/L	mon avg	1 exceedance	6.1	6.1	Additional Monitoring Underway	Assessment Complete - Incident Resolved
---------------------------------	---	------	---------	--------------	-----	-----	-----------------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Greater Essex County District School Board - Anderdon School

3170 Middle Side Rd
Amherstburg

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

January 1, 2007 - March 31, 2007	5	mg/L	any	3 exceedances	7.45	8.15	Other	Other Abatement Action Taken
May 1, 2007 - May 31, 2007	5	mg/L	any	1 exceedance	3.85	3.85	Other	Other Abatement Action Taken
September 1, 2007 - November 30, 2007	5	mg/L	any	3 exceedances	3.9	6.66	Other	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 7 exceedances

ESCHERICHIA COLI

C of A/Permit Non-Compliance

February 2007	200	CT/100 mL	any	1 exceedance	537.55	537.55	Other	Other Abatement Action Taken
---------------	-----	--------------	-----	--------------	--------	--------	-------	------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

January 1, 2007 - February 28, 2007	0.5	mg/L	any	2 exceedances	0.52	0.64	Other	Other Abatement Action Taken
--	-----	------	-----	---------------	------	------	-------	------------------------------

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Greater Essex County District School Board - Gosfield School

302 Essex County Road 27
Windsor

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

January 1, 2007 - March 31, 2007	5	mg/L	mon avg	3 exceedances	7.1	10.07	Other	Provincial Officer's Order Issued
June 1, 2007 - June 30, 2007	5	mg/L	mon avg	1 exceedance	8.45	8.45	Other	Provincial Officer's Order Issued
November 1, 2007 - December 31, 2007	5	mg/L	mon avg	2 exceedances	7.65	8.3	Other	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 6 exceedances

ESCHERICHIA COLI

C of A/Permit Non-Compliance

January 1, 2007 - March 31, 2007	200	CT/100 mL	mon avg	3 exceedances	226	5257	Other	Provincial Officer's Order Issued
June 1, 2007 - June 30, 2007	200	CT/100 mL	mon avg	1 exceedance	5706	5706	Other	Provincial Officer's Order Issued
September 1, 2007 - December 31, 2007	200	CT/100 mL	mon avg	4 exceedances	275	2988	Other	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 8 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Greater Essex County District School Board - Gosfield School

302 Essex County Road 27
Windsor

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

December 1, 2007 - December 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.69	0.69	Other	Provincial Officer's Order Issued
---	-----	------	---------	--------------	------	------	-------	--------------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	15	mg/L	mon avg	1 exceedance	21	21	Other	Provincial Officer's Order Issued
May 1, 2007 - June 30, 2007	10	mg/L	mon avg	2 exceedances	11	12	Other	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Husky Oil Carl Truck Stop

46 - 4040 Essex Rd
Tecumseh

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

C of A/Permit Non-Compliance

July 2007	6	pH	/d	1 exceedance	4.04	4.04	New Equipment or Treatment Process Installed, Operational Process Modification	Voluntary Abatement Program Underway
-----------	---	----	----	--------------	------	------	--	--------------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	0.5	mg/L	mon avg	1 exceedance	1.1	1.1	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
May 1, 2007 - May 31, 2007	0.5	mg/L	mon avg	1 exceedance	1.5	1.5	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
June 1, 2007 - June 30, 2007	0.5	mg/L	mon avg	1 exceedance	2.2	2.2	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required
July 1, 2007 - July 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.7	0.7	New Equipment or Treatment Process Installed, Operational Process Modification	Voluntary Abatement Program Underway
October 1, 2007 - October 31, 2007	0.5	mg/L	mon avg	1 exceedance	1.18	1.18	Operational Process Modification	Assessment Complete - No Action Required

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Husky Oil Carl Truck Stop

46 - 4040 Essex Rd
Tecumseh

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

Total C of A/Permit Non-Compliance = 5 exceedances

TOTAL KJELDAHL NITROGEN

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	4	mg/L	mon avg	1 exceedance	4.5	4.5	Action Plan Submitted - Implementing Improvements	Assessment Complete - Incident Resolved
-----------------------------------	---	------	---------	--------------	-----	-----	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Ingersoll Travel Centre

401 West Bound Travel Centre
Ingersoll

Sector: Miscellaneous
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	5	mg/L	mon avg	1 exceedance	24.7	24.7	None Required	Assessment Complete - Incident Resolved
---	---	------	---------	--------------	------	------	---------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Invista (Canada) Company - Maitland

1400 County Road 2 East, Maitland
Augusta

Sector: Miscellaneous
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
BIOCHEMICAL OXYGEN DEMAND								
C of A/Permit Non-Compliance								
September 2007	25	mg/L	/wk	1 exceedance	63	63	Conducting Study	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Killam Investments Inc.

Lot 12, Con B.F. Sidney Ward
Quinte West

Sector: Miscellaneous
Ministry Office: Belleville

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	1	mg/L	mon avg	11 exceedances	1.44	7.23	Other	Assessment Underway
--	---	------	---------	----------------	------	------	-------	---------------------

Total C of A/Permit Non-Compliance = 11 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	15	mg/L	annual avg	1 exceedance	17.92	17.92	Operational Process Modification	Assessment Underway
--	----	------	------------	--------------	-------	-------	-------------------------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Leeds Condominium Corporation #7

Lot 5, Conc 1
Elizabethtown-Kitley

Sector: Miscellaneous
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

September 1, 2007 - September 30, 2007	200	cfu/100 ml	/mon	1 exceedance	3000	3000	Additional Monitoring Underway	Provincial Officer's Order Issued
November 1, 2007 - November 30, 2007	200	cfu/100 ml	/mon	1 exceedance	201	201	Additional Monitoring Underway	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	25	mg/L	/annum	1 exceedance	36.5	36.5	Additional Monitoring Underway, Conducting Study, New Equipment or Treatment Process Installed	Provincial Officer's Order Issued
--	----	------	--------	--------------	------	------	---	--------------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

London District Catholic School Board - Regina Mundi

5250 Wellington Rd S
London

Sector: Miscellaneous
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

January 11, 2007 - April 26, 2007	4	mg/L	/d	14 exceedances	8	167.95	Ceased Operations	Voluntary Abatement Program Underway
--------------------------------------	---	------	----	----------------	---	--------	-------------------	---

Total C of A/Permit Non-Compliance = 14 exceedances

ESCHERICHIA COLI

C of A/Permit Non-Compliance

January 1, 2007 - May 31, 2007	200	CT/100 mL	mon avg	5 exceedances	600	5380	Ceased Operations	Voluntary Abatement Program Underway
-----------------------------------	-----	--------------	---------	---------------	-----	------	-------------------	---

Total C of A/Permit Non-Compliance = 5 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

January 1, 2007 - April 30, 2007	1	mg/L	mon avg	4 exceedances	1.16	3.1	Ceased Operations	Voluntary Abatement Program Underway
-------------------------------------	---	------	---------	---------------	------	-----	-------------------	---

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

North Bay Psychiatric Hospital

4700 Highway 11 N
North Bay

Sector: Miscellaneous
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

HIGH PH EFFLUENT

C of A/Permit Non-Compliance

November 2007	9.5	pH	any	1 exceedance	9.6	9.6	Operational Process Modification	Assessment Complete - No Action Required
---------------	-----	----	-----	--------------	-----	-----	----------------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

LOW PH EFFLUENT

C of A/Permit Non-Compliance

October 2007	6	pH	any	1 exceedance	5.6	5.6	Operational Process Modification	Assessment Complete - No Action Required
--------------	---	----	-----	--------------	-----	-----	----------------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Parkbridge G/P Inc. - Antrim Glen STP

140 Glenariff Drive, 1264 8th Conc West
Hamilton

Sector: Miscellaneous
Ministry Office: Hamilton

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	15	mg/L	mon avg	1 exceedance	21	21	Operational Process Modification	Assessment Complete - No Action Required
---	----	------	---------	--------------	----	----	-------------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

CARBONACEOUS BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	15	mg/L	mon avg	1 exceedance	21	21	Operational Process Modification	Assessment Complete - No Action Required
---	----	------	---------	--------------	----	----	-------------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Petro-Canada - Innisfil

Lot 6 Conc 1
Innisfil

Sector: Miscellaneous
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	1	mg/L	mon avg	1 exceedance	2.7	2.7	New Equipment or Treatment Process Installed	Assessment Complete - No Action Required
-------------------------------------	---	------	---------	--------------	-----	-----	---	---

Total C of A/Permit Non-Compliance = 1 exceedance

TOTAL AMMONIA NITROGEN

C of A/Permit Non-Compliance

June 1, 2007 - June 30, 2007	1	mg/L	mon avg	1 exceedance	2.1	2.1	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
---------------------------------	---	------	---------	--------------	-----	-----	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Piper's Heath Golf Club Ltd.

5527 Trafalgar Road
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

CARBONACEOUS BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

August 3, 2007 - August 31, 2007	15	mg/L	mon avg	1 exceedance	26	26	Additional Monitoring Underway, Training/Procedure Change	Assessment Underway
September 1, 2007 - September 30, 2007	15	mg/L	mon avg	1 exceedance	20	20	None Required	Assessment Underway
November 1, 2007 - November 30, 2007	15	mg/L	mon avg	1 exceedance	25	25	Other	Assessment Underway

Total C of A/Permit Non-Compliance = 3 exceedances

ESCHERICHIA COLI

C of A/Permit Non-Compliance

August 3, 2007 - August 31, 2007	100	mg/L	mon avg. on a geo. mean density	1 exceedance	4627	4627	Additional Monitoring Underway, Training/Procedure Change	Assessment Underway
September 1, 2007 - September 30, 2007	100	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	20000	20000	None Required	Assessment Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Piper's Heath Golf Club Ltd.

5527 Trafalgar Road
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
October 1, 2007 - October 31, 2007	100	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	7814	7814	Additional Monitoring Underway, Other	Assessment Underway
November 1, 2007 - November 30, 2007	100	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	906	906	Other	Assessment Underway

Total C of A/Permit Non-Compliance = 4 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	2.5	mg/L	mon avg	1 exceedance	8.3	8.3	Additional Monitoring Underway, Training/Procedure Change	Assessment Underway
September 1, 2007 - September 30, 2007	2.5	mg/L	mon avg	1 exceedance	13	13	None Required	Assessment Underway
October 1, 2007 - October 31, 2007	2.5	mg/L	mon avg	1 exceedance	14	14	Additional Monitoring Underway, Other	Assessment Underway
November 1, 2007 - November 30, 2007	2.5	mg/L	mon avg	1 exceedance	8.3	8.3	Other	Assessment Underway
December 1, 2007 - December 31, 2007	2.5	mg/L	mon avg	1 exceedance	3.5	3.5	Other	Assessment Underway

Total C of A/Permit Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Piper's Heath Golf Club Ltd.

5527 Trafalgar Road
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	15	mg/L	mon avg	1 exceedance	19	19	Additional Monitoring Underway, Training/Procedure Change	Assessment Underway
September 1, 2007 - September 30, 2007	15	mg/L	mon avg	1 exceedance	21	21	None Required	Assessment Underway
October 1, 2007 - October 31, 2007	15	mg/L	mon avg	1 exceedance	30	30	Additional Monitoring Underway, Other	Assessment Underway
November 1, 2007 - November 30, 2007	15	mg/L	mon avg	1 exceedance	37	37	Other	Assessment Underway

Total C of A/Permit Non-Compliance = 4 exceedances

TOTAL AMMONIA NITROGEN

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	2.5	mg/L	mon avg	1 exceedance	93	93	Additional Monitoring Underway, Training/Procedure Change	Assessment Underway
September 1, 2007 - September 30, 2007	2.5	mg/L	mon avg	1 exceedance	58	58	None Required	Assessment Underway
October 1, 2007 - October 31, 2007	2.5	mg/L	mon avg	1 exceedance	23	23	Additional Monitoring Underway, Other	Assessment Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Piper's Heath Golf Club Ltd.

5527 Trafalgar Road
Milton

Sector: Miscellaneous
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
November 1, 2007 - November 30, 2007	2.5	mg/L	mon avg	1 exceedance	8.7	8.7	Other	Assessment Underway

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Real's Truck Stop, Ltd.

Exit 825 Highway 401 at Curry Hill Rd
Cornwall

Sector: Miscellaneous
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
January 1, 2007 - December 31, 2007	1	mg/L	/annum	1 exceedance	1.18	1.18	Other	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Rio Can Property Services - Orillia Square Mall

1029 Brodie Dr
Orillia

Sector: Miscellaneous
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
BIOCHEMICAL OXYGEN DEMAND								
C of A/Permit Non-Compliance								
August 1, 2007 - August 31, 2007	15	mg/L	mon avg	1 exceedance	15.2	15.2	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**Seaway Valley Food & Travel
Centre Inc.**

2694 Brookdale Ave Lot 13, Conc 3
Cornwall

Sector: Miscellaneous
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
July 1, 2007 - July 31, 2007	2	mg/L	/mon	1 exceedance	4.98	4.98	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of Loyalist Township - Amherstview WPCP

Lot 37, Conc 2
Loyalist

Sector: Sewage Municipal
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
HIGH PH EFFLUENT								
C of A/Permit Non-Compliance								
January 1, 2007 - October 24, 2007	9.5	pH	any	64 exceedances	9.51	10.42	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 64 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of Loyalist
Township - Odessa STP**

263 Main St., Odessa
Loyalist

Sector: Sewage Municipal
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
September 1, 2007 - September 30, 2007	1	mg/L	mon avg	1 exceedance	1.33	1.33	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway
October 1, 2007 - October 31, 2007	1	mg/L	mon avg	1 exceedance	1.38	1.38	Equipment Modified, Repaired, Replaced or Re- calibrated	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the City of Brockville - Brockville WPCP

1807 Highway 2 East, Lot 6, Conc 1
Brockville

Sector: Sewage Municipal
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
BIOCHEMICAL OXYGEN DEMAND								
C of A/Permit Non-Compliance								
January 1, 2007 - January 31, 2007	35	mg/L	rolling avg	1 exceedance	43.78	43.78	Other	Provincial Officer's Order Issued
January 1, 2007 - January 31, 2007	763	kg/d	rolling avg	1 exceedance	864.53	864.53	Other	Provincial Officer's Order Issued
February 1, 2007 - February 28, 2007	35	mg/L	rolling avg	1 exceedance	44.48	44.48	Other	Provincial Officer's Order Issued
February 1, 2007 - February 28, 2007	763	kg/d	rolling avg	1 exceedance	852.06	852.06	Other	Provincial Officer's Order Issued
March 1, 2007 - March 31, 2007	35	mg/L	rolling avg	1 exceedance	44.62	44.62	Other	Provincial Officer's Order Issued
March 1, 2007 - March 31, 2007	763	kg/d	rolling avg	1 exceedance	858.32	858.32	Other	Provincial Officer's Order Issued
April 1, 2007 - April 30, 2007	35	mg/L	rolling avg	1 exceedance	43.6	43.6	Other	Provincial Officer's Order Issued

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the City of Brockville - Brockville WPCP

1807 Highway 2 East, Lot 6, Conc 1
Brockville

Sector: Sewage Municipal
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
April 1, 2007 - April 30, 2007	763	kg/d	rolling avg	1 exceedance	851.06	851.06	Other	Provincial Officer's Order Issued
May 1, 2007 - May 31, 2007	35	mg/L	rolling avg	1 exceedance	42.86	42.86	Other	Provincial Officer's Order Issued
May 1, 2007 - May 31, 2007	763	kg/d	rolling avg	1 exceedance	834.44	834.44	Other	Provincial Officer's Order Issued
June 1, 2007 - June 30, 2007	35	mg/L	rolling avg	1 exceedance	42.95	42.95	Other	Provincial Officer's Order Issued
June 1, 2007 - June 30, 2007	763	kg/d	rolling avg	1 exceedance	822.57	822.57	Other	Provincial Officer's Order Issued
July 1, 2007 - July 31, 2007	35	mg/L	rolling avg	1 exceedance	43.11	43.11	Other	Provincial Officer's Order Issued
July 1, 2007 - July 31, 2007	763	kg/d	rolling avg	1 exceedance	821.98	821.98	Other	Provincial Officer's Order Issued
August 1, 2007 - August 31, 2007	35	mg/L	rolling avg	1 exceedance	42.05	42.05	Other	Provincial Officer's Order Issued

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the City of Brockville - Brockville WPCP

1807 Highway 2 East, Lot 6, Conc 1
Brockville

Sector: Sewage Municipal
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 1, 2007 - August 31, 2007	763	kg/d	rolling avg	1 exceedance	801.56	801.56	Other	Provincial Officer's Order Issued
September 1, 2007 - September 30, 2007	35	mg/L	rolling avg	1 exceedance	43.72	43.72	Other	Provincial Officer's Order Issued
September 1, 2007 - September 30, 2007	763	kg/d	rolling avg	1 exceedance	815.98	815.98	Other	Provincial Officer's Order Issued
October 1, 2007 - October 31, 2007	35	mg/L	rolling avg	1 exceedance	44.58	44.58	Other	Provincial Officer's Order Issued
October 1, 2007 - October 31, 2007	763	kg/d	rolling avg	1 exceedance	806.98	806.98	Other	Provincial Officer's Order Issued
November 1, 2007 - November 30, 2007	35	mg/L	rolling avg	1 exceedance	45.48	45.48	Other	Provincial Officer's Order Issued
November 1, 2007 - November 30, 2007	763	kg/d	rolling avg	1 exceedance	808.53	808.53	Other	Provincial Officer's Order Issued
December 1, 2007 - December 31, 2007	35	mg/L	rolling avg	1 exceedance	46.2	46.2	Other	Provincial Officer's Order Issued

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the City of Brockville - Brockville WPCP

1807 Highway 2 East, Lot 6, Conc 1
Brockville

Sector: Sewage Municipal
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 1, 2007 - December 31, 2007	763	kg/d	rolling avg	1 exceedance	814.63	814.63	Other	Provincial Officer's Order Issued

Total C of A/Permit Non-Compliance = 24 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the City of
Kawartha Lakes - Lindsay WPCP**

48 Lagoon Road, Lot 26, 27, Conc 6
Kawartha Lakes

Sector: Sewage Municipal
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
February 1, 2007 - February 28, 2007	3	mg/L	mon avg	1 exceedance	9.65	9.65	Equipment Modified, Repaired, Replaced or Re- calibrated, Other	Assessment Underway, Other Abatement Action Taken
March 1, 2007 - March 31, 2007	3	mg/L	mon avg	1 exceedance	6.55	6.55	New Equipment or Treatment Process Installed, Other	Assessment Underway, Other Abatement Action Taken
July 1, 2007 - July 31, 2007	1.5	mg/L	mon avg	1 exceedance	3.425	3.425	New Equipment or Treatment Process Installed Other	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the City of
Kingston - Ravensview WPCP**

947 Hwy 2 E
Kingston

Sector: Sewage Municipal
Ministry Office: Kingston

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	25	mg/L	mon avg	1 exceedance	25.33	25.33	Equipment Modified, Repaired, Replaced or Re- calibrated, Operational Process Modification	Assessment Complete - Incident Resolved
---	----	------	---------	--------------	-------	-------	---	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the City of
London - Southland Park STP**

82 Dennis St
London

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

July 1, 2007 - July 31, 2007	10	mg/L	mon avg	1 exceedance	12	12	Other	Assessment Complete - Incident Resolved
---------------------------------	----	------	---------	--------------	----	----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the City of Sarnia - Brights Grove Lagoon

Lot 3,4&5 Front Conc
Sarnia

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIUM

C of A/Permit Non-Compliance

October 24, 2007 - November 14, 2007	3	mg/L	/d	4 exceedances	3.35	7.1	Ceased Operations	Other Abatement Action Taken
---	---	------	----	---------------	------	-----	-------------------	------------------------------

Total C of A/Permit Non-Compliance = 4 exceedances

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	10	mg/L	mon avg	1 exceedance	12	12	None Required	Other Abatement Action Taken
November 1, 2007 - November 30, 2007	10	mg/L	mon avg	1 exceedance	12	12	Ceased Operations	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 2 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	0.5	mg/L	mon avg	1 exceedance	0.815	0.815	None Required	Other Abatement Action Taken
November 1, 2007 - November 30, 2007	0.5	mg/L	mon avg	1 exceedance	0.9	0.9	Ceased Operations	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the City of Sarnia - Brights Grove Lagoon

Lot 3,4&5 Front Conc
Sarnia

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
October 1, 2007 - November 30, 2007	10	mg/L	mon avg	2 exceedances	20	57	Ceased Operations	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the City of Sarnia - Sarnia WWTP

333 St. Andrew St
Sarnia

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

January 1, 2007 - April 30, 2007	3	mg/L	mon avg	4 exceedances	5.83	11.81	Operational Process Modification, Other	Assessment Underway
January 1, 2007 - April 30, 2007	116	kg/d	mon avg	4 exceedances	152	340	Operational Process Modification, Other	Assessment Underway
May 1, 2007 - May 31, 2007	58	kg/d	mon avg	1 exceedance	254	254	Operational Process Modification, Other	Assessment Underway
May 1, 2007 - October 31, 2007	1.5	mg/L	mon avg	3 exceedances	1.84	7.98	Operational Process Modification, Other	Assessment Underway

Total C of A/Permit Non-Compliance = 12 exceedances

ESCHERICHIA COLI

C of A/Permit Non-Compliance

January 1, 2007 - September 30, 2007	200	CT/100 mL	any	6 exceedances	230.91	1977	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Underway
---	-----	--------------	-----	---------------	--------	------	--	---------------------

Total C of A/Permit Non-Compliance = 6 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the City of Sarnia - Sarnia WWTP

333 St. Andrew St
Sarnia

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
June 1, 2007 - June 30, 2007	1	mg/L	mon avg	1 exceedance	1.31	1.31	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	580	kg/d	mon avg	1 exceedance	698	698	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Underway
April 1, 2007 - June 30, 2007	15	mg/L	mon avg	2 exceedances	19.8	24.2	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Underway

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the City of
Sault Ste. Marie - Sault Ste. Marie
East End STP**

2221 Queen St E
Sault Ste. Marie

Sector: Sewage Municipal
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

C of A/Permit Non-Compliance

June 2007	6	pH	any	1 exceedance	5.35	5.35	Other	Assessment Complete - No Action Required
-----------	---	----	-----	--------------	------	------	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the City of
Temiskaming Shores - Haileybury
STP**

100 View St
Haileybury

Sector: Sewage Municipal
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	25	mg/L	annual avg	1 exceedance	46.7	46.7	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required
--	----	------	------------	--------------	------	------	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the City of
Temiskaming Shores - New
Liskeard Lagoon**

Lot 6 & 7 , Conc. 3
Dymond

Sector: Sewage Municipal
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	1	mg/L	annual avg	1 exceedance	1.8	1.8	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required
--	---	------	------------	--------------	-----	-----	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the City of
Temiskaming Shores - North
Cobalt Lagoon**

Lakeview Drive
Haileybury

Sector: Sewage Municipal
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

May 1, 2007 - May 31, 2007	25	mg/L	mon avg	1 exceedance	30	30	New/Modified Sampling Program Underway, Operational Process Modification	Assessment Complete - No Action Required
-------------------------------	----	------	---------	--------------	----	----	---	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the County of Oxford - Drumbo STP

Lot 13 Conc 7
Blandford-Blenheim

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.92	0.92	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
-------------------------------------	-----	------	---------	--------------	------	------	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the County of Oxford - Norwich STP

Lot 7 Conc 5
Norwich Township

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
January 1, 2007 - January 31, 2007	200	CT/100 mL	mon avg	1 exceedance	268	268	Other	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the County of Oxford - Plattsville Lagoon

Lot 16 Conc 12
Blandford-Blenheim

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
BIOCHEMICAL OXYGEN DEMAND								
C of A/Permit Non-Compliance								
March 1, 2007 - March 31, 2007	25	mg/L	mon avg	1 exceedance	30	30	None Required	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Arran-Elderslie - Paisley STP

Goldie St
Arran-Elderslie

Sector: Sewage Municipal
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	1	mg/l	mon avg	1 exceedance	1.21	1.21	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
---	---	------	---------	--------------	------	------	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Arran-Elderslie - Tara Lagoon

Pt. Lot 28, Conc. 7
Arran-Elderslie

Sector: Sewage Municipal
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

November 1, 2007 - November 30, 2007	40	mg/L	seasonal avg	1 exceedance	83.5	83.5	New/Modified Sampling Program Underway	Voluntary Abatement Program Underway
---	----	------	-----------------	--------------	------	------	---	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Brighton - Brighton WPCP

Lot 33 & 34, conc B
Brighton

Sector: Sewage Municipal
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL AMMONIA NITROGEN								
C of A/Permit Non-Compliance								
December 1, 2007 - December 31, 2007	17	mg/L	mon avg	1 exceedance	17.83	17.83	Additional Monitoring Underway	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the
Municipality of Central Huron -
Clinton STP**

32 Walker St
Central Huron

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA NITRATE

C of A/Permit Non-Compliance

June 1, 2007 - June 30, 2007	3	mg/L	mon avg	1 exceedance	4.75	4.75	Operational Process Modification	Voluntary Abatement Program Underway
---------------------------------	---	------	---------	--------------	------	------	-------------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Chatham-Kent - Blenheim Lagoon

19818 Lagoon Road, Blenheim
Chatham-Kent

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

November 1, 2007 - November 30, 2007	5	mg/L	mon avg	1 exceedance	21.3	21.3	None Required	Assessment Complete - Incident Resolved
---	---	------	---------	--------------	------	------	---------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

November 1, 2007 - November 30, 2007	1	mg/L	mon avg	1 exceedance	2.92	2.92	None Required	Assessment Complete - Incident Resolved
---	---	------	---------	--------------	------	------	---------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Chatham-Kent - Clearville Park STP

18498 Clearville Rd
Chatham-Kent

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
May 1, 2007 - May 31, 2007	5	mg/L	mon avg	1 exceedance	12	12	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Chatham-Kent - Ridgetown Lagoons

20688 Colby St.
Chatham-Kent

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

September 1, 2007 - September 30, 2007	200	CT/100 mL	mon avg	1 exceedance	600	600	Equipment Modified, Repaired, Replaced or Re- calibrated, Other	Assessment Complete - Incident Resolved
November 1, 2007 - November 30, 2007	200	CT/100 mL	mon avg	1 exceedance	207	207	Other	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

September 1, 2007 - September 30, 2007	0.5	mg/L	mon avg	1 exceedance	0.63	0.63	Equipment Modified, Repaired, Replaced or Re- calibrated, Other	Assessment Complete - Incident Resolved
---	-----	------	---------	--------------	------	------	---	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

September 1, 2007 - September 30, 2007	10	mg/L	mon avg	1 exceedance	16	16	Equipment Modified, Repaired, Replaced or Re- calibrated, Other	Assessment Complete - Incident Resolved
---	----	------	---------	--------------	----	----	---	--

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the
Municipality of Chatham-Kent -
Ridgetown Lagoons**

20688 Colby St.
Chatham-Kent

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Chatham-Kent - Tilbury STP

20925 Clouthier St
Lakeshore

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
January 1, 2007 - January 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.51	0.51	Conducting Study	Assessment Underway, Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	0.5	mg/L	mon avg	1 exceedance	1.1	1.1	Additional Monitoring Underway, Conducting Study, Other, Training/Procedure Change	Assessment Underway, Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.88	0.88	Additional Monitoring Underway, Conducting Study	Assessment Underway, Voluntary Abatement Program Underway
April 1, 2007 - April 30, 2007	0.5	mg/L	mon avg	1 exceedance	1.06	1.06	Additional Monitoring Underway, Conducting Study	Assessment Underway
June 1, 2007 - June 30, 2007	0.5	mg/L	mon avg	1 exceedance	1.25	1.25	Additional Monitoring Underway, Conducting Study, Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Chatham-Kent - Tilbury STP

20925 Clouthier St
Lakeshore

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
July 1, 2007 - July 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.83	0.83	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Conducting Study	Voluntary Abatement Program Underway
August 1, 2007 - August 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.55	0.55	Action Plan Submitted - Implementing Improvements, Operational Process Modification	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 7 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the
Municipality of Chatham-Kent -
Wallaceburg WPCP**

795 Gillard St
Chatham-Kent

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
September 1, 2007 - September 30, 2007	1.5	mg/L	/mon	1 exceedance	2.9	2.9	Other	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Dutton/Dunwich - Dutton/Dunwich WPCP

Lot: 10, Conc: A
Dutton/Dunwich

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	15	mg/L	mon avg	1 exceedance	17	17	Conducting Study	Voluntary Abatement Program Underway
---	----	------	---------	--------------	----	----	------------------	--------------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

July 1, 2007 - July 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.59	0.59	Operational Process Modification	Assessment Complete - Incident Resolved
---------------------------------	-----	------	---------	--------------	------	------	----------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Grey Highlands - Flesherton STP

Pt. Lots 145 & 146, Conc. 1
Grey Highlands

Sector: Sewage Municipal
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	0.3	mg/L	mon avg	1 exceedance	0.4	0.4	None Required	Assessment Complete - No Action Required
-------------------------------------	-----	------	---------	--------------	-----	-----	---------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Huron East - Seaforth STP

79468 Hannah Line
Huron East

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA NITRATE

C of A/Permit Non-Compliance

March 1, 2007 - March 31, 2007	7.6	kg/d	mon avg	1 exceedance	10.1	10.1	None Required	Assessment Complete - No Action Required
-----------------------------------	-----	------	---------	--------------	------	------	---------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

ESCHERICHIA COLI

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	150	CT/100 mL	mon avg	1 exceedance	187	187	Operational Process Modification	Assessment Complete - Incident Resolved
---------------------------------------	-----	--------------	---------	--------------	-----	-----	-------------------------------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Lambton Shores - Forest STP

Lot 28 & 29, Conc 14
Lambton Shores

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
January 31, 2007 - March 31, 2007	200	cfu/1 ml	mon avg. on a geo. mean density	2 exceedances	216	308	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Lambton Shores - Indian Hills Subdivision

Lot 64 Conc L.R.E.
Lambton Shores

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

May 1, 2007 - May 31, 2007	3	mg/L	mon avg	1 exceedance	10.5	10.5	Conducting Study	Assessment Underway
August 1, 2007 - August 31, 2007	3	mg/L	mon avg	1 exceedance	4	4	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

ESCHERICHIA COLI

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	200	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	1200	1200	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required
-------------------------------------	-----	--------------	--	--------------	------	------	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

May 1, 2007 - May 31, 2007	1	mg/L	mon avg	1 exceedance	1.13	1.13	Conducting Study	Assessment Underway
-------------------------------	---	------	---------	--------------	------	------	------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Middlesex Centre - Kilworth STP

22265 Jefferies Dr
Middlesex Centre

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

April 1, 2007 - May 31, 2007	200	cfu/100 ml	mon avg. on a geo. mean density	2 exceedances	276	443	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
---------------------------------	-----	---------------	--	---------------	-----	-----	--	---

Total C of A/Permit Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

July 1, 2007 - July 31, 2007	10	mg/L	mon avg	1 exceedance	10.5	10.5	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway
---------------------------------	----	------	---------	--------------	------	------	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Sioux Lookout - Sioux Lookout WPCP

148 King St W
Sioux Lookout

Sector: Sewage Municipal
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

May 1, 2007 - May 31, 2007	25	mg/L	mon avg	1 exceedance	66.5	66.5	Additional Monitoring Underway, Operational Process Modification	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
-------------------------------	----	------	---------	--------------	------	------	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	25	mg/L	mon avg	1 exceedance	27.5	27.5	Other	Assessment Complete - No Action Required
May 1, 2007 - May 31, 2007	25	mg/L	mon avg	1 exceedance	290.6	290.6	Additional Monitoring Underway, Operational Process Modification	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of South Bruce - Mildmay STP

Pt. Lot 24, Conc.C
South Bruce

Sector: Sewage Municipal
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	200	cfu/100 ml	mon avg. on a geo. mean density	1 exceedance	237	237	Other	Assessment Complete - No Action Required
-------------------------------------	-----	---------------	--	--------------	-----	-----	-------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Southwest Middlesex - Wardsville WPCP

1659 Longwoods Rd
Southwest Middlesex

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

November 8, 2007 - November 14, 2007	4.5	mg/L	/d	2 exceedances	12.5	14.4	Additional Monitoring Underway, Conducting Study, Operational Process Modification	Voluntary Abatement Program Underway
November 1, 2007 - November 30, 2007	3	mg/L	mon avg	1 exceedance	5.72	5.72	Additional Monitoring Underway, New Equipment or Treatment Process Installed, New/Modified Sampling Program Underway	Assessment Underway, Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 3 exceedances

DISSOLVED OXYGEN

C of A/Permit Non-Compliance

August 20, 2007 - August 30, 2007	4	mg/L	/d	2 exceedances	3.48	3.93	Additional Monitoring Underway, Conducting Study, Operational Process Modification	Voluntary Abatement Program Underway
--------------------------------------	---	------	----	---------------	------	------	--	--------------------------------------

Total C of A/Permit Non-Compliance = 2 exceedances

ESCHERICHIA COLI

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Southwest Middlesex - Wardsville WPCP

1659 Longwoods Rd
Southwest Middlesex

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

C of A/Permit Non-Compliance

February 7, 2007 - April 18, 2007	1000	cfu/100 ml	/d	3 exceedances	1320	13600	Additional Monitoring Underway, Conducting Study, Operational Process Modification	Voluntary Abatement Program Underway
--------------------------------------	------	---------------	----	---------------	------	-------	---	---

Total C of A/Permit Non-Compliance = 3 exceedances

LOW PH EFFLUENT

C of A/Permit Non-Compliance

June 18, 2007 - December 11, 2007	6	pH	/d	3 exceedances	4.48	5.98	Additional Monitoring Underway, Conducting Study, Operational Process Modification	Voluntary Abatement Program Underway
--------------------------------------	---	----	----	---------------	------	------	---	---

Total C of A/Permit Non-Compliance = 3 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

June 13, 2007 - June 27, 2007	1	mg/L	/d	2 exceedances	1.36	1.71	Additional Monitoring Underway, Conducting Study, Operational Process Modification	Voluntary Abatement Program Underway
----------------------------------	---	------	----	---------------	------	------	---	---

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the
Municipality of Southwest
Middlesex - Wardsville WPCP**

1659 Longwoods Rd
Southwest Middlesex

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
June 1, 2007 - August 31, 2007	0.5	mg/L	mon avg	3 exceedances	0.6	1.17	Additional Monitoring Underway, New Equipment or Treatment Process Installed, New/Modified Sampling Program Underway	Assessment Underway, Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Municipality of Temagami - Temagami South WPCP

Temagami South Lagoons
Temagami

Sector: Sewage Municipal
Ministry Office: North Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

May 15, 2007 - June 15, 2007	25	mg/L	seasonal avg	1 exceedance	26	26	Conducting Study	Assessment Underway
---------------------------------	----	------	-----------------	--------------	----	----	------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Separated Town of St. Marys - St. Marys WWTP

309 Thomas St
St. Marys

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

December 2007	1	mg/L	/d	2 exceedances	1.02	1.07	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
---------------	---	------	----	---------------	------	------	---	---

Total C of A/Permit Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

September 2007	25	mg/L	/d	1 exceedance	27	27	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved
December 1, 2007 - December 31, 2007	15	mg/L	mon avg	1 exceedance	17.8	17.8	Additional Monitoring Underway	Other Abatement Action Taken
December 2007	25	mg/L	/d	1 exceedance	43	43	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Separated Town of St. Marys - St. Marys WWTP

309 Thomas St
St. Marys

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL AMMONIA NITROGEN								
C of A/Permit Non-Compliance								
October 2007	8	mg/L	/d	1 exceedance	13	13	Additional Monitoring Underway, Equipment Modified, Repaired, Replaced or Re-calibrated	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Aylmer - Aylmer STP**

46 Talbot St
Malahide

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.62	0.62	None Required	Assessment Complete - Incident Resolved
-------------------------------------	-----	------	---------	--------------	------	------	---------------	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Blind River - Blind River STP

15 Martin St
Blind River

Sector: Sewage Municipal
Ministry Office: Sault Ste. Marie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
March 2007	25	mg/L	any	1 exceedance	197	197	None required	Other Abatement action taken
April 2007	25	mg/L	any	1 exceedance	198	198	None Required	Other Abatement action taken

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Carleton Place - Carleton Place STP

Carleton Place
Carleton Place

Sector: Sewage Municipal
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

August 1, 2007 - August 31, 2007	4	mg/L	mon avg	1 exceedance	10.99	10.99	Action Plan Submitted - Implementing Improvements	Assessment Underway
-------------------------------------	---	------	---------	--------------	-------	-------	--	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Cobourg - Cobourg WPCP

420 King St W
Cobourg

Sector: Sewage Municipal
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
January 1, 2007 - January 31, 2007	6	mg/L	mon avg	1 exceedance	6.1	6.1	Other	Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	6	mg/L	mon avg	1 exceedance	9.3	9.3	Other	Voluntary Abatement Program Underway
April 1, 2007 - April 30, 2007	6	mg/L	mon avg	1 exceedance	7.9	7.9	Other	Voluntary Abatement Program Underway
May 1, 2007 - May 31, 2007	4	mg/L	mon avg	1 exceedance	4.3	4.3	Other	Voluntary Abatement Program Underway
June 1, 2007 - June 30, 2007	4	mg/L	mon avg	1 exceedance	11.5	11.5	Other	Voluntary Abatement Program Underway
July 1, 2007 - July 31, 2007	4	mg/L	mon avg	1 exceedance	13.69	13.69	Other	Voluntary Abatement Program Underway
December 1, 2007 - December 31, 2007	6	mg/L	mon avg	1 exceedance	8.6	8.6	Other	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 7 exceedances

CHLORINE RESIDUAL

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Cobourg - Cobourg WPCP

420 King St W
Cobourg

Sector: Sewage Municipal
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
C of A/Permit Non-Compliance								
May 1, 2007 - May 31, 2007	0	mg/L	/wk	1 exceedance	0.6	0.6	Other	Voluntary Abatement Program Underway
June 1, 2007 - June 30, 2007	0	mg/L	/wk	1 exceedance	0.8	0.8	Other	Voluntary Abatement Program Underway
July 1, 2007 - July 31, 2007	0	mg/L	/wk	1 exceedance	0.9	0.9	Other	Voluntary Abatement Program Underway
August 1, 2007 - August 31, 2007	0	mg/L	/wk	1 exceedance	1.1	1.1	Other	Voluntary Abatement Program Underway
September 1, 2007 - September 30, 2007	0	mg/L	/wk	1 exceedance	1.1	1.1	Other	Voluntary Abatement Program Underway
October 1, 2007 - October 31, 2007	0	mg/L	/wk	1 exceedance	1.2	1.2	Other	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 6 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	0.3	mg/L	mon avg	1 exceedance	0.4	0.4	Other	Voluntary Abatement Program Underway
---------------------------------------	-----	------	---------	--------------	-----	-----	-------	---

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Cobourg - Cobourg WPCP

420 King St W
Cobourg

Sector: Sewage Municipal
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
February 1, 2007 - February 28, 2007	0.3	mg/L	mon avg	1 exceedance	0.4	0.4	Other	Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	0.3	mg/L	mon avg	1 exceedance	0.7	0.7	Other	Voluntary Abatement Program Underway
April 1, 2007 - April 30, 2007	0.3	mg/L	mon avg	1 exceedance	0.7	0.7	Other	Voluntary Abatement Program Underway
August 1, 2007 - August 31, 2007	0.3	mg/L	mon avg	1 exceedance	0.4	0.4	Other	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 5 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	25	mg/L	mon avg	1 exceedance	25.5	25.5	Other	Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	25	mg/L	mon avg	1 exceedance	55.6	55.6	Other	Voluntary Abatement Program Underway
April 1, 2007 - April 30, 2007	25	mg/L	mon avg	1 exceedance	67.7	67.7	Other	Voluntary Abatement Program Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Cobourg - Cobourg WPCP**

420 King St W
Cobourg

Sector: Sewage Municipal
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
May 1, 2007 - May 31, 2007	25	mg/L	mon avg	1 exceedance	27	27	Other	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Deep River - Deep River STP

1 Cedar Rd
Deep River

Sector: Sewage Municipal
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
February 1, 2007 - February 28, 2007	1	mg/L	mon avg	1 exceedance	1.13	1.13	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Underway
November 1, 2007 - November 30, 2007	1	mg/L	mon avg	1 exceedance	3.17	3.17	Action Plan Submitted - Implementing Improvements, Equipment Modified, Repaired, Replaced or Re- calibrated, Training/Procedure Change	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Essex - Colchester Lagoon**

125 Cornwall Rd
Essex

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

July 1, 2007 - July 31, 2007	30	mg/L	mon avg	1 exceedance	38	38	Additional Monitoring Underway	Assessment Complete - No Action Required
---------------------------------	----	------	---------	--------------	----	----	-----------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Essex - Essex STP**

3980 North Malden Rd
Essex

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

March 1, 2007 - March 31, 2007	10	mg/L	mon avg	1 exceedance	14	14	Operational Process Modification	Assessment Underway
-----------------------------------	----	------	---------	--------------	----	----	-------------------------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Fort Frances - Fort Frances WWTP

200 McIrvine Rd
Fort Frances

Sector: Sewage Municipal
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
November 2007	25	mg/L	/d	1 exceedance	555	555	Other	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Hanover - Hanover WPCP**

718 7th Ave
Hanover

Sector: Sewage Municipal
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
May 1, 2007 - May 30, 2007	200	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	1120	1120	Other	Assessment Complete - No Action Required
July 1, 2007 - July 31, 2007	200	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	240	240	Operational Process Modification	Assessment Complete - Incident Resolved
September 1, 2007 - September 30, 2007	200	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	8400	8400	Operational Process Modification	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Hawkesbury - Hawkesbury WPCP

815 Main St E
Hawkesbury

Sector: Sewage Municipal
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
CARBONACEOUS BIOCHEMICAL OXYGEN DEMAND								
C of A/Permit Non-Compliance								
February 1, 2007 - February 28, 2007	25	mg/L	mon avg	1 exceedance	43.3	43.3	Action Plan Submitted - Implementing Improvements, Conducting Study	Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	307	kg/d	mon avg	1 exceedance	329.58	329.58	Action Plan Submitted - Implementing Improvements, Conducting Study	Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	25	mg/L	mon avg	1 exceedance	38.8	38.8	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	307	kg/d	mon avg	1 exceedance	481.7	481.7	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
June 1, 2007 - June 30, 2007	25	mg/L	mon avg	1 exceedance	50.8	50.8	Conducting Study	Voluntary Abatement Program Underway
June 1, 2007 - June 30, 2007	307	kg/d	mon avg	1 exceedance	501.32	50.8	Conducting Study	Voluntary Abatement Program Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Hawkesbury - Hawkesbury WPCP

815 Main St E
Hawkesbury

Sector: Sewage Municipal
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 1, 2007 - August 31, 2007	25	mg/L	mon avg	1 exceedance	28.8	28.8	Conducting Study	Voluntary Abatement Program Underway
September 1, 2007 - September 30, 2007	25	mg/L	mon avg	1 exceedance	30	30	Conducting Study, New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
November 1, 2007 - November 30, 2007	25	mg/L	mon avg	1 exceedance	45	45	Action Plan Submitted - Implementing Improvements	Assessment Underway, Voluntary Abatement Program Underway
November 1, 2007 - November 30, 2007	307	kg/d	mon avg	1 exceedance	424.51	424.51	Action Plan Submitted - Implementing Improvements	Assessment Underway, Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 10 exceedances

ESCHERICHIA COLI

C of A/Permit Non-Compliance

March 1, 2007 - March 31, 2007	200	CT/100 mL	mon avg	1 exceedance	211	211	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
April 1, 2007 - April 30, 2007	200	cfu/100 ml	mon avg	1 exceedance	451	451	Action Plan Submitted - Implementing Improvements	Voluntary Abatement Program Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Hawkesbury - Hawkesbury WPCP

815 Main St E
Hawkesbury

Sector: Sewage Municipal
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

Total C of A/Permit Non-Compliance = 2 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	1	mg/L	mon avg	1 exceedance	2.11	2.11	Action Plan Submitted - Implementing Improvements, Conducting Study	Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	12.3	kg/d	mon avg	1 exceedance	16.08	16.08	Action Plan Submitted - Implementing Improvements, Conducting Study	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	25	mg/L	mon avg	1 exceedance	25.8	25.8	Additional Monitoring Underway, Conducting Study	Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	25	mg/L	mon avg	1 exceedance	72	72	Action Plan Submitted - Implementing Improvements, Conducting Study	Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	307	kg/d	mon avg	1 exceedance	548.66	548.66	Action Plan Submitted - Implementing Improvements, Conducting Study	Voluntary Abatement Program Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Hawkesbury - Hawkesbury WPCP

815 Main St E
Hawkesbury

Sector: Sewage Municipal
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
March 1, 2007 - March 31, 2007	25	mg/L	mon avg	1 exceedance	38	38	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	307	kg/d	mon avg	1 exceedance	472.37	472.37	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
August 1, 2007 - August 31, 2007	25	mg/L	mon avg	1 exceedance	26.3	26.3	Conducting Study	Voluntary Abatement Program Underway
September 1, 2007 - September 30, 2007	25	mg/L	mon avg	1 exceedance	30.5	30.5	Conducting Study, New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 7 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Innisfil - Innisfil WPCP**

1578 St. John's Rd
Innisfil

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL AMMONIA NITROGEN								
C of A/Permit Non-Compliance								
May 1, 2007 - May 31, 2007	5	mg/L	mon avg	1 exceedance	6.64	6.64	Additional Monitoring Underway	Assessment Underway, Voluntary Abatement Program Underway
July 1, 2007 - July 31, 2007	5	mg/L	mon avg	1 exceedance	6.75	6.75	Additional Monitoring Underway	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Iroquois Falls - Iroquois Falls STP

2 Northwest Industrial Rd
Iroquois Falls

Sector: Sewage Municipal
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
May 1, 2007 - May 31, 2007	200	CT/100 mL	mon avg. on a geo. mean density	1 exceedance	211	211	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Kingsville - Cottam Lagoon**

168 Belle River Rd
Kingsville

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	1	mg/L	mon avg	1 exceedance	1.28	1.28	Other	Voluntary Abatement Program Underway
---	---	------	---------	--------------	------	------	-------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Lakeshore - Belle River-Maidstone
WPCP**

276 Rourke Line Road, Belle River
Lakeshore

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

November 1, 2007 - November 30, 2007	1.5	mg/L	mon avg	1 exceedance	5.1	5.1	Conducting Study	Assessment Complete - No Action Required
---	-----	------	---------	--------------	-----	-----	------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Lakeshore - Patillo Road STP

Patillo Rd. and Advance Dr.
Lakeshore

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
November 1, 2007 - November 30, 2007	0.3	mg/L	mon avg	1 exceedance	0.53	0.53	Ceased Operations	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Lakeshore - South Woodslee WPCP

Hamlet of South Woodslee, 1711 King St
Lakeshore

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

April 1, 2007 - April 30, 2007	200	CT/100 mL	mon avg	1 exceedance	551	551	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required
May 1, 2007 - May 31, 2007	200	CT/100 mL	mon avg	1 exceedance	346	346	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 2 exceedances

LOW PH EFFLUENT

C of A/Permit Non-Compliance

April 2007	6	pH	any	1 exceedance	5.57	5.57	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required
July 1, 2007 - July 31, 2007	6	pH	any	3 exceedances	5.88	5.91	New Equipment or Treatment Process Installed, Operational Process Modification	Assessment Complete - No Action Required

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Lakeshore - South Woodslee WPCP

Hamlet of South Woodslee, 1711 King St
Lakeshore

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
September 2007	6	pH	any	1 exceedance	5.83	5.83	Action Plan Submitted - Implementing Improvements, New Equipment or Treatment Process Installed, Training/Procedure Change	Assessment Complete - No Action Required
November 1, 2007 - November 30, 2007	6	pH	any	11 exceedances	4.5	4.5	New Equipment or Treatment Process Installed	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 16 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

March 1, 2007 - March 31, 2007	0.3	mg/L	mon avg	1 exceedance	0.34	0.34	Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Other Abatement Action Taken
November 1, 2007 - November 30, 2007	0.3	mg/L	mon avg	1 exceedance	0.35	0.35	New Equipment or Treatment Process Installed	Assessment Complete - No Action Required

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Lakeshore - South Woodslee WPCP

Hamlet of South Woodslee, 1711 King St
Lakeshore

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
December 1, 2007 - December 31, 2007	0.3	mg/L	mon avg	1 exceedance	0.54	0.54	Action Plan Submitted - Implementing Improvements, Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 3 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

March 1, 2007 - March 31, 2007	10	mg/L	mon avg	1 exceedance	14.5	14.5	Equipment Modified, Repaired, Replaced or Re- calibrated, New Equipment or Treatment Process Installed	Other Abatement Action Taken
April 1, 2007 - April 30, 2007	10	mg/L	mon avg	1 exceedance	10.5	10.5	Action Plan Submitted - Implementing Improvements	Assessment Complete - No Action Required
July 1, 2007 - July 31, 2007	10	mg/L	mon avg	1 exceedance	10.8	10.8	New Equipment or Treatment Process Installed, Operational Process Modification	Assessment Complete - No Action Required

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Lakeshore - South Woodslee WPCP

Hamlet of South Woodslee, 1711 King St
Lakeshore

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 1, 2007 - August 31, 2007	10	mg/L	mon avg	1 exceedance	12.6	12.6	New Equipment or Treatment Process Installed, Operational Process Modification	Assessment Complete - No Action Required
September 1, 2007 - September 30, 2007	10	mg/L	mon avg	1 exceedance	14.5	14.5	Action Plan Submitted - Implementing Improvements, New Equipment or Treatment Process Installed, Training/Procedure Change	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Leamington - Leamington WPCP

435 Seaclyff Dr E
Leamington

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

August 2007	1	mg/L	mon avg	1 exceedance	1.64	1.76	Other	Assessment Complete - No Action Required
-------------	---	------	---------	--------------	------	------	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

August 27, 2007 - August 29, 2007	15	mg/L	mon avg	2 exceedances	30	37.5	Other	Assessment Complete - No Action Required
--------------------------------------	----	------	---------	---------------	----	------	-------	--

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Minto - Clifford WWTP

Lot 57 & 58, Conc C
Minto

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
November 2007	6	kg	/d	1 exceedance	10.2	10.2	None Required	Assessment Complete - No Action Required
November 1, 2007 - November 30, 2007	12	mg/L	mon avg	1 exceedance	74	74	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of New Tecumseth - New Tecumseth Regional WPCP

Lot 2 Conc 13
New Tecumseth

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

May 1, 2007 - November 30, 2007	2.5	kg/d	seasonal avg	1 exceedance	3.5	3.5	Operational Process Modification	Assessment Complete - No Action Required
------------------------------------	-----	------	-----------------	--------------	-----	-----	-------------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

December 1, 2007 - December 31, 2007	15	mg/L	mon avg	1 exceedance	17	17	Operational Process Modification	Assessment Complete - No Action Required
---	----	------	---------	--------------	----	----	-------------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
New Tecumseth - Tottenham
WWTP**

100 Mill St W
New Tecumseth

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL AMMONIA NITROGEN								
C of A/Permit Non-Compliance								
May 1, 2007 - May 31, 2007	0.5	mg/L	mon avg	1 exceedance	1.3	1.3	Additional Monitoring Underway	Assessment Underway

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Petawawa - Petawawa WPCP**

560 Abbie Lane
Petawawa

Sector: Sewage Municipal
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
January 1, 2007 - January 31, 2007	200	cfu/100 ml	mon avg	1 exceedance	216	216	Additional Monitoring Underway, Training/Procedure Change	Assessment Complete - No Action Required, Voluntary Abatement Program Underway
January 1, 2007 - January 31, 2007	200	cfu/100 ml	mon avg	1 exceedance	216	216	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Renfrew - Renfrew STP

330 Mutual St Lot 13, Conc 2
Renfrew

Sector: Sewage Municipal
Ministry Office: Ottawa

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
Policy/Guideline Non-Conformance								
February 1, 2007 - February 28, 2007	1	mg/L	mon avg	1 exceedance	1.22	1.22	Additional Monitoring Underway	Assessment Underway

Total Policy/Guideline Non-Conformance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Shelburne - Shelburne WWTP

300 Centennial Rd
Shelburne

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
February 2007	6	mg/L	/mon	1 exceedance	8	8	Other	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Smooth Rock Falls - Smooth Rock
Falls STP**

142 First St
Smooth Rock Falls

Sector: Sewage Municipal
Ministry Office: Timmins

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

March 1, 2007 - December 31, 2007	200	CT/100 mL	mon avg	8 exceedances	269.18	3868.5	Conducting Study	Voluntary Abatement Program Underway
--------------------------------------	-----	--------------	---------	---------------	--------	--------	------------------	---

Total C of A/Permit Non-Compliance = 8 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of Tecumseh - Skyway Subdivision WPCP

McCord Lane
Tecumseh

Sector: Sewage Municipal
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	10	mg/L	mon avg	1 exceedance	17.5	17.5	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
---	----	------	---------	--------------	------	------	---	---

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

June 1, 2007 - June 30, 2007	10	mg/L	mon avg	1 exceedance	10.5	10.5	None Required, Other	Voluntary Abatement Program Underway
---------------------------------	----	------	---------	--------------	------	------	----------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

TOTAL AMMONIA NITROGEN

C of A/Permit Non-Compliance

January 1, 2007 - February 28, 2007	4	mg/L	mon avg	2 exceedances	9.28	16.2	New Equipment or Treatment Process Installed	Voluntary Abatement Program Underway
--	---	------	---------	---------------	------	------	---	---

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Town of The Blue Mountains - Thornbury WPCP

Lot 31, Conc. 9
The Blue Mountains

Sector: Sewage Municipal
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
FLOW								
C of A/Permit Non-Compliance								
March 2007	7196	m3/d	/d	1 exceedance	8220	8220	Other	Assessment Underway

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Town of
Wasaga Beach - Wasaga Beach
WPCP**

100 Woodland Drive, P.O. Box 427
Wasaga Beach

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL AMMONIA NITROGEN								
C of A/Permit Non-Compliance								
July 2007	1.1	mg/L	/d	1 exceedance	2.3	2.3	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Alfred and Plantagenet - Alfred Village STP

Lot 11, Conc. 7 former Alfred Twp.
Alfred and Plantagenet

Sector: Sewage Municipal
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

April 24, 2007 - June 21, 2007	40	mg/L	annual avg	1 exceedance	45.3	45.3	Other	Assessment Complete - No Action Required
-----------------------------------	----	------	------------	--------------	------	------	-------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Asphodel-Norwood - Norwood STP

34 Industrial Dr
Asphodel-Norwood

Sector: Sewage Municipal
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

ESCHERICHIA COLI

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	200	cfu/100 ml	mon avg	1 exceedance	477.7	477.7	Operational Process Modification	Other Abatement Action Taken
February 1, 2007 - February 28, 2007	200	cfu/100 ml	mon avg	1 exceedance	942.01	942.01	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued
March 1, 2007 - March 31, 2007	200	cfu/100 ml	mon avg	1 exceedance	280.84	280.84	Action Plan Submitted - Implementing Improvements	Provincial Officer's Order Issued
April 1, 2007 - April 30, 2007	200	cfu/100 ml	mon avg	1 exceedance	2710.09	2710.09	Action Plan Submitted - Implementing Improvements	Assessment Underway
May 1, 2007 - May 31, 2007	200	cfu/100 ml	mon avg	1 exceedance	960.73	960.73	Action Plan Submitted - Implementing Improvements	Assessment Underway
June 1, 2007 - June 30, 2007	200	cfu/100 ml	mon avg	1 exceedance	294.74	294.74	Action Plan Submitted - Implementing Improvements	Assessment Underway
July 1, 2007 - July 31, 2007	200	cfu/100 ml	mon avg	1 exceedance	296.36	296.36	Action Plan Submitted - Implementing Improvements	Assessment Underway

Total C of A/Permit Non-Compliance = 7 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Corporation of the Township
of Champlain - Vankleek Hill
Lagoon**

Lots 5 & 6, Conc 6
Champlain

Sector: Sewage Municipal
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

November 1, 2007 - November 19, 2007	20	mg/L	seasonal avg	1 exceedance	45	45	Ceased Operations	Other Abatement Action Taken
---	----	------	-----------------	--------------	----	----	-------------------	------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Clearview - Creemore WWTP

81- 83 Mary St, Creemore
Clearview

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
October 1, 2007 - October 31, 2007	0.2	mg/L	mon avg	1 exceedance	0.66	0.66	Other	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Dysart et al - Haliburton STP

Lot 14, conc 8, Dysart Township
Dysart et al

Sector: Sewage Municipal
Ministry Office: Peterborough

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
August 1, 2007 - August 31, 2007	0.2	mg/L	/mon	1 exceedance	0.32	0.32	Training/Procedure Change	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Ear Falls - Ear Falls WWTP

KM275 Part 1 Aspen St
Ear Falls

Sector: Sewage Municipal
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
November 2007	200	cfu/100 /d ml		1 exceedance	750	750	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Emo - Emo Lagoon

West of Emo Fair Grounds
Emo

Sector: Sewage Municipal
Ministry Office: Kenora

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

May 1, 2007 - November 30, 2007	1	mg/L	mon avg	2 exceedances	1.3	1.35	Operational Process Modification	Assessment Underway
------------------------------------	---	------	---------	---------------	-----	------	-------------------------------------	---------------------

Total C of A/Permit Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

May 1, 2007 - May 31, 2007	30	mg/L	mon avg	1 exceedance	34.33	34.33	Operational Process Modification	Assessment Underway
-------------------------------	----	------	---------	--------------	-------	-------	-------------------------------------	---------------------

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Essa - Angus STP

143 Centre St
Essa

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
March 1, 2007 - March 31, 2007	10	mg/L	mon avg	1 exceedance	11.8	11.8	Operational Process Modification	Assessment Complete - No Action Required
July 1, 2007 - September 30, 2007	10	mg/L	mon avg	2 exceedances	12	12.3	Operational Process Modification	Assessment Complete - No Action Required
October 1, 2007 - October 31, 2007	10	mg/L	mon avg	1 exceedance	12.4	12.4	Operational Process Modification	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Huron-Kinloss - Ripley Lagoon

Lot 14, Conc. 7
Huron-Kinloss

Sector: Sewage Municipal
Ministry Office: Owen Sound

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
April 2007	45	mg/L	/d	1 exceedance	46	46	None Required, Other	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Lucan Biddulph - Lucan WPCP

6242 Fallon Dr
Lucan Biddulph

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
BIOCHEMICAL OXYGEN DEMAND								
C of A/Permit Non-Compliance								
February 1, 2007 - February 28, 2007	10	mg/L	mon avg	1 exceedance	11	11	Other, Training/Procedure Change	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Manitouwadge - Manitouwadge STP

Lot M179, Conc BLKA
Manitouwadge

Sector: Sewage Municipal
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
BIOCHEMICAL OXYGEN DEMAND								
C of A/Permit Non-Compliance								
February 2007	25	mg/L	/2wk	2 exceedances	42	54	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
March 2007	25	mg/L	/2wk	3 exceedances	43	59	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Underway
March 2007	25	mg/L	/2wk	1 exceedance	30	30	New/Modified Sampling Program Underway	Assessment Complete - Incident Resolved
March 2007	25	mg/L	/2wk	1 exceedance	54	54	None Required	Assessment Complete - Incident Resolved
March 2007	25	mg/L	/2wk	1 exceedance	44	44	Operational Process Modification	Assessment Underway

Total C of A/Permit Non-Compliance = 8 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Manitouwadge - Manitouwadge STP

Lot M179, Conc BLKA
Manitouwadge

Sector: Sewage Municipal
Ministry Office: Thunder Bay

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
May 2007	30	mg/L	/2wk	1 exceedance	31	31	Additional Monitoring Underway	Assessment Complete - Incident Resolved

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Mapleton - Mapleton WPCP

7101 Sideroad 15, Drayton
Mapleton

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
BIOCHEMICAL OXYGEN DEMAND								
C of A/Permit Non-Compliance								
December 1, 2007 - December 31, 2007	10	mg/L	mon avg	1 exceedance	10.75	10.75	Other	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of North Dundas - Winchester STP

12396 Ottawa St N
North Dundas

Sector: Sewage Municipal
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

December 2007	7	mg/L	any	1 exceedance	8.1	8.1	Other	Assessment Complete - No Action Required
---------------	---	------	-----	--------------	-----	-----	-------	--

Total C of A/Permit Non-Compliance = 1 exceedance

HYDROGEN SULPHIDE

C of A/Permit Non-Compliance

April 2007	0.01	mg/L	any	4 exceedances	0.06	0.11	Conducting Study	Voluntary Abatement Program Underway
November 2007	0	mg/L	any	1 exceedance	0.01	0.01	Conducting Study	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 5 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of North Glengarry - Maxville Lagoon

Lot 11 & 12; Conc 19 & 20
North Glengarry

Sector: Sewage Municipal
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
HIGH PH EFFLUENT								
C of A/Permit Non-Compliance								
July 2007	9	pH	any	1 exceedance	9.06	9.06	Additional Monitoring Underway	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Severn - West Shore WWTP

Part Lot 6 Conc 10
Severn

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

PHOSPHORUS

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	0.15	mg/L	mon avg	1 exceedance	0.17	0.17	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
October 1, 2007 - October 31, 2007	0.15	mg/L	mon avg	1 exceedance	0.4	0.4	Operational Process Modification	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

October 1, 2007 - October 31, 2007	10	mg/L	mon avg	1 exceedance	24	24	Operational Process Modification	Assessment Complete - No Action Required
---------------------------------------	----	------	---------	--------------	----	----	-------------------------------------	---

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of South Dundas - Iroquois WWTP

Golf Club Road
South Dundas

Sector: Sewage Municipal
Ministry Office: Cornwall

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

Policy/Guideline Non-Conformance

January 1, 2007 - December 31, 2007	50	% recover y	annual	1 exceedance	49	49	Conducting Study	Provincial Officer's Order Issued
--	----	-------------------	--------	--------------	----	----	------------------	--------------------------------------

Total Policy/Guideline Non-Conformance = 1 exceedance

TOTAL SUSPENDED SOLIDS

Policy/Guideline Non-Conformance

January 1, 2007 - December 31, 2007	70	% recover y	annual	1 exceedance	67	67	Conducting Study	Provincial Officer's Order Issued
--	----	-------------------	--------	--------------	----	----	------------------	--------------------------------------

Total Policy/Guideline Non-Conformance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of St. Clair - Brigden Lagoon

Lot 9, Conc 4
St. Clair

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
Policy/Guideline Non-Conformance								
March 22, 2007 - May 10, 2007	1	mg/L	seasonal avg	1 exceedance	1.6	1.6	None Required	Other Abatement Action Taken

Total Policy/Guideline Non-Conformance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of St. Clair - Corunna STP

362 Beresford St
St. Clair

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
March 1, 2007 - March 31, 2007	1	mg/L	mon avg	1 exceedance	1.43	1.43	Additional Monitoring Underway, New Equipment or Treatment Process Installed, New/Modified Sampling Program Underway, Other	Assessment Underway, Other Abatement Action Taken
Total C of A/Permit Non-Compliance = 1 exceedance								

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Tay - Port McNicoll WWTP

551 First St
Tay

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
August 1, 2007 - September 30, 2007	0.25	mg/L	mon avg	2 exceedances	0.33	0.43	Operational Process Modification	Assessment Complete - No Action Required
October 1, 2007 - November 30, 2007	0.25	mg/L	mon avg	2 exceedances	0.33	0.44	Operational Process Modification	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 4 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Township of Warwick - Watford Lagoon

Lot 16,17 Conc 11, Warwick Twp
Warwick

Sector: Sewage Municipal
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

Policy/Guideline Non-Conformance

January 1, 2007 - December 31, 2007	25	mg/L	annual avg	1 exceedance	32.3	32.3	Conducting Study	Assessment Underway
--	----	------	------------	--------------	------	------	------------------	---------------------

Total Policy/Guideline Non-Conformance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Village of Newbury - Newbury WWTP

Lot: 18, Conc: 2, County Of Middlesex
Newbury

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

October 1, 2007 - October 31, 2007	3	mg/L	mon avg	1 exceedance	3.38	3.38	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
---------------------------------------	---	------	---------	--------------	------	------	---	--

Total C of A/Permit Non-Compliance = 1 exceedance

LOW PH EFFLUENT

C of A/Permit Non-Compliance

June 4, 2007 - July 9, 2007	6	pH	/d	14 exceedances	5.02	5.96	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
--------------------------------	---	----	----	----------------	------	------	---	--

Total C of A/Permit Non-Compliance = 14 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

July 1, 2007 - August 31, 2007	0.5	mg/L	mon avg	2 exceedances	0.55	0.58	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
-----------------------------------	-----	------	---------	---------------	------	------	---	--

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Corporation of the Village of Newbury - Newbury WWTP

Lot: 18, Conc: 2, County Of Middlesex
Newbury

Sector: Sewage Municipal
Ministry Office: London

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

August 1, 2007 - October 31, 2007	10	mg/L	mon avg	2 exceedances	10.2	11	New Equipment or Treatment Process Installed	Assessment Complete - Incident Resolved, Assessment Complete - No Action Required
--------------------------------------	----	------	---------	---------------	------	----	---	--

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The District Municipality of Muskoka - Birch Glen STP

2825 Muskoka Road 117, Baysville
Lake of Bays

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
May 1, 2007 - May 31, 2007	4	mg/L	mon avg	1 exceedance	4.5	4.5	Operational Process Modification	Assessment Complete - No Action Required
July 1, 2007 - August 31, 2007	4	mg/L	mon avg	2 exceedances	8.2	16.7	Operational Process Modification	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The District Municipality of Muskoka - Conger March WWTP

20 Conger Marsh Lane
Township of Georgian Bay

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA								
C of A/Permit Non-Compliance								
March 1, 2007 - March 31, 2007	4	mg/L	mon avg	1 exceedance	4.7	4.7	Operational Process Modification	Assessment Complete - No Action Required
April 1, 2007 - April 30, 2007	2	mg/L	mon avg	1 exceedance	8.4	8.4	Operational Process Modification	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The District Municipality of Muskoka - Muskoka Beach WPCP

1083 Muskoka Beach Road
Gravenhurst

Sector: Sewage Municipal
Ministry Office: Barrie

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

LOW PH EFFLUENT

C of A/Permit Non-Compliance

March 2007	6	pH	any	1 exceedance	5.85	5.85	Equipment Modified, Repaired, Replaced or Re- calibrated	Assessment Complete - Incident Resolved
------------	---	----	-----	--------------	------	------	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Forest-Cliff Camps, Incorporated

8324 Glendale Dr
Lambton Shores

Sector: Miscellaneous
Ministry Office: Sarnia

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA

C of A/Permit Non-Compliance

July 1, 2007 - September 30, 2007	3	mg/L	mon avg	3 exceedances	3.1	8.2	Operational Process Modification	Assessment Underway
--------------------------------------	---	------	---------	---------------	-----	-----	-------------------------------------	---------------------

Total C of A/Permit Non-Compliance = 3 exceedances

CHLORINE RESIDUAL

C of A/Permit Non-Compliance

July 1, 2007 - October 31, 2007	0	mg/L	mon avg	4 exceedances	0.05	0.46	Operational Process Modification	Assessment Underway
------------------------------------	---	------	---------	---------------	------	------	-------------------------------------	---------------------

Total C of A/Permit Non-Compliance = 4 exceedances

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

July 1, 2007 - August 31, 2007	10	mg/L	mon avg	2 exceedances	14	17.3	Operational Process Modification	Assessment Underway
-----------------------------------	----	------	---------	---------------	----	------	-------------------------------------	---------------------

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Regional Municipality of
Durham - Duffin Creek WPCP**

901 McKay Rd
Pickering

Sector: Sewage Municipal
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
November 1, 2007 - November 30, 2007	1	mg/L	mon avg	1 exceedance	1.08	1.08	Other	Assessment Underway

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Regional Municipality of
Durham - Nonquon River WPCP**

8 - 1730 Scugog Line
Scugog

Sector: Sewage Municipal
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

January 1, 2007 - December 31, 2007	41.4	kg/d	annual avg	1 exceedance	52.7	52.7	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
--	------	------	------------	--------------	------	------	--	---

Total C of A/Permit Non-Compliance = 1 exceedance

TOTAL AMMONIA NITROGEN

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	3	mg/L	mon avg	1 exceedance	10.1	10.1	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
February 1, 2007 - February 28, 2007	11.7	kg/d	mon avg	1 exceedance	77.2	77.2	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
March 1, 2007 - March 31, 2007	10	mg/L	mon avg	1 exceedance	16.7	16.7	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Durham - Nonquon River WPCP

8 - 1730 Scugog Line
Scugog

Sector: Sewage Municipal
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
March 1, 2007 - March 31, 2007	38.7	kg/d	mon avg	1 exceedance	139.2	139.2	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
April 1, 2007 - April 30, 2007	5	mg/L	mon avg	1 exceedance	13.24	13.24	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
April 1, 2007 - April 30, 2007	19.4	kg/d	mon avg	1 exceedance	95.03	95.03	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
May 1, 2007 - May 31, 2007	3	mg/L	mon avg	1 exceedance	18.93	18.93	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway
May 1, 2007 - May 31, 2007	11.7	kg/d	mon avg	1 exceedance	116.5	116.5	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 8 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Halton - Mid-Halton WWTP

2195 North Service Road West
Oakville

Sector: Sewage Municipal
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
LOW PH EFFLUENT								
C of A/Permit Non-Compliance								
August 2007	6	pH	/d	1 exceedance	5.4	5.4	Conducting Study	Assessment Underway
November 2007	6	pH	/d	1 exceedance	5.5	5.5	Conducting Study	Assessment Underway

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Halton - Skyway WWTP

1125 Lakeshore Road
Burlington

Sector: Sewage Municipal
Ministry Office: Halton-Peel

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
LOW PH EFFLUENT								
C of A/Permit Non-Compliance								
October 2007	6	pH	/wk	1 exceedance	5.95	5.95	Additional Monitoring Underway, Other	Voluntary Abatement Program Underway
October 2007	6	pH	/wk	1 exceedance	5.94	5.94	Conducting Study	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Niagara - Baker Road

347 Baker Rd
Grimsby

Sector: Sewage Municipal
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
April 1, 2007 - April 30, 2007	200	CT/100 mL	mon avg	1 exceedance	233.01	233.01	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Conducting Study, New/Modified Sampling Program Underway	Voluntary Abatement Program Underway
October 1, 2007 - October 31, 2007	200	CT/100 mL	mon avg	1 exceedance	2671.7	2671.7	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Conducting Study	Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Niagara - Port Dalhousie WPCP

40 Lighthouse Rd
St. Catharines

Sector: Sewage Municipal
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
February 1, 2007 - February 28, 2007	25	mg/L	/mon	1 exceedance	28.4	28.4	New/Modified Sampling Program Underway, New Equipment or Treatment Process Installed, Operational Process Modification	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Regional Municipality of
Niagara - Port Weller WPCP**

27 Lombardy Ave
St. Catharines

Sector: Sewage Municipal
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
April 1, 2007 - April 30, 2007	200	cfu/100 ml	mon avg	1 exceedance	3900.48	3900.48	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Conducting Study	Assessment Underway, Voluntary Abatement Program Underway

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Niagara - Seaway WWTP

30 Prosperity Ave
Port Colborne

Sector: Sewage Municipal
Ministry Office: Niagara

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
November 1, 2007 - November 30, 2007	200	cfu/100 ml	mon avg	1 exceedance	231.66	231.66	Additional Monitoring Underway	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Regional Municipality of
Waterloo - Ayr WWTP**

Lot 37, Conc 7
North Dumfries

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
TOTAL AMMONIA NITROGEN								
C of A/Permit Non-Compliance								
January 1, 2007 - January 31, 2007	3	mg/L	mon avg	1 exceedance	6	6	New Equipment or Treatment Process Installed, Operational Process Modification	Assessment Complete - Incident Resolved, Other Abatement Action Taken
February 1, 2007 - February 28, 2007	3	mg/L	mon avg	1 exceedance	13.54	13.54	New Equipment or Treatment Process Installed, Operational Process Modification	Assessment Complete - Incident Resolved, Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Waterloo - Elmira WWTP

80 First St E
Woolwich

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
PHOSPHORUS								
C of A/Permit Non-Compliance								
July 1, 2007 - July 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.62	0.62	Equipment Modified, Repaired, Replaced or Re- calibrated, Operational Process Modification, Other, Training/Procedure Change	Assessment Complete - Incident Resolved
August 1, 2007 - August 31, 2007	0.5	mg/L	mon avg	1 exceedance	0.59	0.59	Equipment Modified, Repaired, Replaced or Re- calibrated, Operational Process Modification, Other, Training/Procedure Change	Assessment Complete - Incident Resolved
September 1, 2007 - September 30, 2007	0.5	mg/L	mon avg	1 exceedance	0.99	0.99	Operational Process Modification	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 3 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Waterloo - Hespeler WPCP

900 Beaverdale Rd
Cambridge

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
BIOCHEMICAL OXYGEN DEMAND								
C of A/Permit Non-Compliance								
July 1, 2007 - July 31, 2007	25	mg/L	mon avg	1 exceedance	39.4	39.4	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Operational Process Modification, Training/Procedure Change	Other Abatement Action Taken
August 1, 2007 - August 31, 2007	25	mg/L	mon avg	1 exceedance	38	38	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Operational Process Modification, Training/Procedure Change	Other Abatement Action Taken
September 1, 2007 - September 30, 2007	25	mg/L	mon avg	1 exceedance	28.8	28.8	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Operational Process Modification, Training/Procedure Change	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 3 exceedances

PHOSPHORUS

C of A/Permit Non-Compliance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Regional Municipality of
Waterloo - Hespeler WPCP**

900 Beaverdale Rd
Cambridge

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
August 1, 2007 - August 31, 2007	1	mg/L	mon avg	1 exceedance	1.38	1.38	Action Plan Submitted - Implementing Improvements, Additional Monitoring Underway, Operational Process Modification, Training/Procedure Change	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**The Regional Municipality of
Waterloo - Kitchener WPCP**

368 Mill Park Drive
Kitchener

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
February 1, 2007 - February 28, 2007	200	CT/100 mL	mon avg	1 exceedance	522	522	Operational Process Modification	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Waterloo - St. Jacobs WPCP

Princess St., E, St. Jacobs
Woolwich

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

BIOCHEMICAL OXYGEN DEMAND

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	10	mg/L	mon avg	1 exceedance	12.45	12.45	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action Taken
---	----	------	---------	--------------	-------	-------	--	------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

ESCHERICHIA COLI

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	200	cfu/100 ml	mon avg	1 exceedance	461	461	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action Taken
---	-----	---------------	---------	--------------	-----	-----	--	------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

PHOSPHORUS

C of A/Permit Non-Compliance

February 1, 2007 - February 28, 2007	0.3	mg/L	mon avg	1 exceedance	0.68	0.68	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action Taken
---	-----	------	---------	--------------	------	------	--	------------------------------

Total C of A/Permit Non-Compliance = 1 exceedance

SUSPENDED SOLIDS

C of A/Permit Non-Compliance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Waterloo - St. Jacobs WPCP

Princess St., E, St. Jacobs
Woolwich

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
February 1, 2007 - March 31, 2007	10	mg/L	mon avg	2 exceedances	20.4	33.6	Equipment Modified, Repaired, Replaced or Re- calibrated	Other Abatement Action Taken

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

The Regional Municipality of Waterloo - Waterloo WPCP

190 University Ave E
Waterloo

Sector: Sewage Municipal
Ministry Office: Guelph

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
SUSPENDED SOLIDS								
C of A/Permit Non-Compliance								
March 1, 2007 - March 31, 2007	15	mg/L	mon avg	1 exceedance	16.6	16.6	None Required	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Windsor Essex Catholic District School Board - St. Thomas of Villanova High School

2800 North Tline
LaSalle

Sector: Miscellaneous
Ministry Office: Windsor

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
------	-------	------	-----------	--------------------	------	------	-----------------	-----------------

AMMONIA NITRATE

C of A/Permit Non-Compliance

January 1, 2007 - November 30, 2007	2	mg/L	mon avg	6 exceedances	3.4	6.1	Conducting Study, New Equipment or Treatment Process Installed	Assessment Underway, Provincial Officer's Order Issued
--	---	------	---------	---------------	-----	-----	--	--

Total C of A/Permit Non-Compliance = 6 exceedances

ESCHERICHIA COLI

C of A/Permit Non-Compliance

January 1, 2007 - January 31, 2007	200	CT/100 mL	mon avg	1 exceedance	455	455	Conducting Study, New Equipment or Treatment Process Installed	Assessment Underway, Provincial Officer's Order Issued
---------------------------------------	-----	--------------	---------	--------------	-----	-----	--	--

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

Woodbine Entertainment Group

555 Rexdale Blvd
Toronto

Sector: Miscellaneous
Ministry Office: Toronto

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
ESCHERICHIA COLI								
C of A/Permit Non-Compliance								
January 1, 2007 - December 31, 2007	200	CT/100 mL	annual avg	1 exceedance	215	215	Additional Monitoring Underway	Assessment Complete - No Action Required

Total C of A/Permit Non-Compliance = 1 exceedance

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.

2007 Municipal/Private Sewage Monthly Summary - All Regions

**York Catholic District School
Board - St. Mary's School**

75 Greenside Dr
King

Sector: Miscellaneous
Ministry Office: York-Durham

Date	Limit	Unit	Frequency	No. of Exceedances	Min.	Max.	Facility Action	Ministry Action
AMMONIA + NITRATE + NITRITE NITROGEN								
C of A/Permit Non-Compliance								
January 1, 2007 - June 30, 2007	2.5	mg/L	seasonal avg	2 exceedances	2.6	4.5	Conducting Study	Assessment Underway

Total C of A/Permit Non-Compliance = 2 exceedances

This data is provided for information purposes only. Dischargers provide most of the information contained in this summary. Dischargers are accountable for the accuracy of the information that they submit. Some of the information is also derived from ministry data on discharges. Facility Action, Ministry Action and conviction information are all current to September 2008. For up-to-date information, please contact the appropriate district or area office.