


Exposure Assessment
Placer Dome
Balmertown, Ontario, Canada

Prepared for
Placer Dome Canada
P.O. Box 10
Balmertown, Ontario, Canada

Prepared by
Gradient Corporation
44 Brattle Street
Cambridge, MA 02138

May 1995

MINISTRY OF THE ENVIRONMENT



Executive summary 5-11
Introduction 13-14
Site Description 16-17
Environmental Data 18-42
Summary of Preliminary Exposure Calculations 43-45
Development of an Arsenic Exposure Model 46-57

Table of Contents

(continued)

		<u>Page</u>
	4.1.4	Food 44
	4.1.4.1	Intake of Inorganic Arsenic in Food 50
	4.1.4.2	Other Exposure Variables 50
4.2	Monte Carlo Analysis	50
	4.2.1	Introduction to Monte Carlo Analysis 50
	4.2.2	Soil and Dust 52
	4.2.2.1	Concentration of Arsenic in Dust and Soil 52
	4.2.2.2	Ingestion Rate for Soil and Dust 54
	4.2.2.3	The Fraction of Ingested Material that Is Soil <i>Versus</i> Dust 55
	4.2.2.4	Bioavailability of Arsenic in Soil and Dust 56
	4.2.2.4.1	Average Bioavailability 56
	4.2.2.4.2	Bioavailability Variance in the Population 57
	4.2.2.4.3	Identifying the Best-fit Beta-distribution Characterizing Bioavailability 57
	4.2.3	Water 57
	4.2.3.1	Concentration of Arsenic in Water 57
	4.2.3.2	Ingestion Rate for Water 58
	4.2.4	Food 58
	4.2.4.1	Ingestion Rate for Food 58
	4.2.4.2	Average Total Dietary Arsenic Intake 59
	4.2.4.3	Fraction of Dietary Arsenic Intake that Is Inorganic 59
	4.2.4.4	Dietary Arsenic Intake Variability 60
	4.2.4.5	Summary 60
	4.2.5	Body Weight Distribution 60
	4.2.6	Exposure Duration 62
5	Results	65
	5.1	Individual House Results 65
	5.1.1	Exposure to Adults in Individual Houses 65
	5.1.2	Exposure to Children in Individual Houses 67
	5.1.3	Lifetime Exposure to Residents in Individual Houses 69
	5.1.4	Summary 73
	5.2	Monte Carlo Results 76
	5.3	Comparison of Calculated Intake to Urinalysis Results 80
	5.3.2	Balmertown Study Area Resident - Adult 82
	5.3.3	Balmertown Study Area Resident - Child 82
	5.3.4	Balmertown Control Area Resident - Adult 82
	5.3.5	Balmertown Control Area Resident - Child 82
	5.3.6	Red Lake Resident - Adult 82
	5.3.7	Red Lake Resident - Child 83
	5.4	Comparison of Balmertown Water to Area Water 83

Table of Contents

(continued)

	<u>Page</u>
6	Summary and Conclusions 84
6.1	Summary of Results 85
6.1.1	Individual House Runs 85
6.1.2	Monte Carlo Runs 88
6.1.3	Comparison of Point Estimates with Monte Carlo 89
6.1.4	Site-Related Exposure vs. Other Exposure 91
6.2	Urinalysis Results 92
6.2.1	Summary of Urinalysis Results and Comparison with Health-Based Criteria 93
6.2.2	Comparison of Point Estimates to Urinalysis Results 94
6.2.3	Comparison of Monte Carlo Analysis to Urinalysis Results 95
6.2.4	Implications of Results 96
6.3	Comparisons of Site Exposures with Exposures at Other Sites 97
6.3.1	Comparison of Urinalysis Results to Other Communities 97
6.3.2	Back Calculation of Average Daily Uptake of Arsenic 97
6.4	Uncertainties 99
6.5	Overall Conclusions 101
7	References 103

Appendix A Soil and Dust Data for Individual Houses

Appendix B Revised Preliminary Calculations Using New Bioavailability Estimates

Appendix C Mean and Standard Deviation of Body Weight, by Age, for Children and Adults

Appendix D Urinalysis Results